



SCAFFOLDING INSPECTION

— SAFE TODAY, SAFE EVERYDAY —



SAFETY FIRST
PEOPLE • PLAN • PREVENT
ACCIDENTS

PROJECT / LOCATION: _____ DATE: _____
INSPECTED BY: _____ TIME: _____
SIGNATURE: _____ WEATHER CONDITIONS: _____

⚠ INSPECT BEFORE EACH USE, AFTER ANY ALTERATION, AND AFTER SEVERE WEATHER.

**WEAR REQUIRED
PPE**



**SAFETY
HELMET**



**SAFETY
GLASSES**



**SAFETY
GLOVES**



**SAFETY
SHOES**



**HI-VIS
CLOTHING**



**FALL
PROTECTION**

NO.	INSPECTION POINT	YES	HS	WA	COMMENTS / ACTION REQUIRED
1	 BASE / FOUNDATION Base plates, screws/jacks and mud sills are in place, on firm, level, and stable ground.	☐	☐	☐	
2	 UPRIGHTS / STANDARDS Uprights are plumb, properly aligned, and securely connected. No bends, cracks or damage.	☐	☐	☐	
3	 LEDGERS / BRACING Ledgers, transoms and diagonal braces are in place, secure, and all locking pins/clips are engaged.	☐	☐	☐	
4	 PLATFORMS / DECKING Platforms are fully decked, secure, level, and free of damage. No overhangs unless designed.	☐	☐	☐	
5	 GUARDRAILS Top rail, mid rail, and toe board are installed on all open sides and ends. Heights comply with requirements.	☐	☐	☐	
6	 ACCESS / LADDERS Safe access provided (ladder/stair tower). Secure, in good condition, and extends at least 3 ft (1 m) above landing.	☐	☐	☐	
7	 FALL PROTECTION Fall protection is provided when required. Anchor points available and in good condition.	☐	☐	☐	
8	 TIES / ANCHORING Scaffolding is tied to structure as per design. Tie points are secure and in good condition.	☐	☐	☐	
9	 STABILITY Overall scaffold is stable with no sway or movement. All components are tight and secure.	☐	☐	☐	
10	 LOAD / CAPACITY Scaffold not overloaded. Loads within safe working limits. Heavy materials stored properly.	☐	☐	☐	
11	 TOOLS / MATERIALS Tools and materials are stored safely. No loose items that could fall.	☐	☐	☐	
12	 TAG / IDENTIFICATION Scaffold has a valid inspection tag. Status is clearly visible.	☐	☐	☐	
13	 ALTERATIONS No unauthorized alterations. Any changes approved by competent person.	☐	☐	☐	
14	 WEATHER IMPACT No adverse weather effects (high winds, heavy rain, ice, or snow) that could affect safety.	☐	☐	☐	
15	 OVERALL CONDITION Scaffold is safe to use.	☐	☐	☐	



IF ANY ITEM IS MARKED "HS" OR "WA", DO NOT USE THE SCAFFOLD UNTIL CORRECTED AND RE-INSPECTED.



YES SAFE TO USE



HS DO NOT USE



WA REPAIRS REQUIRED - REINSPECT

INSPECTED BY (PRINT) _____ SIGNATURE _____ DATE OF INSPECTION _____



**IF IN DOUBT,
KEEP IT OUT!**



**YOUR SAFETY IS
YOUR RESPONSIBILITY.**



**REPORT ANY HAZARD -
TAKE ACTION.**



**WORK SAFE.
GO HOME SAFE.**

SELF CONTAINED BREATHING APPARATUS CHECKLIST

User Name: _____

Unit / ID No.: _____

Date: _____

Location: _____

ITEM	CHECK POINT	OK	NOT OK
 1. CYLINDER	• Cylinder is correct for unit • Hydrostatic test within date • No dents, cracks or damage • Valve handwheel undamaged • Cylinder band / boot secure	☐	☐
 2. PRESSURE	• Pressure is within operating range • Gauge undamaged and readable • No leaks from connections	☐	☐
 3. FACEPIECE	• Facepiece clean and undamaged • Visor clear and undamaged • Head harness intact and elastic • No leaks (perform user seal check)	☐	☐
 4. REGULATOR	• Regulator secure and undamaged • No leaks from connections • Inhalation/exhalation operate smoothly • Bypass valve operates correctly	☐	☐
 5. HARNESS & BACKPLATE	• Straps intact and adjustment works • Buckles secure and undamaged • Backplate undamaged • PAD clean and secure (if fitted)	☐	☐
 6. ALARM (HUD)	• Alarm unit secure and undamaged • Battery/gauge check (if applicable) • Alarm activates (test if required) • HUD operational (if fitted)	☐	☐
 7. ACCESSORIES	• Buddy line / whistle attached • Other accessories present and serviceable	☐	☐
 8. OVERALL	• Unit complete and serviceable • Clean and ready for use • Any faults reported and unit removed from service	☐	☐

NOTES / REMARKS: _____

Checked By: _____

Signature: _____



WORK AT HEIGHT SAFETY CHECKLIST



PLAN AHEAD. WORK SAFE. GO HOME SAFE.

PROJECT NAME: _____

SUPERVISOR NAME: _____

LOCATION: _____

TEAM / CONTRACTOR: _____

DATE: ____ / ____ / ____

WEATHER CONDITION: _____

1. PRE-WORK CHECKS



- ☐ Risk Assessment Completed
- ☐ Work Permit Approved
- ☐ Weather Conditions Safe
- ☐ Emergency Plan in Place
- ☐ Workers Trained for Work at Height
- ☐ Toolbox Talk Conducted

2. ACCESS & EQUIPMENT



- ☐ Ladders Inspected and Secure
- ☐ Scaffolding Erected by Competent Person
- ☐ Guardrails Installed
- ☐ Platforms Fully Planked
- ☐ No Defective Equipment in Use

3. PERSONAL PROTECTIVE EQUIPMENT (PPE)



- ☐ Safety Helmet with Chin Strap
- ☐ Full Body Harness Worn
- ☐ Double Lanyard with Shock Absorber
- ☐ Non-slip Safety Shoes
- ☐ Gloves & Other PPE as Required

4. FALL PROTECTION



- ☐ Anchor Points Certified & Strong
- ☐ Lifelines Installed Properly
- ☐ Harness Connected at All Times
- ☐ Open Edges Protected
- ☐ Safety Nets (if required) Installed

5. WORK AREA SAFETY



- ☐ Area Barricaded Below
- ☐ Warning Signs Displayed
- ☐ Tools Secured (No Falling Objects)
- ☐ Adequate Lighting Available
- ☐ No Slippery or Unsafe Surfaces

6. DURING WORK



- ☐ Continuous Supervision
- ☐ No Overreaching or Unsafe Movements
- ☐ Proper Use of Equipment
- ☐ Communication Maintained

7. EMERGENCY PREPAREDNESS



- ☐ Rescue Plan Known to Team
- ☐ First Aid Kit Available
- ☐ Emergency Contacts Displayed
- ☐ Rescue Equipment Ready

8. FINAL VERIFICATION



Supervisor Signature: _____

Worker Signature: _____

Time: _____



NO HARNESS = NO WORK AT HEIGHT
YOUR SAFETY IS IN YOUR HANDS.



TYRE MOUNTED CRANE (HYDRA) SAFETY INSPECTION CHECKLIST

Inspector Name: _____

Crane / Vehicle No.: _____

Date: _____

Location: _____

ITEM		CHECK POINT	OK	NOT OK
	1. GENERAL CONDITION	- Crane clean and free from damage - No visible cracks / deformation in structure - All decals, warning signs in place and legible - Logbook / documents available	☐	☐
	2. BOOM & STRUCTURE	- Boom sections, pins and lock systems OK - No cracks, bends or excessive wear - Extension / telescope operates smoothly - Hook block, sheaves and latch in good condition	☐	☐
	3. HYDRAULIC SYSTEM	- No oil leaks in hoses, pipes, cylinders - Hydraulic hoses in good condition - Joints, fittings and pumps leak-free - Oil level in reservoir within range	☐	☐
	4. TYRES & WHEELS	- Tyres in good condition and properly inflated - No cuts, bulges or excessive wear - Wheel nuts / bolts tight and secure	☐	☐
	5. OUTRIGGERS	- All outriggers / jacks present and functional - No cracks or damage in beams / cylinders - Pads / foot plates in good condition - Outriggers extend and retract smoothly	☐	☐
	6. HOOK & ROPE	- Hook not deformed and rotates freely - Safety latch on hook working properly - Wire rope in good condition (no cuts, kinks) - End termination and clamps secure	☐	☐
	7. OPERATOR CABIN	- Seat belt in place and functional - Controls / levers operate smoothly - Horn, wipers, mirrors functional - Fire extinguisher available and serviceable	☐	☐
	8. LIGHTS & SIGNALS	- Head lights, tail lights, indicators working - Reverse alarm functional - Amber beacon / strobe light working (if fitted)	☐	☐
	9. SAFETY DEVICES	- Overload warning device functional - Limit switches (hook height, boom angle) OK - Emergency stop / cut-off switch working - All safety devices in good working condition	☐	☐
	10. OVERALL	- Crane safe for operation - No abnormal noise / vibration - All observed issues reported and rectified	☐	☐

NOTES / REMARKS: _____

Inspected By: _____

Signature: _____



CONSTRUCTION SITE HOUSEKEEPING SAFETY CHECKLIST

PROJECT NAME : _____ INSPECTOR NAME : _____
LOCATION : _____ AREA INSPECTED : _____
DATE : _____

STATUS KEY

- = SAFE / COMPLIED
 = UNSAFE / NON-COMPLIED
 = NOT APPLICABLE

HOUSEKEEPING SAFETY CHECKLIST

SR. NO.	INSPECTION ITEM				REMARKS
1	Work area is clean and free from unnecessary materials				
2	Debris and scrap materials removed regularly				
3	Walkways and access routes are clear				
4	No protruding nails or sharp objects present				
5	Materials stacked properly and safely				
6	Waste bins/skips available at required locations				
7	Waste segregated properly (metal, wood, plastic, etc.)				
8	Spillage of oil, water, or chemicals cleaned immediately				
9	Electrical cables arranged safely without trip hazards				
10	Adequate lighting available in work areas				
11	Fire exits and emergency routes unobstructed				
12	Fire extinguishers accessible and visible				
13	Tools stored properly after use				
14	Scaffolding platforms clean and free from loose materials				
15	Stairways and ladders kept clear				
16	Housekeeping maintained at height work locations				
17	PPE waste disposed properly				
18	Drinking water and welfare areas kept hygienic				
19	Toilet and washing facilities clean and usable				
20	Daily housekeeping inspection conducted by supervisor				

SAFETY REMINDERS



KEEP WORK
AREAS CLEAN
AT ALL TIMES.



CLEAN SITE
=
SAFE SITE



REMOVE WASTE
MATERIALS
IMMEDIATELY.



AVOID SLIP,
TRIP, AND
FALL HAZARDS.



STACK
MATERIALS
SAFELY TO
PREVENT
COLLAPSE.

HIGH-RISK OBSERVATIONS

OBSERVATION	CORRECTIVE ACTION REQUIRED	RESPONSIBLE PERSON	TARGET DATE



INSPECTOR SIGNATURE



SUPERVISOR SIGNATURE



DATE

GOOD HOUSEKEEPING TODAY, A SAFE WORKPLACE EVERY DAY!



RADIOGRAPHY OF PIPELINE WELD JOINT

SAFETY CHECKLIST (RT WORK)



PROJECT : _____
LOCATION : _____
DATE : _____

PERMIT No. : _____
RADIOGRAPHER : _____
RSO : _____

1 PERMIT & AUTHORIZATION



- ☐ Valid Radiography Permit issued
- ☐ Approved Method Statement available
- ☐ Radiography crew certified & authorized
- ☐ RSO approval obtained
- ☐ Local authority notification (if required)

2 EQUIPMENT SAFETY




- ☐ Source container in good condition
- ☐ Source activity within limit
- ☐ Exposure device (camera) inspected
- ☐ Guide tube & control cable damage-free
- ☐ Collimator used (where applicable)
- ☐ Warning lights functional
- ☐ Survey meter calibrated & working
- ☐ Dosimeters (TLD/Film badge) issued

3 PERSONAL PROTECTIVE EQUIPMENT (PPE)

- ☐ Helmet
- ☐ Safety shoes
- ☐ Reflective jacket
- ☐ Hand gloves
- ☐ Radiation badge worn properly
- ☐ Personal alarm dosimeter (if required)



4 AREA CONTROL & BARRICADING



- ☐ Area cleared of unauthorized personnel
- ☐ Barricading done (safe distance maintained)
- ☐ Warning signs displayed "Radiation Area - Keep Away"
- ☐ Flashing lights / siren in place
- ☐ Access points controlled
- ☐ Night visibility arrangements adequate

5 RADIATION SAFETY

- ☐ Radiation survey conducted before exposure
- ☐ Exposure time calculated correctly
- ☐ Safe distance maintained during exposure
- ☐ Continuous monitoring with survey meter
- ☐ No radiation leakage detected
- ☐ Emergency plan briefed to team



6 COMMUNICATION & SUPERVISION



- ☐ Toolbox talk conducted
- ☐ All workers informed about RT activity
- ☐ Dedicated supervisor present
- ☐ Communication system available (radio/mobile)

7 ENVIRONMENT & SITE CONDITIONS



- ☐ Work area stable and free from hazards
- ☐ Weather conditions suitable
- ☐ No simultaneous conflicting activities nearby
- ☐ Adequate lighting provided

8 POST-EXPOSURE CHECKS

- ☐ Source retracted and secured
- ☐ Radiation level checked (zero reading confirmed)
- ☐ Barricades removed after clearance
- ☐ Equipment safely stored
- ☐ Area declared safe



9 EMERGENCY PREPAREDNESS



- ☐ Emergency contact numbers available
- ☐ Source retrieval tools available
- ☐ Spill/incident procedure known
- ☐ First aid kit available

IMPORTANT



RADIATION IS INVISIBLE
BUT CAN BE DEADLY

FOLLOW SAFETY PROCEDURES
AT ALL TIMES

KEEP THESE GOLDEN RULES



TIME
MINIMIZE



DISTANCE
MAXIMIZE



SHIELDING
USE



SECURE
THE SOURCE



FOLLOW
PROCEDURE

SAFETY FIRST

RADIATION SAFETY
EVERYONE'S
RESPONSIBILITY

WORK SAFE
GO HOME SAFE

RADIOGRAPHER SIGNATURE

RSO SIGNATURE

SAFETY OFFICER SIGNATURE

DATE: _____

DATE: _____

DATE: _____

RECOMMENDED PRINT

- ☒ A3 SIZE
- ☒ BOLD HEADINGS
- ☒ BLACK & WHITE THEME
- ☒ HAZARD SYMBOLS FOR VISIBILITY



RECTIFIER WELDING MACHINE SAFETY CHECKLIST

POWER SAFE. WELD SAFE. GO HOME SAFE.

PROJECT NAME: _____ SUPERVISOR NAME: _____

LOCATION: _____ WELDING TEAM/CONTRACTOR: _____

RECTIFIER MACHINE ID/SERIAL NO. _____ POWER SOURCE/VOLTAGE: _____

DATE: / /

1. PRE-START MACHINE CHECKS




- ☐ Machine body earthed/grounded
- ☐ Power cable free of cuts/frays
- ☐ Control knobs (Amps, Voltage) functional
- ☐ Voltmeter and Ammeter functional
- ☐ Fan function check

2. ELECTRICAL SUPPLY



- ☐ Supply voltage matches machine rating
- ☐ Power plug and socket in good condition
- ☐ ELCB/RCCB functional
- ☐ Temporary joints are insulated
- ☐ Cables are free of tangles

3. PERSONAL PROTECTIVE EQUIPMENT (PPE)



- ☐ Welding Helmet with correct filter lens
- ☐ Fire-resistant welding gloves
- ☐ Leather apron/clothing
- ☐ Safety shoes (non-conductive soles)
- ☐ Ear protection (if needed)

4. ARC FLASH & SPATTER



- ☐ Welding screen in place
- ☐ Non-reflective surfaces
- ☐ Bystanders informed and shielded
- ☐ Adequate ventilation or fumes extraction

5. WORK AREA ENVIRONMENT



- ☐ Floor clean and dry (no water/oil)
- ☐ Area free of flammable materials
- ☐ Fire extinguisher present (CO2 or Dry Powder)
- ☐ Emergency exits clear
- ☐ Adequate lighting

6. CABLES & HOLDERS



- ☐ Welding cables in good condition
- ☐ Electrode holder fully insulated
- ☐ Earth clamp secure and in good condition
- ☐ Cables secured off ground (where possible)
- ☐ Lugs and connections tight

7. FUMES & VENTILATION



- ☐ Ventilation effective (natural or mechanical)
- ☐ Respiratory protection (if required)
- ☐ Local exhaust ventilation working (if installed)
- ☐ Safe space for other tasks
- ☐ Regular checks of air quality

8. POST-WORK & MAINTENANCE




- ☐ Machine turned off and isolated
- ☐ Cables coiled and stored safely
- ☐ Electrode holder stored away
- ☐ Machine visual inspection complete
- ☐ Area tidied and cleaned



NO GROUNDING = NO WELDING

SUPERVISOR SIGNATURE: _____

WORKER SIGNATURE: _____



DATE: _____

TIME: _____

FIRE EXTINGUISHER, FIRE ALARM SYSTEMS & FIRE HYDRANT SYSTEM INSPECTION CHECKLIST

Inspector Name: _____

Location: _____

Date: _____

Department / Area: _____

ITEM	CHECK POINT	OK	NOT OK	
1. FIRE EXTINGUISHER INSPECTION				
	1.1 LOCATION & ACCESSIBILITY	- Extinguisher is in designated location, unobstructed and clearly visible - Easy access and not blocked	☐	☐
	1.2 PHYSICAL CONDITION	- No physical damage, corrosion, leakage or broken parts - Clean and in good condition	☐	☐
	1.3 PRESSURE / GAUGE	- Gauge reading in the operable (green) range - Pressure is adequate	☐	☐
	1.4 SEAL & SAFETY PIN	- Seal intact and safety pin in place - Tamper seal not broken	☐	☐
	1.5 HOSE & NOZZLE	- Hose in good condition and not cracked - Nozzle clean and not blocked	☐	☐
	1.6 INSTRUCTIONS LABEL	Operation instructions label is present and legible	☐	☐
	1.7 INSPECTION TAG	Inspection tag present and up to date	☐	☐
	1.8 EXPIRY DATE	Within service/expiry date and refilled if discharged	☐	☐
2. FIRE ALARM SYSTEMS INSPECTION				
	2.1 CONTROL PANEL	- Panel is in normal condition - No fault or alarm indications	☐	☐
	2.2 POWER SUPPLY	- AC power normal - Battery backup available and normal	☐	☐
	2.3 ALARM DEVICES	- Horns, bells, strobes working properly - Devices clean and securely mounted	☐	☐
	2.4 MANUAL CALL POINTS	- Call points accessible and intact - Properly labeled and operational	☐	☐
	2.5 SYSTEM TEST	- System test conducted - All zones respond correctly	☐	☐
	2.6 WIRING / CONNECTIONS	- No visible damage - Connections tight and secure	☐	☐
	2.7 LOG BOOK / RECORDS	Test & inspection records are up to date	☐	☐
3. FIRE HYDRANT SYSTEM INSPECTION				
	3.1 HYDRANT CABINET	- Cabinet accessible, unlocked and in good condition - Free from damage and corrosion	☐	☐
	3.2 HOSE REEL & HOSE	- Hose reel in place, rotates freely - Hose clean, undamaged and properly coiled	☐	☐
	3.3 VALVE / LANDING VALVE	- Valve in good condition - Operates smoothly	☐	☐
	3.4 PRESSURE	Water pressure is adequate	☐	☐
	3.5 PUMP SYSTEM (IF ANY)	- Jockey/Main pump operational - No abnormal noise or leakage	☐	☐
	3.6 WATER LEVEL (TANK)	Sufficient water level in the tank	☐	☐
	3.7 SIGNAGE	Hydrant signage is provided and visible	☐	☐
	3.8 TEST RECORD	Hydrant flow test record is up to date	☐	☐

NOTES / REMARKS: _____

Inspected By: _____

Signature: _____



CONSTRUCTION SITE HAND TOOLS SAFETY CHECKLIST



Inspect Hand Tools Before Each Use – Use the Right Tool – Use It Safely

Project Name:		Date:		Checklist No.:	
Location:		Time:		Supervisor:	
Inspected By:		Designation:			

**WEAR REQUIRED
PPE**



**SAFETY
HELMET**



**SAFETY
GLASSES**



**SAFETY
GLOVES**



**SAFETY
SHOES**



**HI-VIS
CLOTHING**



**EAR
PROTECTION**

No.		INSPECTION POINT	YES ✓	NO ✗	N/A	COMMENTS / ACTION REQUIRED
1		Tool is in good condition and suitable for the job.	☐	☐	☐	
2		No cracks, breaks or damage in tool body or handle.	☐	☐	☐	
3		Handle is firmly attached and not loose.	☐	☐	☐	
4		Tool is clean and free from dirt, grease or oil.	☐	☐	☐	
5		Cutting edges, jaws or teeth are not worn or chipped.	☐	☐	☐	
6		Adjustable parts work properly and not over-worn.	☐	☐	☐	
7		Tool used only for the purpose it is designed for.	☐	☐	☐	
8		Tools are carried/stored safely when not in use.	☐	☐	☐	
9		Work area is clean, well-lit and free from hazards.	☐	☐	☐	
10		User is trained/authorized to use this tool.	☐	☐	☐	
11		ANGLE GRINDER: Guard in place, wheel not damaged, handle tight, cord/battery in good condition.	☐	☐	☐	
12		HAND AIR BLOWER: Nozzle clear, air pressure safe, hose/fitting secure, air used for cleaning only (not body).	☐	☐	☐	



**IF ANY "NO",
DO NOT USE THE TOOL.**

CORRECTIVE ACTION TAKEN:

Inspected By (Name):		Supervisor (Name):		Date of Completion:	
Signature:		Signature:			



**CHECK IT
BEFORE YOU
USE IT**



**USE THE RIGHT
TOOL IN THE
RIGHT WAY**



**REPORT DAMAGED
TOOLS TO YOUR
SUPERVISOR**



**SAFETY TODAY
WORK SAFELY
GO HOME SAFE**

SAFETY IS EVERYONE'S RESPONSIBILITY

EARTH MOVING EQUIPMENT SAFETY INSPECTION CHECKLIST



A SAFE MACHINE. A SAFE SITE. EVERY TIME.

EQUIPMENT TYPE: _____ EQUIPMENT ID / NO.: _____ DATE: _____
MAKE / MODEL: _____ HOUR METER (READING): _____ LOCATION / SITE: _____
OPERATOR NAME: _____ INSPECTED BY: _____ SIGNATURE: _____



INSTRUCTIONS: Inspect the following items before starting the equipment.
Check ✓ if OK. Mark ✗ if Not OK and take action before use.

ITEM TO INSPECT		✓ OK	✗ NOT OK
	1. GENERAL CONDITION - No visible damage, cracks or leaks - Pins, bolts and fasteners in place - Clean and free from excessive mud, debris or grease - Safety decals are legible		
	2. FLUIDS - Engine oil level - Coolant level - Hydraulic oil level - Fuel level - No leaks under or around equipment		
	3. BATTERY & ELECTRICAL - Battery secure and terminals clean - Wiring / cables in good condition - Lights, gauges and indicators working - Backup alarm operational		
	4. UNDERCARRIAGE / TIRES - Track tension / tire pressure OK - No broken, loose or missing parts - Excessive wear or damage noted and reported		
	5. ATTACHMENTS - Bucket / blade / teeth in good condition - Pins, locks and retainers secure - No cracks, weld damage or excessive wear		
	6. HYDRAULIC SYSTEM - Hoses and fittings in good condition - No leaks, cuts or bulges - Cylinders and connections secure		
	7. BRAKES - Service brake operational - Parking brake operational - No unusual noises		
	8. OPERATOR CAB / ROPS - ROPS / FOPS structure secure - Seat belt in good condition - Mirrors clean and adjusted - Wipers and washers working - Horn working		
	9. SAFETY DEVICES - Seat belt functional - Fire extinguisher present & accessible - Safety decals / warning labels in place and legible - Backup alarm functional		
	10. WORK AREA SAFETY - Area is clear of personnel and obstructions - Ground is stable - Overhead hazards identified - Traffic control in place if required		

NOTES / DEFECTS FOUND:



**EQUIPMENT
IS SAFE TO USE**

Signature: _____
Name: _____
Date: _____
Time: _____



**EQUIPMENT
IS NOT SAFE TO USE**

Action Taken: _____
Signature: _____
Name: _____
Date: _____
Time: _____



IF IN DOUBT, DO NOT USE.



SAFETY IS EVERYONE'S RESPONSIBILITY
INSPECT • REPORT • CORRECT • STAY SAFE

SAFETY INSPECTION CHECKLIST

OF

FULL BODY HARNESS

WITH 2 LANYARDS & FALL ARRESTORS



YOUR LIFE DEPENDS ON IT – INSPECT BEFORE EVERY USE
If any item fails inspection, REMOVE FROM SERVICE IMMEDIATELY.

EQUIPMENT TO INSPECT

1. Full Body Harness
(Example: Standard / Comfort / Construction)
2. Lanyard 1 with Connector
(Example: Shock Absorbing Lanyard)
3. Lanyard 2 with Connector
(Example: Shock Absorbing Lanyard)
4. Fall Arrestor 1
(Example: Self-Retracting Lifeline)
5. Fall Arrestor 2
(Example: Self-Retracting Lifeline)



LANYARD 1



LANYARD 2



FALL ARRESTOR 1



FALL ARRESTOR 2

INSPECTION FREQUENCY

Before Every Use
and by a Competent
Person at least
every 12 Months.

INSPECTION DATE

____ / ____ / ____

INSPECTED BY

RESULT

- ☐ PASS
☐ FAIL – REMOVE FROM SERVICE

ITEM TO INSPECT	WHAT TO CHECK	OK	NOT OK
1 HARNESS – WEBBING - Check all webbing for cuts, frays, abrasions, burns, chemical damage, glazing or excessive wear. - Check for broken, pulled or loose stitches.	OK 	NOT OK (Examples) 	☐ OK ☐ NOT OK
2 HARNESS – HARDWARE - Check all metal hardware (D-rings, buckles, adjusters) for cracks, deformation, corrosion, sharp edges. - Ensure buckles work properly and lock securely.	OK 	NOT OK (Examples) 	☐ OK ☐ NOT OK
3 HARNESS – ATTACHMENT POINTS - Check dorsal, sternal, and (if applicable) lateral attachment points for deformation, cracks or wear. - Ensure attachment points are secure and not twisted.	OK 		☐ OK ☐ NOT OK
4 HARNESS – PADDING - Check padding for tears, compression, or missing parts. - Ensure padding is properly positioned and secured.			☐ OK ☐ NOT OK
5 LANYARDS – WEBBING / ROPE - Check lanyard webbing/rope for cuts, frays, abrasions, burns, chemical damage or glazing. - Ensure stitching is intact.			☐ OK ☐ NOT OK
6 LANYARDS – ENERGY ABSORBER - Check energy absorber cover for tears or damage. - Ensure stitching is intact and ends are secure. - Look for deployment (from stitches, exposed indicator). - NOTE: If deployed or any doubt, REMOVE FROM SERVICE.			☐ OK ☐ NOT OK
7 CONNECTORS (ALL) - Check connectors for cracks, deformation, corrosion, wear, or sharp edges. - Ensure gates open/close smoothly and lock properly (if locking).			☐ OK ☐ NOT OK
8 FALL ARRESTORS – HOUSING - Check housing for cracks, breaks, or deformation. - Ensure labels are present and legible.			☐ OK ☐ NOT OK
9 FALL ARRESTORS – WEBBING/ CABLE - Inspect entire length of webbing/cable for cuts, frays, kinks, corrosion, birdcaging or broken strands. - Ensure the line retracts smoothly and fully.			☐ OK ☐ NOT OK
10 FALL ARRESTORS – HOOK / CONNECTOR - Check hooks/connectors for cracks, deformation, corrosion, wear, or sharp edges. - Ensure gates open/close smoothly and lock properly.			☐ OK ☐ NOT OK
11 LABELS & MARKINGS - Check all labels are present and legible. - Verify product name, model, serial number, standards, and manufacturing date.			☐ OK ☐ NOT OK
12 FUNCTIONAL CHECK - Don the harness and check fit and adjustment. - Ensure all buckles fasten and adjust properly. - Ensure both lanyards and fall arrestors function correctly.			☐ OK ☐ NOT OK



IF IN DOUBT – TAKE IT OUT!
If any item fails inspection or you have any doubt about its condition, REMOVE FROM SERVICE IMMEDIATELY.

REFERENCE STANDARDS

- EN 361:2002 – Full body harness
 - EN 355:2002 – Energy absorbers
 - EN 362:2004 – Connectors
 - EN 360:2002 – Retractable type fall arrestors
- Always follow manufacturer's instructions for use for detailed guidance.

NOTES

ALWAYS FOLLOW TRAINING AND COMPANY PROCEDURES



CRANE HOOK

SAFETY INSPECTION CHECKLIST

FOR SAFE LIFTING



INSPECT BEFORE EVERY USE – YOUR SAFETY DEPENDS ON IT

1. PRE-USE CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	Check for cracks Cracks reduce strength and may lead to sudden failure.	☐	☐	
	Check for excessive wear Wear at bearing points and hook tip reduces load carrying capacity.	☐	☐	
	Check for deformation Bending or twisting can change shape and weaken the hook.	☐	☐	
	Check throat opening Overloading or wear may increase throat opening and cause sling/rope to slip out.	☐	☐	
	Check latch Latch prevents accidental slipping of sling/rope from the hook.	☐	☐	
	Check for corrosion / rust Corrosion can cause pitting and reduce the strength of the hook.	☐	☐	
	Check hook tip Nicks, gouges or notches at the tip can cause failure and sling slippage.	☐	☐	
	Check for heat damage Excessive heat from welding or other sources reduces the strength of the hook.	☐	☐	

REMOVE FROM SERVICE IF ANY DEFECT IS FOUND

2. IN-USE CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	Operate within capacity Do not exceed Safe Working Load (SWL) of the hook and crane.	☐	☐	
	Avoid shock loading Do not drop, jerk or swing the load.	☐	☐	
	Avoid side loading Do not pull or load on the hook tip.	☐	☐	
	Monitor environment Avoid using in high heat, corrosive or hazardous environments.	☐	☐	
	Stop if abnormal Stop operation if any unusual noise, vibration or movement is observed.	☐	☐	

REMOVE FROM SERVICE IF ANY DEFECT IS FOUND

3. POST-USE CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	Clean the hook Remove dirt, dust, oil, grease and moisture.	☐	☐	
	Lubricate moving parts Lubricate latch and moving components if required.	☐	☐	
	Store properly Store in dry, secure area. Protect from weather, chemicals and mechanical damage.	☐	☐	
	Report any issues Report defects or unsafe conditions to supervisor.	☐	☐	

REMOVE FROM SERVICE IF ANY DEFECT IS FOUND



SAFE EQUIPMENT – SAFE SITE
INSPECT • VERIFY • OPERATE SAFELY

INSPECTED BY: _____
DATE: _____
SIGNATURE: _____

REFERENCE STANDARDS


ASME B30.10 – Hooks
EN 1677-2 – Components for Lifting – Forged Hooks
IS 3815 (Part 1) – 2016 – Crane Hooks

A SMALL INSPECTION TODAY CAN PREVENT A BIG ACCIDENT TOMORROW

ELECTRICAL SAFETY CHECKLIST

FOR CONSTRUCTION SITE

— STAY ALERT. STAY SAFE. SAVE LIVES. —



ELECTRICAL SAFETY CHECKLIST



1		TRAINED PERSONNEL ONLY • Only qualified and authorized persons shall perform electrical work.	☐
2		INSPECT BEFORE USE • Inspect all electrical tools, equipment, cords and plugs before each use. • Do not use if damaged.	☐
3		USE APPROVED EQUIPMENT • Use only approved electrical equipment. • Use properly rated extension cords for the job.	☐
4		USE GFCI PROTECTION • Use Ground Fault Circuit Interrupter (GFCI) protection on all 120V, single-phase, 15 and 20 ampere outlets.	☐
5		PROTECT CORDS • Keep cords off the ground, away from water, sharp edges, heat and high-traffic areas. • Use proper covers or cord ramps.	☐
6		DO NOT TAMPER • Do not remove or bypass safety devices. • Keep electrical panels and enclosures closed and locked.	☐
7		ELECTRIC HAND TOOLS • Use tools that are double insulated or properly grounded. • Inspect before use. Do not use if damaged.	☐
8		TEMPORARY ELECTRIC CONNECTION CHECKS • Use approved temporary distribution boards. • Connections must be tight, insulated and protected from weather. • Keep area around distribution boards clean and dry. • Cables must be secured and supported.	☐
9		KEEP DRY • Keep electrical equipment and connections dry. • Do not use electrical equipment in wet conditions.	☐
10		REPORT HAZARDS Report any electrical hazards, damage or unsafe conditions immediately.	☐
11		AVOID OVERLOADING • Do not overload outlets or circuits. • Follow equipment rating and manufacturer's instructions.	☐
12		DISCONNECT POWER Disconnect power before servicing, cleaning or making adjustments.	☐

REMEMBER



**ELECTRICITY
CAN HURT
OR KILL.**



Plan the work.
Identify hazards.



Use the right
equipment for
the job.



Follow safe
work practices
at all times.



When in doubt,
STOP and ask.



**IN CASE OF
EMERGENCY**

SAFE TODAY

STRONG TOMORROW

TOGETHER WE BUILD



CONSTRUCTION SITE INFORMATION BOARD



Occupational Safety And Health
National And International
Standards



SAFETY FIRST – THINK SAFE, WORK SAFE, GO HOME SAFE



PROJECT START DATE : _____



PROJECT END DATE : _____



PROJECT NAME : _____



PROJECT LOCATION : _____



CLIENT / OWNER

Name : _____

Address : _____

Contact No. : _____



CONTRACTOR

Name : _____

Address : _____

Contact No. : _____



THIRD PARTY INSPECTOR (TPI)

Name : _____

Organization : _____

Contact No. : _____

SITE MANAGEMENT TEAM

PROJECT MANAGER



Name : _____

Contact No. : _____

Email : _____

SAFETY OFFICER



Name : _____

Contact No. : _____

Email : _____

SITE SAFETY RULES

- ✓ All personnel must wear required PPE at all times.
- ✓ Follow all site rules and instructions.
- ✓ Do not enter unauthorized areas.
- ✓ Report all accidents, incidents and near misses.
- ✓ Keep the site clean and tidy.
- ✓ Use proper tools and equipment.
- ✓ Do not take shortcuts. Work safely.

MANDATORY PPE



SAFETY HELMET



SAFETY GOGGLES



SAFETY VEST



SAFETY GLOVES



SAFETY SHOES



EAR PROTECTION



DUST MASK



SAFETY HARNESS
(WHEN WORKING AT HEIGHT)



EMERGENCY CONTACT NUMBERS

AMBULANCE : 112 / 999
FIRE BRIGADE : 112 / 999
POLICE : 112 / 999
SITE OFFICE : _____
SAFETY OFFICER : _____
NEAREST HOSPITAL : _____



IN CASE OF EMERGENCY

STAY CALM – INFORM – ACT – EVACUATE



ASSEMBLY POINT



LOCATION OF
ASSEMBLY POINT

In case of emergency,
proceed to the assembly point
and report to the safety officer.

RECORDS OF ACCIDENT / SAFETY PERFORMANCE

SAFE MAN HOURS
(RUNNING) : _____ HOURS

LAST LTI (LOST TIME INJURY) DATE : _____
TIME : _____

TOTAL RECORDABLE
INJURIES (TRI) : _____

NEAR MISS REPORTED : _____

REPORT – INVESTIGATE – LEARN – PREVENT



NO
UNAUTHORIZED
ENTRY



NO
SMOKING



NO ALCOHOL
OR DRUGS



BE ALERT
DON'T GET HURT



KEEP SITE
CLEAN

SAFETY IS EVERYONE'S RESPONSIBILITY



PPE SAFETY INSPECTION CHECKLIST

PROPER PPE, PROPER PROTECTION – CHECK TODAY, STAY SAFE ALWAYS.

Date of Inspection : _____

Location / Site : _____

Department / Area : _____

Supervisor / Incharge : _____

Inspected By : _____

S. No.	PPE ITEM	WHAT TO CHECK	CONDITION			REMARKS
			GOOD	NEEDS ATTENTION	UNSAFE	
1	 SAFETY HELMET	• Shell is free from cracks or damage • Inner suspension is intact • Chin strap is available and functional • Clean and in usable condition	☐	☐	☐	
2	 SAFETY GOGGLES / EYE PROTECTION	• Lens is clear and free from scratches • Frame is not damaged or loose • Strap is elastic and in good condition • Provides proper fit and coverage	☐	☐	☐	
3	 HEARING PROTECTION	• Ear muffs/plugs are clean • Muffs seal properly / plugs are soft • No visible damage • Provides effective noise protection	☐	☐	☐	
4	 FACE SHIELD	• Visor is clear and free from cracks • Headgear is adjustable and intact • Shield locks properly in position • Provides full face coverage	☐	☐	☐	
5	 RESPIRATORY PROTECTION (MASK/RESPIRATOR)	• Mask is clean and not damaged • Straps are elastic and intact • Proper fit (seal check) • Filter/cartridge not expired (if applicable)	☐	☐	☐	
6	 SAFETY GLOVES	• No tears, holes or wear • Suitable for the task • Clean and in usable condition • Proper size and comfortable fit	☐	☐	☐	
7	 SAFETY SHOES	• Toe cap is intact • Sole is not worn or damaged • Laces are available and strong • Clean and in good condition	☐	☐	☐	
8	 HI-VISIBILITY CLOTHING	• Fabric is clean and visible • Reflective strips are intact • No tears or damage • Appropriate for the work area	☐	☐	☐	
9	 SAFETY HARNESS (FALL PROTECTION)	• Webbing is free from cuts/tears • Buckles and D-rings are intact • Stitching is not damaged • Lanyard is available and in good condition	☐	☐	☐	
10	 RAINCOAT / APRON / OTHER PPE	• No tears or damage • Clean and in usable condition • Suitable for the environment • Stored properly when not in use	☐	☐	☐	

CONDITION STATUS :

GOOD



– Fit for Use

NEEDS ATTENTION



– Repair / Clean / Replace Soon

UNSAFE



– Do Not Use

GENERAL REMARKS / OBSERVATIONS :

Inspected By (Name & Signature) : _____

Date : _____

Reviewed By (Name & Signature) : _____

Date : _____



WEAR IT RIGHT. CHECK IT RIGHT. STAY PROTECTED, STAY SAFE.



Follow us on Facebook: Occupational Safety And Health - National And International Standards

LIFTING GEAR CHECKLIST

WIRE ROPE SLINGS, D SHACKLES & HOOKS

INSPECT BEFORE EVERY USE – YOUR SAFETY DEPENDS ON IT



1. WIRE ROPE SLINGS CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	Check for broken wires No broken wires visible.	☐	☐	
	Check for wear & abrasion No excessive wear or abrasion.	☐	☐	
	Check for kinks, twists or bird caging No kinks, twists or bird caging.	☐	☐	
	Check for corrosion No rust or corrosion present.	☐	☐	
	Check ferrules/ sleeves Secure and not cracked or loose.	☐	☐	
	Check identification tag Tag present and readable.	☐	☐	
⚠ REMOVE FROM SERVICE IF ANY DEFECT IS FOUND				

2. D SHACKLES CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	Check for cracks, nicks or deformation No cracks or deformation.	☐	☐	
	Check for corrosion No rust or corrosion.	☐	☐	
	Check pin Pin is straight, not bent and threads are good.	☐	☐	
	Check fit Shackle fits properly, not overstrained.	☐	☐	
	Check WLL marking WLL marking present and readable.	☐	☐	
⚠ REMOVE FROM SERVICE IF ANY DEFECT IS FOUND				

3. HOOKS CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	Check for cracks, nicks or deformation No cracks, nicks or deformation.	☐	☐	
	Check for wear No excessive wear on the hook.	☐	☐	
	Check safety latch Latch moves freely and closes properly.	☐	☐	
	Check for corrosion No rust or corrosion.	☐	☐	
	Check WLL marking WLL marking present and readable.	☐	☐	
⚠ REMOVE FROM SERVICE IF ANY DEFECT IS FOUND				



SAFE LIFTING – EVERY TIME
INSPECT • VERIFY • LIFT SAFELY

INSPECTED BY: _____
DATE: _____
SIGNATURE: _____


A SMALL INSPECTION TODAY CAN PREVENT A BIG ACCIDENT TOMORROW



Occupational Safety And Health - National And International Standards

Sharing knowledge about Safety environment
and health in Industry.

Occupational health and safety service



ROPE SUSPENDED PLATFORM SAFETY INSPECTION CHECKLIST



LOCATION: _____



DATE: _____



TIME: _____



WEATHER: _____

INSPECT BEFORE EACH USE – DO NOT USE IF ANY DEFECTS ARE FOUND

NO.	INSPECTION ITEM	OK	NOT OK	N/A	REMARKS
1	Work authorization & risk assessment completed for high-rise work.				
2	Rescue plan in place and communicated. Rescue equipment available.				
3	Weather conditions safe: Wind speed < 30 km/h, no rain/thunder/lightning.				
4	Suspension ropes (main & safety) – correct type, size & length, no cuts, frays, kinks, wear or broken wires.				
5	Ropes properly secured to independent, rated anchor points. Knots/terminations correct and secure.				
6	Rope protectors in place at sharp edges and contact points.				
7	Hoist machines – function tested, brakes working, wires intact. Safety lock (fall arrest device) tested on both ropes.				
8	Platform structure – no cracks, deformation or corrosion. Guardrails, mid-rails & toeboards fitted and secure.				
9	Platform deck clean, non-slip and free from oil, grease & debris.				
10	Electrical cables – no damage, proper connections, earth leakage protection (RCD/GFCI) in working condition.				
11	Counterweights (if used) – correct, secure and in place.				
12	Tools, materials & equipment secured to prevent falling.				
13	Personal Fall Protection – full body harness worn, lanyard attached to independent lifeline/anchor.				
14	Communication system (phone/radio) tested and working.				
15	Taglines/guide ropes available and in good condition.				
16	Limits of platform travel tested – upper & lower limits functioning.				
17	Previous inspection record available and reviewed.				



HIGH-RISE SAFETY PROTOCOLS

- ✓ Only trained & authorized personnel allowed on the platform.
- ✓ Wear full body harness and connect to independent lifeline.
- ✓ Ensure dual rope system – one for suspension, one for safety.
- ✓ Do not overload the platform. Follow SWL (Safe Working Load).
- ✓ Never tie-off to the platform or suspension ropes.
- ✓ Maintain 3-point contact when entering/exiting the platform.
- ✓ Keep body inside the platform at all times.
- ✓ Stop work during adverse weather (high wind, rain, lightning).
- ✓ Ensure clear communication with ground personnel.
- ✓ Do not move the platform laterally unless designed for it.
- ✓ Emergency rescue plan must be in place and practiced.



SAFETY STARTS WITH YOU

PLAN • INSPECT • PROTECT
EVERY TIME



REFERENCE STANDARD

- OSHA 29 CFR 1926.453 – Suspended Scaffolds
- OSHA 29 CFR 1910.66 – Ropes and Rope Descent Systems
- ISO 12811-1 – Temporary works equipment – Part 1: Scaffolds – Performance requirements and general design
- EN 1808 – Suspension equipment for temporary access
- ANSI/ASSE A10.8 – Safety Requirements for Suspended Access Equipment
- BS 7985 – Code of practice for the use of rope access methods



INSPECTED BY: _____



DESIGNATION: _____



SIGNATURE: _____



DATE: _____



INSPECT
BEFORE USE



WEAR
FULL BODY HARNESS



USE DUAL ROPE
SYSTEM



CHECK WEATHER
CONDITIONS



TRAINED PERSONNEL
ONLY

**THINK SAFETY
WORK SAFELY
LIVE SAFELY**



★ SAFETY IS NEVER IGNORED ★ WE BUILD SAFETY CULTURE, ENSURE COMPLIANCE AND SAVE LIVES ★



**NO SMOKING
NO OPEN FLAME**

LPG GAS BANK

SAFETY INSPECTION CHECKLIST



**NO IGNITION
SOURCES**



SAFE TODAY, SAFE TOMORROW

Inspect – Identify – Correct – Prevent



INSPECTION POINTS		OK ✓	NOT OK ✗	N/A –	REMARKS
1	LPG cylinders are secured upright with proper restraints / chain.	☐	☐	☐	
2	Piping, manifolds and connections are properly supported and free from damage or leakage.	☐	☐	☐	
3	All valves are in good condition, operating smoothly and properly labeled.	☐	☐	☐	
4	Pressure gauges are in good condition, calibrated and readings are normal.	☐	☐	☐	
5	Flexible hoses (pigtailes) are of approved type, within validity and free from cracks, bulges or wear.	☐	☐	☐	
6	No gas leakage detected at cylinders, valves, joints and connections (leak test if required).	☐	☐	☐	
7	Gas bank area is well ventilated and free from gas accumulation.	☐	☐	☐	
8	Gas bank area is clean, dry and free from combustible materials.	☐	☐	☐	
9	"NO SMOKING / NO OPEN FLAME / NO IGNITION SOURCES" signs are displayed.	☐	☐	☐	
10	Fire extinguisher (Dry Powder / CO ₂) is available, accessible and within validity.	☐	☐	☐	
11	Earthing / bonding provided and connections are intact.	☐	☐	☐	
12	Gas bank area is protected by barrier / fencing and access is restricted.	☐	☐	☐	
13	Cylinders are within test due date and labels are readable.	☐	☐	☐	
14	Emergency shut-off valve is accessible and functional.	☐	☐	☐	

INSPECTION FREQUENCY



- Daily / Before use
- After any maintenance or modification
- After any incident / gas leakage
- As per company safety procedure

IN CASE OF GAS LEAK



1. Do not panic
2. Do not operate any electrical switch or equipment
3. Close cylinder valve / main valve
4. Ventilate the area
5. Evacuate if required and inform your supervisor
6. Do not re-enter until declared safe

FOR YOUR SAFETY

- ✓ Follow safe work procedures
- ✓ Report any defect immediately
- ✓ Keep the area clean and ventilated
- ✓ Use only authorized personnel
- ✓ Safety is everyone's responsibility



INSPECTED BY : _____

DATE : _____

DESIGNATION : _____

SIGNATURE : _____

SAFETY FIRST – PREVENT LEAKS, PREVENT FIRE, SAVE LIVES



TOWER CRANE SAFETY CHECKLIST



— CHECK IT TODAY, SAFE OPERATION EVERYDAY —



DATE:



CRANE ID:



OPERATOR:



CHECKED BY:

SR. NO.	CHECKPOINT	REQUIREMENT	OK ✓	NOT OK ✗	N/A
1	DOCUMENTS & CERTIFICATION	Valid inspection certificate, load test certificate, and manuals are available.	☐	☐	☐
2	VISUAL INSPECTION – GENERAL	No visible structural damage, cracks, distortion, or loose/missing parts.	☐	☐	☐
3	FOUNDATION & BASE	Foundation is sound, bolts are tight, no settlement or cracks.	☐	☐	☐
4	TOWER / MAST STRUCTURE	Section pins/bolts secured, no deformation, climbing system in good condition.	☐	☐	☐
5	JIB / BOOM	No cracks or deformation, tie rods and bracings are intact and secured.	☐	☐	☐
6	COUNTERWEIGHT	Counterweights are in place, secured, and per design.	☐	☐	☐
7	HOOK & BLOCK	Hook latch functional, no cracks or wear, block sheaves rotate freely.	☐	☐	☐
8	WIRE ROPES	No frays, kinks, crushing or broken strands, proper lubrication.	☐	☐	☐
9	HOIST, TROLLEY & SLEW MECHANISM	Smooth operation, no abnormal noise or vibration, brakes working.	☐	☐	☐
10	ELECTRICAL SYSTEM	Cables, pendants, panels in good condition, earthing proper, no loose connections.	☐	☐	☐
11	LIMIT SWITCHES & SAFETY DEVICES	All limit switches (hook up/down, trolley, slew, radius, overload) are functional.	☐	☐	☐
12	WEATHER CONDITIONS	Wind speed within allowable limit, no storm, lightning or heavy rain.	☐	☐	☐
13	WORKING AREA	Ground stable, path clear, adequate clearance from power lines/obstructions.	☐	☐	☐
14	OPERATOR & PPE	Operator is competent and fit, wearing required PPE.	☐	☐	☐
15	LOG BOOK	Daily inspection recorded, defects noted and follow-up completed.	☐	☐	☐



IMPORTANT REMINDERS

- Never operate a crane with known defects.
- Do not exceed Safe Working Load (SWL).
- Always lift vertically, avoid side pull.
- Keep people out of the fall zone.
- Report and tag out any unsafe condition.

SAFETY FIRST



ZERO ACCIDENTS
OUR GOAL, OUR COMMITMENT

REMARKS

SAFE CRANE, **SAFE PEOPLE**, SAFE PROJECT



CONSTRUCTION SITE RCCB / GFI & MCB SAFETY INSPECTION CHECKLIST

Inspect Electrical Protection Devices Before Use –
Prevent Electric Shock & Fire Hazards



SAFETY FIRST

Project Name: _____

Date: _____

Checklist No.: _____

Location: _____

Time: _____

Supervisor: _____

Inspected By: _____

Designation: _____

WEAR REQUIRED
PPE



SAFETY
HELMET



SAFETY
GLASSES



INSULATED
GLOVES



SAFETY
SHOES



ARC /
ELECTRICAL PPE



EAR
PROTECTION

No.		INSPECTION POINT	YES ✓	NO ✗	N/A	COMMENTS / ACTION REQUIRED
1		RCCB/GFI and MCB are properly labeled and identified.	☐	☐	☐	
2		Device body/casing is free from cracks, burns or damage.	☐	☐	☐	
3		Incoming and outgoing wiring connections are tight and secure.	☐	☐	☐	
4		No exposed live parts or damaged insulation observed.	☐	☐	☐	
5		RCCB/GFI TEST button operates correctly.	☐	☐	☐	
6		RCCB/GFI trips within specified operating condition.	☐	☐	☐	
7		MCB rating is suitable for connected load/circuit.	☐	☐	☐	
8		No signs of overheating, burning smell or discoloration.	☐	☐	☐	
9		Distribution board/panel door is properly closed and locked.	☐	☐	☐	
10		Earthing/grounding connection is available and intact.	☐	☐	☐	
11		Electrical panel area is dry, clean and obstruction free.	☐	☐	☐	
12		Warning signs and shock hazard labels are provided.	☐	☐	☐	
13		No unauthorized bypassing or tampering observed.	☐	☐	☐	
14		Devices are periodically tested and records maintained.	☐	☐	☐	
15		Only trained/authorized persons operate electrical panels.	☐	☐	☐	



IF ANY "NO" IS FOUND –
DO NOT ENERGIZE THE CIRCUIT
UNTIL RECTIFIED

CORRECTIVE ACTION TAKEN:

Inspected By (Name): _____

Supervisor (Name): _____

Date of Completion: _____

Signature: _____

Signature: _____



TEST
RCCB
REGULARLY



NEVER
BYPASS
SAFETY
DEVICES



USE
LOCKOUT /
TAGOUT
BEFORE WORK



ELECTRICITY
CAN KILL –
WORK SAFELY

REFERENCE STANDARDS:

- IEC 61008 – RCCB Requirements
- IEC 60898 – MCB Requirements

- OSHA Electrical Safety Requirements
- IS 12640 / IS 8828

- NFPA 70E
Electrical Safety Standard

SAFETY IS EVERYONE'S RESPONSIBILITY

HIGH-RISE FACADE CLEANING

SAFETY INSPECTION CHECKLIST

Work Safe • Work Smart • Go Home Safe

APPLICABLE STANDARDS

- OSHA 29 CFR 1910 – Working & Walking Surfaces
- ANSI/IWCA I-14.1 – Window Cleaning Safety Standard
- IRATA International Code of Practice
- BS EN 1808 – Suspended Access Equipment
- ANSI Z359 – Fall Protection Systems



SR. NO.	INSPECTION ITEM	CHECK (✓)	STATUS (OK / NOT OK)
1	Valid work permit available	☐	
2	Job Safety Analysis (JSA/JHA) completed	☐	
3	Workers medically fit for work at height	☐	
4	Rope access / façade cleaning training verified	☐	
5	Full body harness inspected	☐	
6	Double lanyard with shock absorber used	☐	
7	Lifeline independent from working rope	☐	
8	Anchor points certified & tagged	☐	
9	Rope free from cuts, abrasion & chemical damage	☐	
10	Descender / ascender inspected	☐	
11	Auto-locking carabiners used	☐	
12	Helmet with chin strap worn	☐	
13	Safety shoes with anti-slip sole used	☐	
14	Gloves & eye protection available	☐	
15	Barricading below work area provided	☐	
16	Warning signage displayed	☐	
17	Tool lanyards / tethering provided	☐	
18	Wind speed within safe limit	☐	
19	Rain / lightning / storm absent	☐	
20	Communication system working	☐	
21	Rescue plan available at site	☐	
22	First aid box available	☐	
23	Emergency contact numbers displayed	☐	
24	Supervisor present during operation	☐	
25	BMU / cradle inspection completed	☐	

CRITICAL SAFETY POINTS

Never use damaged ropes or harnesses	Never work alone during rope access operation	Suspend work during high wind or thunderstorms	Use only certified anchor points	Ensure trained rescue personnel are available

RECOMMENDED PPE



SAFETY IS EVERYONE'S RESPONSIBILITY
PLAN AHEAD • WORK SAFELY • STAY ALIVE

HIGH-RISE FACADE CLEANING

SHORT SAFE WORK PROCEDURE (SWP)

1 BEFORE STARTING WORK

- ✓ Obtain approved work permit.
- ✓ Conduct toolbox talk and risk assessment.
- ✓ Inspect ropes, harnesses, anchors, lifelines and all PPE.
- ✓ Verify weather condition and wind speed.
- ✓ Install barricades and warning signs below working area.
- ✓ Ensure emergency rescue equipment is available.



2 DURING WORK

- ✓ Wear full body harness with double lanyard at all times.
- ✓ Maintain 100% tie-off.
- ✓ Use independent lifeline and approved anchor point.
- ✓ Keep tools tethered to prevent falling objects.
- ✓ Maintain communication with ground personnel.
- ✓ Stop work immediately during high wind, rain or unsafe condition.



3 AFTER COMPLETION

- ✓ Remove tools and cleaning materials safely.
- ✓ Inspect equipment for damage after use.
- ✓ Store ropes and PPE in dry, clean condition.
- ✓ Remove barricading only after area is declared safe.
- ✓ Report defects, incidents or near misses to supervisor.



EMERGENCY RESPONSE

- ✗ Stop operation immediately in unsafe condition.
- ✗ Inform site supervisor and emergency team.
- ✗ Rescue suspended worker within shortest possible time.
- ✗ Provide first aid and shift injured person to medical facility.
- ✗ Secure area to prevent secondary incidents.



SAFE PLANNING TODAY, SAFE RETURN EVERYDAY



PERMIT TO WORK



TRAINED & COMPETENT WORKERS



USE FALL PROTECTION ALWAYS



CHECK WEATHER CONDITIONS



RESCUE PLAN IN PLACE

SAFETY FIRST • QUALITY ALWAYS

TRACK MOUNTED CRANE

SAFETY INSPECTION CHECKLIST

A SAFE CRANE. A SAFE SITE. EVERY TIME.



CRANE MODEL / TYPE: _____ DATE: _____ CAPACITY: _____
CRANE SERIAL NO.: _____ HOUR METER (READING): _____ OPERATOR NAME: _____
LOCATION / SITE: _____ INSPECTED BY: _____ SIGNATURE: _____



INSTRUCTIONS: Inspect the following items before starting the crane.
Check ✓ if OK. Mark ✗ if Not OK and take action before use.

ITEM TO INSPECT		✓ OK	✗ NOT OK	ITEM TO INSPECT		✓ OK	✗ NOT OK
	1. HOOKS & BLOCKS - No cracks, deformation or excessive wear - Latch working and not damaged - Sheaves rotate freely - Hook swivel / safety working				8. WINCHES & DRUMS - Drums rotate freely - Brakes hold securely - Mechanical / hydraulic components OK - Wire rope properly spooled		
	2. WIRE ROPE - No broken wires, kinks or crushing - Proper lubrication - Rope end secured properly - Meets minimum diameter requirement				9. CONTROLS - All controls labeled and functional - Emergency stop working - Limit switches operational - No unusual noise or vibration		
	3. BOOM & STRUCTURES - No cracks, bends or deformation - Pins, bolts and nuts in place - Boom sections, lattices and welds OK - Gussets and connections secure				10. LOAD CHART & WARNINGS - Load chart in place and legible - Correct chart for configuration - Warning decals and signs in place - Capacity plate visible		
	4. HYDRAULIC SYSTEM - No leaks in hoses, lines or cylinders - Hoses in good condition - Pins and seals not damaged - Hydraulic oil level adequate				11. OUTRIGGERS - Outriggers in good condition - Cylinders extend / retract properly - Pads / mats in place and adequate - Pins, locks and connections secure		
	5. COUNTERWEIGHT - All weights in place and secured - No cracks or damage - Pins, locks and links secure				12. ELECTRICAL SYSTEM - Lights, indicators and gauges working - Wiring secure and protected - Batteries secure and terminals clean - Back-up alarm working		
	6. UNDERCARRIAGE (TRACKS) - Track tension correct - Track pads, links and rollers in good condition - No cracks or broken parts - Travel alarms / devices functional				13. SAFETY DEVICES - Anti-two block device working - Overload alarm / limiter functional - Rated capacity indicator working - Swing lock / travel lock functional		
	7. OPERATOR CAB - Windows, mirrors clean and intact - Seat belt in good condition - Controls and joysticks functional - Horn, wipers and lights working - Fire extinguisher available				14. WORK AREA SAFETY - Area clear of personnel and obstructions - Ground / surface stable and level - Adequate clearance for boom & load - Barricades / signage in place - Weather conditions safe for operation		

NOTES / DEFECTS FOUND:



CRANE IS SAFE TO USE

Signature: _____
Name: _____
Date: _____
Time: _____



CRANE IS NOT SAFE TO USE

Action Taken:

Signature: _____
Name: _____
Date: _____
Time: _____



IF IN DOUBT, DO NOT USE.



SAFETY IS EVERYONE'S RESPONSIBILITY
INSPECT • REPORT • CORRECT • STAY SAFE

AIR COMPRESSOR SAFETY INSPECTION CHECKLIST FOR CONSTRUCTION SITE

INSPECT BEFORE EVERY USE – YOUR SAFETY DEPENDS ON IT



1. PRE-OPERATION CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	 Check for leaks No air leaks from hoses, fittings, valves or tank.	☐	☐	
	 Check air pressure Pressure within safe operating range.	☐	☐	
	 Check oil level Oil level is proper. Top up if needed.	☐	☐	
	 Check air filter Clean and properly installed.	☐	☐	
	 Check belt & coupling Secure, aligned and in good condition.	☐	☐	
	 Drain moisture Drain tank of water and moisture.	☐	☐	
	 Check safety devices Pressure relief valve and gauges are functional.	☐	☐	
 REMOVE FROM SERVICE IF ANY DEFECT IS FOUND				

2. OPERATION CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	 Operate in safe area Well ventilated area, away from dust & debris.	☐	☐	
	 Monitor temperature No unusual overheating during operation.	☐	☐	
	 Check for unusual noise No abnormal noise or vibration.	☐	☐	
	 Check hoses & tools Hoses secure, in good condition, not kinked.	☐	☐	
	 Keep clear Keep people clear of discharge area.	☐	☐	
	 Stop before servicing Release pressure and stop engine before servicing.	☐	☐	
 REMOVE FROM SERVICE IF ANY DEFECT IS FOUND				

3. POST-OPERATION CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	 Shutdown properly Turn off, cool down and release all pressure.	☐	☐	
	 Drain tank Drain moisture from air tank.	☐	☐	
	 Clean unit Remove dust, dirt and debris.	☐	☐	
	 Store properly Store in dry, secure area. Protect from weather.	☐	☐	
 Report any issues Report defects or unsafe conditions to supervisor.				
 REMOVE FROM SERVICE IF ANY DEFECT IS FOUND				



SAFE EQUIPMENT – SAFE SITE
INSPECT • VERIFY • OPERATE SAFELY

INSPECTED BY: _____
DATE: _____
SIGNATURE: _____

A SMALL INSPECTION TODAY CAN PREVENT A BIG ACCIDENT TOMORROW



SAFETY INSPECTION CHECKLIST

FOR

BASEMENT RESTAURANT



RESTAURANT
SAFE FOOD · SAFE PLACE · HAPPY GUESTS



A SAFE BASEMENT TODAY, A DELICIOUS EXPERIENCE EVERY DAY.

DATE: _____ TIME: _____ INSPECTED BY: _____

NO.		SAFETY CHECKPOINT	YES	NO	REMARKS / ACTION REQUIRED
1		EMERGENCY EXITS & ESCAPE ROUTES - All exit doors are unlocked and unobstructed - Escape routes are clear, well-lit & signposted - Emergency exit signage is visible & functional - Exit doors open easily in the direction of exit	☐	☐	_____
2		FIRE SAFETY EQUIPMENT - Fire extinguishers are available & accessible - Fire hose reel is in working condition - Fire alarm call points are accessible - Equipment is inspected & within validity	☐	☐	_____
3		FIRE DETECTION & ALARM SYSTEM - Smoke/heat detectors are functional - Fire alarm system is working properly - Alarm sound is audible in all areas - System tested within the last 30 days	☐	☐	_____
4		VENTILATION & AIR QUALITY - Ventilation system is operational - Fresh air intake & exhaust are unobstructed - No foul smell or gas accumulation - CO / Gas detectors (if installed) are functional	☐	☐	_____
5		ELECTRICAL SAFETY - Electrical panels are secure & labeled - No exposed wires or temporary connections - All switches, sockets & appliances are safe - No signs of overheating or burning	☐	☐	_____
6		LPG & GAS SAFETY - Gas cylinders are stored upright & secured - No gas leakage (hoses, valves, regulators) - Gas lines are properly fitted & labeled - Emergency gas shut-off is accessible	☐	☐	_____
7		KITCHEN SAFETY - Kitchen exhaust hood & ducts are clean - Grease filters are clean & in good condition - Cooking equipment is in safe working order - Deep fat fryers & appliances are safe to use	☐	☐	_____
8		FOOD SAFETY & HYGIENE - Food is stored at proper temperatures - Cold storage temperature is within limits - No expired food items in storage - Cross contamination is prevented	☐	☐	_____
9		CLEANLINESS & HOUSEKEEPING - Floors, walls & ceilings are clean & dry - No clutter or unnecessary items in areas - Waste bins are covered & emptied - Pest control measures are in place	☐	☐	_____
10		PLUMBING & DRAINAGE - No leakage in pipes, sinks or drains - Drainage lines are clear & functional - Grease traps are clean & maintained - Water supply is adequate & clean	☐	☐	_____
11		GUEST AREA SAFETY - Seating areas are safe & well maintained - Handrails on stairs are secure - Adequate lighting in all dining areas - Glass doors/windows are clearly marked	☐	☐	_____
12		STAFF SAFETY & TRAINING - Staff aware of emergency procedures - Fire safety training conducted - Emergency contact numbers displayed - Drills conducted & records maintained	☐	☐	_____



EMERGENCY
CONTACT NUMBERS

FIRE SERVICE
☎ 101

POLICE
☎ 100

AMBULANCE
☎ 102

RESTAURANT SECURITY
☎ _____



SAFETY IS EVERYONE'S RESPONSIBILITY



SEE IT. REPORT IT. REMOVE IT.



STAY SAFE
STAY SECURE



PPE SAFETY INSPECTION CHECKLIST

PROPER PPE, PROPER PROTECTION – CHECK TODAY, STAY SAFE ALWAYS.

Date of Inspection : _____

Location / Site : _____

Department / Area : _____

Supervisor / Incharge : _____

Inspected By : _____

S. No.	PPE ITEM	WHAT TO CHECK	CONDITION			REMARKS
			GOOD	NEEDS ATTENTION	UNSAFE	
1	 SAFETY HELMET	• Shell is free from cracks or damage • Inner suspension is intact • Chin strap is available and functional • Clean and in usable condition	☐	☐	☐	
2	 SAFETY GOGGLES / EYE PROTECTION	• Lens is clear and free from scratches • Frame is not damaged or loose • Strap is elastic and in good condition • Provides proper fit and coverage	☐	☐	☐	
3	 HEARING PROTECTION	• Ear muffs/plugs are clean • Muffs seal properly / plugs are soft • No visible damage • Provides effective noise protection	☐	☐	☐	
4	 FACE SHIELD	• Visor is clear and free from cracks • Headgear is adjustable and intact • Shield locks properly in position • Provides full face coverage	☐	☐	☐	
5	 RESPIRATORY PROTECTION (MASK/RESPIRATOR)	• Mask is clean and not damaged • Straps are elastic and intact • Proper fit (seal check) • Filter/cartridge not expired (if applicable)	☐	☐	☐	
6	 SAFETY GLOVES	• No tears, holes or wear • Suitable for the task • Clean and in usable condition • Proper size and comfortable fit	☐	☐	☐	
7	 SAFETY SHOES	• Toe cap is intact • Sole is not worn or damaged • Laces are available and strong • Clean and in good condition	☐	☐	☐	
8	 HI-VISIBILITY CLOTHING	• Fabric is clean and visible • Reflective strips are intact • No tears or damage • Appropriate for the work area	☐	☐	☐	
9	 SAFETY HARNESS (FALL PROTECTION)	• Webbing is free from cuts/tears • Buckles and D-rings are intact • Stitching is not damaged • Lanyard is available and in good condition	☐	☐	☐	
10	 RAINCOAT / APRON / OTHER PPE	• No tears or damage • Clean and in usable condition • Suitable for the environment • Stored properly when not in use	☐	☐	☐	

CONDITION STATUS :

GOOD ☒ – Fit for Use

NEEDS ATTENTION

☐ – Repair / Clean / Replace Soon

UNSAFE ☐ – Do Not Use

GENERAL REMARKS / OBSERVATIONS :

Inspected By (Name & Signature) : _____

Reviewed By (Name & Signature) : _____

Date : _____

Date : _____



WEAR IT RIGHT. CHECK IT RIGHT. STAY PROTECTED, STAY SAFE.



Follow us on Facebook: Occupational Safety And Health - National And International Standards



CONSTRUCTION SITE HOUSEKEEPING SAFETY CHECKLIST

PROJECT NAME : _____ INSPECTOR NAME : _____
 LOCATION : _____ AREA INSPECTED : _____
 DATE : _____

STATUS KEY

- = SAFE / COMPLIED
- = UNSAFE / NON-COMPLIED
- = NOT APPLICABLE

HOUSEKEEPING SAFETY CHECKLIST

SR. NO.	INSPECTION ITEM				REMARKS
1	Work area is clean and free from unnecessary materials				
2	Debris and scrap materials removed regularly				
3	Walkways and access routes are clear				
4	No protruding nails or sharp objects present				
5	Materials stacked properly and safely				
6	Waste bins/skips available at required locations				
7	Waste segregated properly (metal, wood, plastic, etc.)				
8	Spillage of oil, water, or chemicals cleaned immediately				
9	Electrical cables arranged safely without trip hazards				
10	Adequate lighting available in work areas				
11	Fire exits and emergency routes unobstructed				
12	Fire extinguishers accessible and visible				
13	Tools stored properly after use				
14	Scaffolding platforms clean and free from loose materials				
15	Stairways and ladders kept clear				
16	Housekeeping maintained at height work locations				
17	PPE waste disposed properly				
18	Drinking water and welfare areas kept hygienic				
19	Toilet and washing facilities clean and usable				
20	Daily housekeeping inspection conducted by supervisor				

SAFETY REMINDERS



**KEEP WORK
AREAS CLEAN
AT ALL TIMES.**



**CLEAN SITE
=
SAFE SITE**



**REMOVE WASTE
MATERIALS
IMMEDIATELY.**



**AVOID SLIP,
TRIP, AND
FALL HAZARDS.**



**STACK
MATERIALS
SAFELY TO
PREVENT
COLLAPSE.**

HIGH-RISK OBSERVATIONS

OBSERVATION	CORRECTIVE ACTION REQUIRED	RESPONSIBLE PERSON	TARGET DATE



INSPECTOR SIGNATURE



SUPERVISOR SIGNATURE



DATE



Occupational Health and Safety
FOLLOW US ON FACEBOOK

GOOD HOUSEKEEPING TODAY, A SAFE WORKPLACE EVERY DAY!



CONSTRUCTION SITE HAND TOOLS SAFETY CHECKLIST



SAFETY FIRST

Inspect Hand Tools Before Each Use – Use the Right Tool – Use It Safely

Project Name:		Date:		Checklist No.:	
Location:		Time:		Supervisor:	
Inspected By:		Designation:			

WEAR REQUIRED
PPE



SAFETY
HELMET



SAFETY
GLASSES



SAFETY
GLOVES



SAFETY
SHOES



HI-VIS
CLOTHING



EAR
PROTECTION

No.		INSPECTION POINT	YES ✓	NO ✗	N/A	COMMENTS / ACTION REQUIRED
1		Tool is in good condition and suitable for the job.	☐	☐	☐	
2		No cracks, breaks or damage in tool body or handle.	☐	☐	☐	
3		Handle is firmly attached and not loose.	☐	☐	☐	
4		Tool is clean and free from dirt, grease or oil.	☐	☐	☐	
5		Cutting edges, jaws or teeth are not worn or chipped.	☐	☐	☐	
6		Adjustable parts work properly and not over-worn.	☐	☐	☐	
7		Tool used only for the purpose it is designed for.	☐	☐	☐	
8		Tools are carried/stored safely when not in use.	☐	☐	☐	
9		Work area is clean, well-lit and free from hazards.	☐	☐	☐	
10		User is trained/authorized to use this tool.	☐	☐	☐	
11		ANGLE GRINDER: Guard in place, wheel not damaged, handle tight, cord/battery in good condition.	☐	☐	☐	
12		HAND AIR BLOWER: Nozzle clear, air pressure safe, hose/fitting secure, air used for cleaning only (not body).	☐	☐	☐	



IF ANY "NO",
DO NOT USE THE TOOL.

CORRECTIVE ACTION TAKEN:

Inspected By (Name):		Supervisor (Name):		Date of Completion:	
Signature:		Signature:			



CHECK IT
BEFORE YOU
USE IT



USE THE RIGHT
TOOL IN THE
RIGHT WAY



REPORT DAMAGED
TOOLS TO YOUR
SUPERVISOR



SAFETY TODAY
WORK SAFELY
GO HOME SAFE

SAFETY IS EVERYONE'S RESPONSIBILITY



PRE-MONSOON CHECKLIST FOR CONSTRUCTION SITE & INDUSTRY

BE PREPARED • BE SAFE • STAY PRODUCTIVE

Date of Inspection : _____
Department / Area : _____
Inspected By : _____

Location / Site : _____
Supervisor / Incharge : _____

S. No.	CHECKPOINT	WHAT TO CHECK	CONDITION			REMARKS
			GOOD	NEEDS ATTENTION	UNSAFE	
1	DRAINAGE & WATER MANAGEMENT	- Site drainage is clear and unblocked. - All drains, culverts and channels are de-silted and functional. - Rain water flow direction is identified and secured.	☐	☐	☐	
2	STRUCTURES & BUILDINGS	- Roof waterproofing is intact. - Loose materials on roofs/structures are secured. - Scaffolding and formwork are inspected and secured.	☐	☐	☐	
3	MACHINERY, EQUIPMENT & TOOLS	- All equipment is in good working condition. - Equipment likely to be affected by water is protected. - Proper earthing of equipment is verified.	☐	☐	☐	
4	ELECTRICAL SAFETY	- All electrical installations are inspected by qualified person. - Cables and wires are in good condition and protected. - DBs, panels and enclosures are safe from water ingress.	☐	☐	☐	
5	MATERIALS & STORAGE	- Cement, sand, lime and other materials stored in covered, dry areas. - Steel, TMT bars and structures are stacked on raised platforms. - Chemicals, paints and adhesives are in leak-proof, covered containers.	☐	☐	☐	
6	HEALTH, SAFETY & ENVIRONMENT	- First aid boxes are adequate and replenished. - Fire extinguishers are available, checked and accessible. - Waste and scrap materials are removed from site.	☐	☐	☐	
7	WORKFORCE PREPAREDNESS	- Workers are briefed on monsoon safety precautions. - Adequate raincoats, gumboots and PPEs are available. - Safe evacuation routes identified and communicated.	☐	☐	☐	
8	EMERGENCY PREPAREDNESS	- Emergency response plan is updated and communicated. - Emergency equipment (pumps, ropes, stretchers, etc.) are available. - Nearest hospital, ambulance & fire station details displayed.	☐	☐	☐	
9	SITE PERIMETER & ACCESS	- Perimeter fencing / hoarding is strong and stable. - Access roads are repaired, graded and compacted. - Warning boards and speed limits are displayed.	☐	☐	☐	
10	TEMPORARY FACILITIES	- Site offices, cabins and storage sheds are leak-proof. - Temporary structures are strong, well anchored and wind resistant. - Toilets, drinking water and sanitation facilities are functional.	☐	☐	☐	
11	FIRE SAFETY	- Fire exits and escape routes are clear and accessible. - Fire drills conducted and records maintained. - Flammable materials stored safely.	☐	☐	☐	
12	LIFTING & RIGGING EQUIPMENT	- Lifting equipment and accessories are inspected. - Loose, rusted or damaged items are removed. - Safe working load (SWL) labels are clearly visible.	☐	☐	☐	
13	DOCUMENTS & PERMITS	- All statutory documents and permits are valid. - Insurance policies are up to date. - Risk assessment and method statements are reviewed.	☐	☐	☐	
14	HOUSEKEEPING	- Debris, waste and obstacles removed. - Walkways and work areas are clean and safe. - Spillages cleaned immediately.	☐	☐	☐	
15	MONSOON HAZARD AWARENESS	- Lightning risk areas identified. - High wind, flooding and slippery areas assessed. - Workers aware of hazards and safe work practices.	☐	☐	☐	

CONDITION STATUS :

GOOD ☒ – Fit for Use

NEEDS ATTENTION ☐ – Repair / Improve

UNSAFE ☐ – Do Not Use

GENERAL REMARKS / OBSERVATIONS :

Inspected By (Name & Signature) : _____
Date : _____

Reviewed By (Name & Signature) : _____
Date : _____

BE PREPARED. BE SAFE. STAY PRODUCTIVE.



EXCAVATION SAFETY TRAINING CHECKLIST



SAFE TODAY, SAFE EVERYDAY – INSPECT BEFORE WORK

Date of Inspection : _____ Supervisor / Incharge : _____
Location / Site : _____ Weather Conditions : _____
Department / Area : _____ Time : _____
Inspected By : _____

S. NO.	INSPECTION POINT	YES	NO	N/A	COMMENTS / ACTION REQUIRED
1	 PRE-EXCAVATION PLANNING Site survey completed, hazards identified, and plan in place.	☐	☐	☐	
2	 UTILITIES IDENTIFIED & MARKED All underground utilities located, marked, and protected.	☐	☐	☐	
3	 SOIL CONDITIONS ASSESSED Soil type classified and stability analyzed by competent person.	☐	☐	☐	
4	 ACCESS & EGRESS Safe access/egress provided (ladder, ramp, or stairs) within 25 ft (7.6 m).	☐	☐	☐	
5	 PROTECTIVE SYSTEMS Trench box, shoring, or sloping provided and properly installed.	☐	☐	☐	
6	 BARRICADES & WARNING SIGNS Barricades, fencing, and warning signs installed and clearly visible.	☐	☐	☐	
7	 SPOIL / MATERIAL PLACEMENT Spoil piles, equipment, and materials kept at least 2 ft (0.6 m) from edge.	☐	☐	☐	
8	 WATER CONTROL Water accumulation controlled (pumps, drainage, sumps in place).	☐	☐	☐	
9	 ATMOSPHERIC TESTING Atmospheric test conducted for O ₂ , LEL, toxic gases before entry.	☐	☐	☐	
10	 VENTILATION Adequate ventilation provided for hazardous atmospheres.	☐	☐	☐	
11	 GROUNDING & STATIC CONTROL Grounding/ bonding in place where required to prevent ignition.	☐	☐	☐	
12	 EQUIPMENT & EDGE SAFETY Heavy equipment kept away from edge. Edge stability maintained.	☐	☐	☐	
13	 PPE REQUIREMENTS Hard hat, high-visibility vest, safety boots, gloves, and eye protection used.	☐	☐	☐	
14	 TRAINED PERSONNEL Excavation work supervised by competent person. Workers trained.	☐	☐	☐	
15	 DAILY INSPECTIONS Excavation and protective systems inspected daily and after changes.	☐	☐	☐	
14	 WEATHER CONDITIONS Weather conditions considered. Work stopped if conditions unsafe.	☐	☐	☐	
18	 EMERGENCY PLAN Rescue plan in place and communicated. Equipment available.	☐	☐	☐	
18	 COMMUNICATION Clear communication and signals established.	☐	☐	☐	
19	 TOOLS & MATERIALS Tools and materials stored safely away from edge.	☐	☐	☐	
20	 INCIDENT REPORTING All incidents, near misses, and hazards reported.	☐	☐	☐	

CONDITION STATUS :

☒ **GOOD**
(Fit for Use)

☐ **NEEDS ATTENTION**
(Repair / Clean / Replace Soon)

☐ **UNSAFE**
(Do Not Use)

GENERAL REMARKS / OBSERVATIONS :

Inspected By (Name & Signature) : _____

Reviewed By (Name & Signature) : _____

Date : _____

Date : _____



WEAR IT RIGHT, CHECK IT RIGHT. STAY PROTECTED, STAY SAFE.



IF IN DOUBT,
KEEP IT OUT!



YOUR SAFETY IS
YOUR RESPONSIBILITY.



REPORT ANY HAZARD –
TAKE ACTION.



WORK SAFE.
GO HOME SAFE.



ELECTRICAL SAFETY CHECKLIST

MONSOON PREPAREDNESS



Construction Sites • Industrial Projects • Infrastructure Works



MONSOON ELECTRICAL SAFETY INSPECTION CHECKLIST



PREVENT SHOCK, FIRE & ELECTROCUTION DURING RAINY SEASON

1. DISTRIBUTION BOARDS (DBs) & PANELS



- ☐ All electrical panels protected from rainwater ingress
- ☐ Panel doors properly closed and lockable
- ☐ Rubber gaskets/seals intact on panel doors
- ☐ No exposed live parts inside panels
- ☐ Danger signs displayed on all panels
- ☐ Panel earthing connections secure and tested
- ☐ Electrical panel area kept dry and clean
- ☐ Insulating rubber mats available in front of panels

2. ELCB / RCCB PROTECTION



- ☐ ELCB/RCCB installed on all temporary power supplies
- ☐ Monthly trip test conducted and recorded
- ☐ ELCB rating suitable for site application
- ☐ Faulty ELCBs immediately replaced
- ☐ Test records available for verification

3. CABLES & EXTENSION LEADS



- ☐ Cables free from cuts, damage or exposed conductors
- ☐ Cable joints waterproof and insulated properly
- ☐ No cables lying in waterlogged areas
- ☐ Elevated cable routing provided where required
- ☐ Cable trays/supports in good condition
- ☐ Industrial-grade weatherproof extension boxes used
- ☐ Damaged cables tagged and removed from service

4. WATER INGRESS & DRAINAGE CONTROL



- ☐ Electrical equipment protected by weatherproof covers
- ☐ Generator and transformer areas free from water accumulation
- ☐ Adequate drainage around electrical installations
- ☐ Water leakage sources identified and rectified
- ☐ Pumps available for emergency dewatering

5. PORTABLE ELECTRICAL TOOLS



- ☐ Tools inspected before use
- ☐ Double-insulated tools used wherever possible
- ☐ Portable tools protected by ELCB/RCCB
- ☐ Wet or damaged tools removed from service
- ☐ Inspection tags current and visible

6. EARTHING & LIGHTNING PROTECTION



- ☐ Earthing pits inspected and maintained
- ☐ Earth resistance tested and within limits
- ☐ Earthing connections corrosion-free
- ☐ Lightning arrestor system inspected
- ☐ Bonding connections secure

7. WORK PRACTICES



- ☐ Electrical work permit system implemented
- ☐ Only authorized electricians perform electrical work
- ☐ Wet-hand operation of equipment prohibited
- ☐ Electrical isolation procedures followed
- ☐ Lockout/Tagout (LOTO) available and practiced

8. EMERGENCY PREPAREDNESS



- ☐ Shock rescue procedure displayed
- ☐ Emergency contact numbers posted
- ☐ First aid kit available near work area
- ☐ Trained first aiders available on site
- ☐ CO2/DCP fire extinguishers provided near electrical installations

INSPECTION SUMMARY

DATE: _____
LOCATION: _____
INSPECTOR: _____

TOTAL FINDINGS: _____
CORRECTIVE ACTIONS CLOSED: _____
SIGNATURE: _____



RAINWATER + ELECTRICITY = FATAL RISK

INSPECT • PROTECT • TEST • ISOLATE • STAY SAFE



THINK SAFETY
WORK SAFELY



SAFETY TODAY
SECURE TOMORROW



WE CARE
WE ACT
WE STAY SAFE



ONE SMALL CHECK
CAN PREVENT
A BIG DISASTER



ENVIRONMENT COMPLIANCE INSPECTION CHECKLIST



SITE / OFFICE / INDUSTRY ENVIRONMENTAL INSPECTION



INSPECTION DATE: _____



LOCATION: _____



INSPECTOR: _____

SR. NO.	INSPECTION POINT	YES	NO	N/A
1	Environmental Policy displayed and communicated to employees	☐	☐	☐
2	Environmental legal permits/licenses available and valid	☐	☐	☐
3	Applicable environmental regulations identified and complied with	☐	☐	☐
4	Environmental objectives and targets established	☐	☐	☐
5	Waste segregation bins provided and properly labeled	☐	☐	☐
6	Hazardous waste stored in designated area	☐	☐	☐
7	Hazardous waste containers properly labeled	☐	☐	☐
8	Waste disposal records maintained	☐	☐	☐
9	No evidence of unauthorized waste dumping	☐	☐	☐
10	Spill kits available near chemical storage areas	☐	☐	☐
11	Chemical storage areas protected from leaks and spills	☐	☐	☐
12	MSDS/SDS available for hazardous chemicals	☐	☐	☐
13	Secondary containment provided for chemical storage	☐	☐	☐
14	Air emission control systems operational	☐	☐	☐
15	Stack monitoring records available and updated	☐	☐	☐
16	Dust suppression measures implemented where required	☐	☐	☐
17	No excessive smoke, dust, or odor emissions observed	☐	☐	☐
18	DG Set stack height complies with requirements	☐	☐	☐
19	Noise levels monitored periodically	☐	☐	☐
20	Noise-generating equipment adequately controlled	☐	☐	☐
21	Hearing protection signs displayed where required	☐	☐	☐
22	Wastewater treatment system functioning effectively	☐	☐	☐
23	Effluent discharge records maintained	☐	☐	☐
24	No untreated wastewater discharge observed	☐	☐	☐
25	Stormwater drains free from contamination	☐	☐	☐
26	Water consumption monitored and recorded	☐	☐	☐
27	Water-saving measures implemented	☐	☐	☐
28	Energy consumption monitored and reviewed	☐	☐	☐
29	Energy-efficient lighting installed	☐	☐	☐
30	Unused electrical equipment switched off	☐	☐	☐
31	Fuel storage area free from leaks	☐	☐	☐
32	Green belt/plantation maintained properly	☐	☐	☐
33	Trees and landscaping adequately protected	☐	☐	☐
34	Environmental awareness training conducted	☐	☐	☐
35	Environmental emergency response plan available	☐	☐	☐
36	Spill response drills conducted periodically	☐	☐	☐
37	Environmental incident records maintained	☐	☐	☐
38	Environmental complaints investigated and closed	☐	☐	☐
39	Environmental inspection findings closed timely	☐	☐	☐
40	Overall housekeeping supports environmental protection	☐	☐	☐



CRITICAL COMPLIANCE ITEMS



Valid Consent to Operate
(CTO) available



Hazardous waste
authorization valid



Effluent treatment plant
operational



Air pollution control
equipment functional



No oil or chemical
leakage observed



Waste disposal through
authorized recyclers/
vendors



Environmental
monitoring records
available



Emergency spill response
arrangements available



INSPECTION SUMMARY



Total Observations: _____



Non-Conformities: _____



Corrective Actions
Required: _____



Target Closure Date: _____



Inspector Signature: _____



Department Representative: _____



ENVIRONMENTAL COMPLIANCE IS NOT JUST
A LEGAL REQUIREMENT—IT IS A RESPONSIBILITY
TOWARDS FUTURE GENERATIONS.





HYGIENE INSPECTION CHECKLIST



A CLEAN WORKSITE IS A SAFE WORKSITE

GOOD HYGIENE PROTECTS YOU, YOUR TEAM & OUR WORKPLACE.

INSPECTION ITEMS	✓ YES	✗ NO	N/A	COMMENTS
 HANDWASHING FACILITIES Soap, clean water and drying materials are available, clean and in good condition.	☐	☐	☐	
 WASTE MANAGEMENT Bins are available, not overflowing and waste is disposed of properly.	☐	☐	☐	
 CLEANLINESS OF WORK AREAS Work areas, tools and equipment are clean and free from dirt, dust and debris.	☐	☐	☐	
 TOILET FACILITIES Toilets are clean, hygienic, well-maintained and stocked with supplies.	☐	☐	☐	
 EATING AREAS Eating areas are clean, designated and free from contamination.	☐	☐	☐	
 DRINKING WATER Drinking water is available, clean and stored safely.	☐	☐	☐	
 PERSONAL HYGIENE Workers are following good personal hygiene practices (handwashing, PPE use, etc.).	☐	☐	☐	
 HYGIENE SUPPLIES Adequate hygiene supplies (soap, sanitizer, tissues, etc.) are available and stocked.	☐	☐	☐	



BE CLEAN.
BE SAFE.
BE RESPONSIBLE.

INSPECTED BY: _____ DATE: _____

POSITION: _____ SIGNATURE: _____



**WASH
YOUR HANDS**



**KEEP IT
CLEAN**



**STAY SAFE,
STAY HEALTHY**



**TOGETHER
WE WORK SAFELY**



SAFETY INSPECTION CHECKLIST

LABOUR CAMP AND FACILITIES FOR CONSTRUCTION AND PROJECT SITE

SAFE CAMP • HEALTHY WORKFORCE • PRODUCTIVE SITE



SITE / PROJECT: _____ DATE: _____ INSPECTED BY: _____

NO.	AREA / FACILITY	CHECKPOINTS (To be inspected)	YES (✓)	NO (✗)	NA (N/A)	REMARKS / ACTIONS
1.	 ACCOMMODATION (DORMITORY)	- Rooms are clean, well-ventilated and well-lit - Adequate space and safe bed arrangement - Clean bedding and lockers provided - No overcrowding				
2.	 WATER SUPPLY	- Potable water available and easily accessible - Water storage tanks are clean and covered - Regular water quality checks done				
3.	 TOILETS & WASHROOMS	- Adequate number of toilets and urinals - Clean, hygienic and in good condition - Water available for flushing and washing - Hand wash soap/solution available				
4.	 BATHING FACILITY	- Adequate bathing areas with privacy - Clean and hygienic - Water supply is adequate				
5.	 DINING & KITCHEN	- Dining area is clean and well-maintained - Food is stored, prepared and served hygienically - Cooking area safe and free from hazards - LPG/electric connections safe; no leak				
6.	 HEALTH & FIRST AID	- First aid box available and fully stocked - Trained first aider available - Medical room/arrangement in place - Emergency contact numbers displayed				
7.	 WASTE MANAGEMENT & HOUSEKEEPING	- Regular cleaning of camp and surroundings - Waste bins with lids provided - Solid waste segregated and disposed properly - No stagnant water or unhygienic conditions				
8.	 ELECTRICAL SAFETY	- Electrical wiring is proper and in good condition - No loose/exposed wires - DBs with cover and proper labeling - Earth leakage protection (ELCB/RCCB) provided				
9.	 FIRE SAFETY	- Fire extinguishers available and accessible - Fire extinguisher inspected and in service - No blockage in exits and escape routes - Smoking in designated areas only				
10.	 EMERGENCY PREPAREDNESS	- Emergency exits/signage available - Evacuation plan displayed and understood - Emergency drill conducted periodically - Assembly point identified and accessible				



GENERAL NOTES

- Report all unsafe conditions and get them corrected.
- Maintain high standards of cleanliness and hygiene.
- Healthy living leads to a safe and productive workforce.



YOUR SAFETY, OUR PRIORITY
INSPECT TODAY, STAY SAFE EVERYDAY!

SAFETY IS A SHARED RESPONSIBILITY – LET'S WORK TOGETHER FOR A SAFE CAMP AND SITE

FIRE PROTECTION SYSTEM CHECKLIST

FIRE EXTINGUISHERS, FIRE ALARM SYSTEMS & FIRE HYDRANTS

INSPECT REGULARLY – FIRE SAFETY SAVES LIVES



PROJECT / SITE NAME : _____ SITE / PROJECT CODE : _____
 LOCATION : _____ DATE OF INSPECTION : ____ / ____ / ____
 PROJECT ENGINEER : _____ INSPECTED BY (ENGINEER) : _____
 SAFETY OFFICER : _____ INSPECTED BY (SAFETY) : _____

1. FIRE EXTINGUISHERS CHECKLIST



CHECKPOINT	OK	NOT OK	NOTES / ACTION
Check location & accessibility Extinguisher visible and unobstructed	☐	☐	
Check physical condition No corrosion, leakage or damage	☐	☐	
Check pressure gauge Needle within green zone	☐	☐	
Check safety pin & seal Seal intact and pin secured	☐	☐	
Check hose & nozzle No cracks, blockage or damage	☐	☐	
Check inspection tag Tag updated and readable	☐	☐	
Check expiry/service date Within valid service period	☐	☐	

⚠ REMOVE FROM SERVICE IF ANY DEFECT IS FOUND

2. FIRE ALARM SYSTEM CHECKLIST



CHECKPOINT	OK	NOT OK	NOTES / ACTION
Check control panel status No fault or alarm indication	☐	☐	
Check power supply AC power and battery healthy	☐	☐	
Check alarm devices Horns, bells and strobes operational	☐	☐	
Check manual call points Accessible, labelled and functional	☐	☐	
Check system testing Functional test completed	☐	☐	
Check wiring & connections Secure and undamaged	☐	☐	
Check records / logbook Inspection records updated	☐	☐	

⚠ REPAIR IMMEDIATELY IF ANY FAULT IS FOUND

3. FIRE HYDRANT SYSTEM CHECKLIST



CHECKPOINT	OK	NOT OK	NOTES / ACTION
Check hydrant cabinet Accessible and in good condition	☐	☐	
Check hose reel & hose Properly coiled and damage-free	☐	☐	
Check landing valve Operates smoothly	☐	☐	
Check water pressure Adequate system pressure available	☐	☐	
Check pump system Jockey / Main pump operational	☐	☐	
Check water tank level Sufficient water available	☐	☐	
Check hydrant signage Clearly visible	☐	☐	
Check flow test records Test records current	☐	☐	

⚠ KEEP HYDRANT SYSTEM READY FOR EMERGENCIES



FIRE SAFETY – EVERY DAY
INSPECT • VERIFY • PROTECT

PROJECT ENGINEER : _____ SAFETY OFFICER : _____
 SIGNATURE : _____ SIGNATURE : _____
 DATE : ____ / ____ / ____ DATE : ____ / ____ / ____


A SMALL INSPECTION TODAY CAN PREVENT A MAJOR FIRE TOMORROW

POLYESTER LIFTING BELTS (WEBBING SLINGS) CAPACITY, COLOUR CODING & SAFE USE GUIDE

STRONG • LIGHTWEIGHT • FLEXIBLE • SAFE – WHEN USED CORRECTLY

1. HOW POLYESTER BELT CAPACITY IS MEASURED

The capacity of a polyester lifting belt (webbing sling / round sling) is expressed as Safe Working Load (SWL) or Working Load Limit (WLL).



Capacity depends on:

- Width and thickness of the belt
- Number of layers (plies)
- Type of sling (Flat web sling / Round sling)
- Lifting method used (Straight / Basket / Choker)
- Angle of lifting
- Manufacturer test certification

The capacity shown on the tag is usually the VERTICAL (STRAIGHT) LIFTING CAPACITY.

EXAMPLE

- Sling marked
WLL = 2 TON
- 2 Ton in Vertical Lift
 - More capacity in Basket Hitch
 - Less capacity in Choker Hitch

2. STANDARD COLOUR CODING (AS PER EN 1492-1)

COLOUR	CAPACITY (WLL) VERTICAL LIFT	FLAT WEB SLING MIN. WEBBING WIDTH (Approx.)*	ROUND SLING DIAMETER (Approx.)*
VIOLET / PURPLE	1 TON	30 mm	45 mm
GREEN	2 TON	60 mm	50 mm
YELLOW	3 TON	90 mm	60 mm
GREY	4 TON	120 mm	70 mm
RED	5 TON	150 mm	80 mm
BROWN	6 TON	180 mm	90 mm
BLUE	8 TON	240 mm	100 mm
ORANGE	10 TON	300 mm	110 mm

*Width / diameter may vary slightly by manufacturer.

i Always follow the capacity mentioned on the manufacturer tag.

3. THREAD (STRIPE) IDENTIFICATION SYSTEM

Many manufacturers use black thread stripes woven into the sling to indicate its capacity.



NO. OF BLACK STRIPES	APPROX. CAPACITY (WLL)
1 STRIPE	1 TON
2 STRIPES	2 TON
3 STRIPES	3 TON
4 STRIPES	4 TON
5 STRIPES	5 TON
6 STRIPES	6 TON
8 STRIPES	8 TON



IMPORTANT: Stripe systems can vary by manufacturer. Always check the tag, test certificate, colour code and condition of the sling before use.

4. LIFTING METHODS & EFFECT ON CAPACITY

VERTICAL LIFT (STRAIGHT LIFT)



BASKET HITCH (0°–45°)



CHOKER HITCH (0°–45°)



ANGLE FACTOR GUIDE (BASKET HITCH)

ANGLE (°)	CAPACITY FACTOR
0°	2.0
30°	1.7
45°	1.4
60°	1.0
90°	1.0

Note: Capacity reduces as the angle decreases. Always avoid angles below 30° if possible.

Never exceed the Working Load Limit (WLL) shown on the tag.

5. FACTORS THAT REDUCE CAPACITY – USE BELOW RATED CAPACITY



Low lifting angle (below 90°)



Using in choker hitch



Sharp edges without protection



UV exposure & weathering



Chemical exposure



Excessive heat



Abrasion & wear



Knotting of the sling

6. REJECTION CRITERIA – DO NOT USE IF YOU SEE



Cuts or tears



Burn marks



Chemical damage



Broken stitches



Missing / unreadable tag



Knotting



Excessive abrasion



UV deterioration / Fading

! If in doubt – TAKE IT OUT!

7. GOOD PRACTICE – LIFT SAFE

- ✓ Inspect the sling before every use.
- ✓ Use correct sling for the load and lifting method.
- ✓ Check WLL on the tag and match with the load.
- ✓ Protect from sharp edges with corner/edge protectors.
- ✓ Do not drag the sling on the ground.
- ✓ Store in cool, dry place away from sunlight and chemicals.
- ✓ Follow manufacturer instructions and applicable standards (EN 1492-1, ASME B30.9, IS etc.).
- ✓ Use only trained and authorized personnel.



APPLICABLE STANDARDS

- EN 1492-1 (Flat web slings)
- EN 1492-2 (Round slings)
- ASME B30.9
- IS 14155 (Part 1 & 2)



REMEMBER
“THE STRENGTH OF THE SLING IS NOT THE STRENGTH OF THE LIFT.”

PLAN THE LIFT – CHECK THE GEAR – LIFT SAFELY

IMPORTANT

This poster is for guidance only. Always follow the manufacturer instructions, site lifting plan and local safety regulations.





SCAFFOLDING INSPECTION CHECKLIST

SAFE TODAY, SAFE EVERYDAY – INSPECT BEFORE USE

Date of Inspection : _____ Supervisor / Incharge : _____
Location / Site : _____ Weather Conditions : _____
Department / Area : _____ Time : _____
Inspected By : _____

S. No.	INSPECTION POINT	YES	HS	WA	COMMENTS / ACTION REQUIRED
1	 BASE / FOUNDATION Base plates, screws/jacks and mud sills are in place, on firm, level, and stable ground.	☐	☐	☐	
2	 UPRIGHTS / STANDARDS Uprights are plumb, properly aligned, and securely connected. No bends, cracks or damage.	☐	☐	☐	
3	 LEDGERS / BRACING Ledgers, transoms and diagonal braces are in place, secure, and all locking pins/clips are engaged.	☐	☐	☐	
4	 PLATFORMS / DECKING Platforms are fully decked, secure, level, and free of damage. No overhangs unless designed.	☐	☐	☐	
5	 GUARDRAILS Top rail, mid rail, and toe board are installed on all open sides and ends. Heights comply with requirements.	☐	☐	☐	
6	 ACCESS / LADDERS Safe access provided (ladder/stair tower). Secure, in good condition, and extends at least 3 ft (1 m) above landing.	☐	☐	☐	
7	 FALL PROTECTION Fall protection is provided when required. Anchor points available and in good condition.	☐	☐	☐	
8	 TIES / ANCHORING Scaffolding is tied to structure as per design. Tie points are secure and in good condition.	☐	☐	☐	
9	 STABILITY Overall scaffold is stable with no sway or movement. All components are tight and secure.	☐	☐	☐	
10	 LOAD / CAPACITY Scaffold not overloaded. Loads within safe working limits. Heavy materials stored properly.	☐	☐	☐	
11	 TOOLS / MATERIALS Tools and materials are stored safely. No loose items that could fall.	☐	☐	☐	
12	 TAG / IDENTIFICATION Scaffold has a valid inspection tag. Status is clearly visible.	☐	☐	☐	
13	 ALTERATIONS No unauthorized alterations. Any changes approved by competent person.	☐	☐	☐	
14	 WEATHER IMPACT No adverse weather effects (high winds, heavy rain, ice, or snow) that could affect safety.	☐	☐	☐	
15	 OVERALL CONDITION Scaffold is safe to use.	☐	☐	☐	

CONDITION STATUS : **GOOD**  Fit for Use | **NEEDS ATTENTION**  - Repair / Clean / Replace Soon | **UNSAFE**  - Do Not Use

GENERAL REMARKS / OBSERVATIONS :

Inspected By (Name & Signature) : _____ Reviewed By (Name & Signature) : _____
Date : _____ Date : _____



WEAR IT RIGHT. CHECK IT RIGHT. STAY PROTECTED, STAY SAFE.



IF IN DOUBT,
KEEP IT OUT!



YOUR SAFETY IS
YOUR RESPONSIBILITY.



REPORT ANY HAZARD –
TAKE ACTION.



WORK SAFE.
GO HOME SAFE.

SELF CONTAINED BREATHING APPARATUS CHECKLIST



User Name: _____

Unit / ID No.: _____

Date: _____

Location: _____

ITEM	CHECK POINT	OK	NOT OK
 1. CYLINDER	• Cylinder is correct for unit • Hydrostatic test within date • No dents, cracks or damage • Valve handwheel undamaged • Cylinder band / boot secure	☐	☐
 2. PRESSURE	• Pressure is within operating range • Gauge undamaged and readable • No leaks from connections	☐	☐
 3. FACEPIECE	• Facepiece clean and undamaged • Visor clear and undamaged • Head harness intact and elastic • No leaks (perform user seal check)	☐	☐
 4. REGULATOR	• Regulator secure and undamaged • No leaks from connections • Inhalation/exhalation operate smoothly • Bypass valve operates correctly	☐	☐
 5. HARNESS & BACKPLATE	• Straps intact and adjustment works • Buckles secure and undamaged • Backplate undamaged • PAD clean and secure (if fitted)	☐	☐
 6. ALARM (HUD)	• Alarm unit secure and undamaged • Battery/gauge check (if applicable) • Alarm activates (test if required) • HUD operational (if fitted)	☐	☐
 7. ACCESSORIES	• Buddy line / whistle attached • Other accessories present and serviceable	☐	☐
 8. OVERALL	• Unit complete and serviceable • Clean and ready for use • Any faults reported and unit removed from service	☐	☐

NOTES / REMARKS: _____

Checked By: _____

Signature: _____



OCCUPATIONAL HEALTH CENTER / HOSPITAL

QUALITY & SAFETY CHECKLIST



SAFE WORKFORCE • HEALTHY WORKPLACE • STRONGER INDUSTRY



OUR COMMITMENT

To provide high quality, evidence-based occupational health services that protect, promote and enhance the health and safety of every worker, in compliance with applicable standards and legal requirements.



Comply with legal & other requirements



Continual improvement in quality & safety



Prevent injury, illness & occupational disease



Confidentiality, respect & ethical practice



1. GOVERNANCE, LEADERSHIP & QUALITY MANAGEMENT

- ☐ 1.1 Quality & safety policy is documented, communicated, implemented & reviewed
- ☐ 1.2 Organizational structure, roles & responsibilities are defined
- ☐ 1.3 Scope of services is defined & communicated
- ☐ 1.4 Quality objectives & targets are set, monitored & achieved
- ☐ 1.5 Policies & SOPs are available, updated & accessible
- ☐ 1.6 Document control system is in place
- ☐ 1.7 Risk management plan is established & implemented
- ☐ 1.8 Incident reporting & learning system is effective
- ☐ 1.9 Internal audits are conducted at planned intervals
- ☐ 1.10 Management reviews are conducted periodically
- ☐ 1.11 Corrective & preventive actions (CAPA) are implemented & effective
- ☐ 1.12 Key performance indicators (KPIs) are defined & tracked
- ☐ 1.13 Data integrity, accuracy & confidentiality are ensured
- ☐ 1.14 Compliance with accreditation/standards is maintained
- ☐ 1.15 Ethical conduct, integrity & anti-bribery practices are followed



2. LEGAL, REGULATORY & OTHER REQUIREMENTS

- ☐ 2.1 All applicable laws, regulations & standards are identified & complied with
- ☐ 2.2 Factory/Occupational Health Act & rules compliance
- ☐ 2.3 Environmental regulations compliance
- ☐ 2.4 Biomedical waste management rules compliance
- ☐ 2.5 Fire safety, building & electrical safety compliance
- ☐ 2.6 Employee state insurance (ESI) / social security compliance
- ☐ 2.7 Registration, licenses & approvals are valid & displayed
- ☐ 2.8 Mandatory displays (rights, acts, emergency contacts, charters) are in place
- ☐ 2.9 Periodic statutory inspections & reports are completed
- ☐ 2.10 Contractual obligations with clients/employers are met
- ☐ 2.11 Occupational health surveillance as per regulations
- ☐ 2.12 Record retention as per regulatory requirements
- ☐ 2.13 Insurance coverage (professional indemnity, public liability, property) is adequate & valid



3. PATIENT/WORKER-CENTERED CARE & SERVICES QUALITY

- ☐ 3.1 Services are designed to meet worker needs
- ☐ 3.2 Pre-placement (fit for job) medicals conducted
- ☐ 3.3 Periodic health examinations conducted as per plan
- ☐ 3.4 Exit/termination medicals conducted
- ☐ 3.5 Medical fitness certification is accurate & timely
- ☐ 3.6 Immunization services (as applicable) available
- ☐ 3.7 Occupational disease diagnosis, treatment & referral
- ☐ 3.8 Health education, counseling & awareness provided
- ☐ 3.9 Return-to-work evaluation & fitness for duty conducted
- ☐ 3.10 Chronic disease management & health promotion
- ☐ 3.11 Confidentiality of worker health information ensured
- ☐ 3.12 Informed consent obtained where applicable
- ☐ 3.13 Patient rights & responsibilities are communicated
- ☐ 3.14 Feedback & complaints mechanism available & effective
- ☐ 3.15 Communication with employer (within consent) is appropriate & timely
- ☐ 3.16 Continuity of care & referrals to specialists ensured
- ☐ 3.17 Medical records are complete, accurate & legible
- ☐ 3.18 Service wait times & accessibility are monitored



4. HUMAN RESOURCES & COMPETENCY

- ☐ 4.1 Adequate & qualified staff are available
- ☐ 4.2 Job descriptions are defined for all roles
- ☐ 4.3 Credentials, registrations & licenses are verified
- ☐ 4.4 Orientation & induction for new staff conducted
- ☐ 4.5 Competency assessment conducted periodically
- ☐ 4.6 Continuous training & professional development provided
- ☐ 4.7 Training records are maintained
- ☐ 4.8 Staff are aware of policies, SOPs & emergency procedures
- ☐ 4.9 Performance appraisal is conducted periodically
- ☐ 4.10 Workload & staffing levels are adequate
- ☐ 4.11 Staff health surveillance & immunization conducted
- ☐ 4.12 Fitness for duty of staff ensured
- ☐ 4.13 Occupational exposure control for staff ensured
- ☐ 4.14 Employee welfare & grievance redressal in place



5. FACILITY INFRASTRUCTURE & SAFETY

- ☐ 5.1 Premises are safe, accessible & well-maintained
- ☐ 5.2 Adequate space for consultation, examination, procedures & emergencies
- ☐ 5.3 Separate areas for male/female (where needed)
- ☐ 5.4 Privacy & confidentiality maintained in all areas
- ☐ 5.5 Adequate waiting area with seating & information
- ☐ 5.6 Drinking water, sanitation & hand hygiene facilities
- ☐ 5.7 Ventilation, lighting, temperature & noise are adequate
- ☐ 5.8 Housekeeping is effective & regularly monitored
- ☐ 5.9 Pest control program in place
- ☐ 5.10 Signage & wayfinding are clear
- ☐ 5.11 Barrier-free access for differently abled persons
- ☐ 5.12 Regular maintenance of building & infrastructure
- ☐ 5.13 Electrical safety: wiring, outlets, insulation, earthing
- ☐ 5.14 Water quality is monitored (drinking & sanitation)
- ☐ 5.15 Preventive maintenance schedule is followed



6. EQUIPMENT, DEVICES & CALIBRATION

- ☐ 6.1 Equipment list is maintained & up to date
- ☐ 6.2 Equipment is suitable for intended use
- ☐ 6.3 User manuals are available
- ☐ 6.4 Equipment is inspected before use
- ☐ 6.5 Routine maintenance schedule is followed
- ☐ 6.6 Calibration of equipment as per schedule
- ☐ 6.7 Calibration status labels are displayed
- ☐ 6.8 Out-of-calibration equipment is not used
- ☐ 6.9 Service records are maintained
- ☐ 6.10 Safe disposal of equipment & accessories
- ☐ 6.11 IT systems, EHR & software are validated & backed up
- ☐ 6.12 Data security & access control implemented
- ☐ 6.13 Backup power supply (UPS/generator) available



7. INFECTION PREVENTION & CONTROL

- ☐ 7.1 IPC policy & SOPs are in place & followed
- ☐ 7.2 Hand hygiene compliance is monitored
- ☐ 7.3 Standard precautions followed by all staff
- ☐ 7.4 Personal protective equipment (PPE) available & used
- ☐ 7.5 Aseptic techniques followed for procedures
- ☐ 7.6 Cleaning & disinfection of surfaces & equipment
- ☐ 7.7 Sterilization practices validated & monitored
- ☐ 7.8 Linen handling: collection, transport, washing & storage
- ☐ 7.9 Sharps management & safety devices in use
- ☐ 7.10 Health care-associated infection surveillance
- ☐ 7.11 Isolation & cohorting facilities (as applicable)
- ☐ 7.12 TB infection control measures in place
- ☐ 7.13 Staff immunization (HBV, influenza, etc.) ensured
- ☐ 7.14 Waste handling within facility follows IPC standards



8. WASTE MANAGEMENT

- ☐ 8.1 Biomedical waste management plan in place
- ☐ 8.2 Waste segregation at source (color-coded containers)
- ☐ 8.3 Collection containers are labeled & covered
- ☐ 8.4 Storage area for waste is safe, secure & clean
- ☐ 8.5 Internal transport of waste is safe
- ☐ 8.6 Treatment (autoclave/microwave/shredder) as per rules
- ☐ 8.7 Disposal through authorized common facility
- ☐ 8.8 Records & manifests are maintained
- ☐ 8.9 Sharp pit / needle destroyer functional (if applicable)
- ☐ 8.10 Expired medicines & chemicals disposal as per rules
- ☐ 8.11 Spillage management kit available & functional
- ☐ 8.12 Staff trained in waste management



9. OCCUPATIONAL HEALTH RISK MANAGEMENT

- ☐ 9.1 Hazard identification & risk assessment conducted
- ☐ 9.2 Workplace environment monitoring (physical, chemical, biological)
- ☐ 9.3 Control measures implemented & effective
- ☐ 9.4 Engineering controls are in place & maintained
- ☐ 9.5 Use of PPE by workers ensured (in coordination)
- ☐ 9.6 Ergonomic risk assessment & interventions
- ☐ 9.7 Psychosocial risk assessment & support programs
- ☐ 9.8 Substance use prevention & referral programs
- ☐ 9.9 Health surveillance program implemented
- ☐ 9.10 Exposure records & monitoring reports maintained
- ☐ 9.11 Incident/near-miss analysis & trend monitoring
- ☐ 9.12 Contractor health & safety compliance ensured
- ☐ 9.13 Emergency drills for health emergencies



10. EMERGENCY PREPAREDNESS & RESPONSE

- ☐ 10.1 Emergency plan is documented & displayed
- ☐ 10.2 Emergency contacts & internal communication in place
- ☐ 10.3 First aid room equipped & easily accessible
- ☐ 10.4 Trained first aid providers are available
- ☐ 10.5 AED available (where applicable) & maintained
- ☐ 10.6 Oxygen, suction & emergency drugs available
- ☐ 10.7 Ambulance / transport arrangement available
- ☐ 10.8 Fire detection, alarm & suppression systems functional
- ☐ 10.9 Evacuation routes, exits & assembly areas marked
- ☐ 10.10 Fire safety equipment available & inspected
- ☐ 10.11 Regular emergency drills conducted & documented
- ☐ 10.12 Business continuity plan (BCP) available
- ☐ 10.13 Post-emergency review & improvements done



11. MEDICATIONS & MEDICAL SUPPLIES

- ☐ 11.1 Approved suppliers & procurement process in place
- ☐ 11.2 Incoming inspection of medicines & supplies
- ☐ 11.3 Storage as per manufacturer's instructions
- ☐ 11.4 Temperature monitoring for critical items
- ☐ 11.5 FIFO/FEFO inventory management followed
- ☐ 11.6 Expiry dates monitored; expired items removed
- ☐ 11.7 Controlled drugs stored securely & accounted for
- ☐ 11.8 Stock-out prevention for essential items
- ☐ 11.9 Adverse drug reaction reporting system in place
- ☐ 11.10 Labels & instructions in local language (as applicable)
- ☐ 11.11 Safe handling of chemicals & reagents ensured



12. QUALITY IMPROVEMENT & PATIENT SAFETY CULTURE

- ☐ 12.1 Quality & safety culture is promoted by leadership
- ☐ 12.2 Non-punitive reporting culture encouraged
- ☐ 12.3 Patient safety goals are defined & tracked
- ☐ 12.4 Sentinel events are reviewed & acted upon
- ☐ 12.5 Root cause analysis is done for significant events
- ☐ 12.6 Action plans are implemented & monitored
- ☐ 12.7 Benchmarking & best practices adopted
- ☐ 12.8 Worker feedback is sought & used for improvement
- ☐ 12.9 Information is shared transparently
- ☐ 12.10 Recognition of good practices & achievements
- ☐ 12.11 Continual improvement is part of routine



QUALITY CARE TODAY, SAFETY ALWAYS, HEALTHIER TOMORROW.

CHECK • ACT • IMPROVE • REPEAT



REVIEWED ON:



REVIEWED BY:



APPROVED BY:



EVERY WORKER.
EVERY DAY.
SAFELY.

HEALTHY WORKERS. SAFE WORKPLACES. SUSTAINABLE INDUSTRY.



SITE STORE SAFETY INSPECTION CHECKLIST



1. HOUSEKEEPING & STORAGE

- ☐ Store area clean and free from debris
- ☐ Aisles and walkways unobstructed
- ☐ Materials stacked safely and neatly
- ☐ No over-stacking of materials
- ☐ Heavy items stored at lower levels
- ☐ Safe access to all storage racks
- ☐ Scrap and waste removed regularly
- ☐ Adequate lighting available



2. MATERIAL STACKING

- ☐ Stacks stable and secured
- ☐ Timber stacked with spacers
- ☐ Pipes/channels secured against rolling
- ☐ Cement bags protected from moisture
- ☐ Steel materials properly arranged
- ☐ Safe stacking height maintained
- ☐ Materials identified and labeled
- ☐ Damaged materials segregated



3. FIRE SAFETY

- ☐ Fire extinguishers available
- ☐ Fire extinguishers inspected monthly
- ☐ Fire points clearly marked
- ☐ Emergency exits unobstructed
- ☐ No combustible waste accumulation
- ☐ Flammable materials stored separately
- ☐ "No Smoking" signs displayed
- ☐ Emergency contact numbers displayed



4. ELECTRICAL SAFETY

- ☐ Distribution boards properly covered
- ☐ Electrical panels accessible
- ☐ No exposed wiring
- ☐ Cables free from damage
- ☐ Proper earthing available
- ☐ Electrical equipment inspected
- ☐ Unauthorized connections prohibited
- ☐ Emergency isolation available



5. CHEMICAL & HAZARDOUS MATERIALS

- ☐ MSDS / SDS available
- ☐ Containers properly labeled
- ☐ Chemical storage segregated
- ☐ Spill kits available
- ☐ Secondary containment provided
- ☐ Incompatible chemicals separated
- ☐ Chemical inventory maintained
- ☐ PPE available for handlers



6. SAFETY & SECURITY

- ☐ Store access controlled
- ☐ Authorized personnel only
- ☐ Safety signs displayed
- ☐ First aid box available
- ☐ Emergency routes marked
- ☐ CCTV / security arrangements available
- ☐ Visitors properly controlled
- ☐ Adequate ventilation maintained



7. TOOLS & EQUIPMENT STORAGE

- ☐ Tools stored in designated area
- ☐ Defective tools tagged and removed
- ☐ Lifting accessories identified
- ☐ Inspection tags available
- ☐ Gas cylinders secured upright
- ☐ Cylinder caps fitted
- ☐ Equipment records maintained
- ☐ Calibration certificates available



8. PPE COMPLIANCE

- ☐ Safety helmet worn
- ☐ Safety shoes worn
- ☐ Reflective jacket worn
- ☐ Gloves available and used
- ☐ Eye protection available
- ☐ Hearing protection available where required
- ☐ PPE storage area maintained



9. DOCUMENTATION

- ☐ Material inventory updated
- ☐ Inspection records maintained
- ☐ Fire extinguisher records available
- ☐ Chemical register maintained
- ☐ Training records available
- ☐ Emergency response plan displayed
- ☐ Safety inspection checklist completed

STATUS



SAFE

= Compliant



NEEDS ATTENTION

= Corrective Action Required



UNSAFE

= Immediate Action Required



A SAFE STORE MEANS SAFE OPERATIONS, SAFE MATERIALS AND SAFE PEOPLE.



INSPECTION FREQUENCY:
Daily / Weekly / Monthly
(As Applicable)



INSPECTOR NAME:



DATE:



SIGNATURE:

LIFTING GEAR CHECKLIST

WIRE ROPE SLINGS, D SHACKLES & HOOKS

INSPECT BEFORE EVERY USE – YOUR SAFETY DEPENDS ON IT



1. WIRE ROPE SLINGS CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	Check for broken wires No broken wires visible.	☐	☐	
	Check for wear & abrasion No excessive wear or abrasion.	☐	☐	
	Check for kinks, twists or bird caging No kinks, twists or bird caging.	☐	☐	
	Check for corrosion No rust or corrosion present.	☐	☐	
	Check ferrules/ sleeves Secure and not cracked or loose.	☐	☐	
	Check identification tag Tag present and readable.	☐	☐	
⚠ REMOVE FROM SERVICE IF ANY DEFECT IS FOUND				

2. D SHACKLES CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	Check for cracks, nicks or deformation No cracks or deformation.	☐	☐	
	Check for corrosion No rust or corrosion.	☐	☐	
	Check pin Pin is straight, not bent and threads are good.	☐	☐	
	Check fit Shackle fits properly, not overstrained.	☐	☐	
	Check WLL marking WLL marking present and readable.	☐	☐	
⚠ REMOVE FROM SERVICE IF ANY DEFECT IS FOUND				

3. HOOKS CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	Check for cracks, nicks or deformation No cracks, nicks or deformation.	☐	☐	
	Check for wear No excessive wear on the hook.	☐	☐	
	Check safety latch Latch moves freely and closes properly.	☐	☐	
	Check for corrosion No rust or corrosion.	☐	☐	
	Check WLL marking WLL marking present and readable.	☐	☐	
⚠ REMOVE FROM SERVICE IF ANY DEFECT IS FOUND				



SAFE LIFTING – EVERY TIME
INSPECT • VERIFY • LIFT SAFELY

INSPECTED BY: _____
DATE: _____
SIGNATURE: _____

A SMALL INSPECTION TODAY CAN PREVENT A BIG ACCIDENT TOMORROW



TEMPORARY ELECTRICAL CONNECTIONS DAILY INSPECTION CHECKLIST



CHECK BEFORE USE – EVERY DAY – EVERY TIME



INSPECT ALL TEMPORARY ELECTRICAL EQUIPMENT AND CONNECTIONS.
IF YOU FIND A HAZARD, **DO NOT USE**. TAG OUT AND REPORT IMMEDIATELY.

CHECK ITEM	WHAT TO LOOK FOR	OK ✓	NOT OK ✗	N/A —
 1. CORDS & CABLES	- No cuts, damage, exposed wiring or splices. - Insulation intact. - Not pinched, crushed, or under strain.	☐	☐	☐
 2. PLUGS & CONNECTORS	- No cracks or damage. - Grounding pin intact. - Connections tight and secure.	☐	☐	☐
 3. OUTLETS & RECEPTACLES	- Covers in place and closed. - No damage or overheating. - Properly grounded.	☐	☐	☐
 4. DISTRIBUTION EQUIPMENT	- Enclosures closed and latched. - No damage. Signs/labels in place. - Circuits properly rated.	☐	☐	☐
 5. GROUNDING	- Equipment and systems properly grounded. - Ground connections secure.	☐	☐	☐
 6. ENVIRONMENTAL	- Equipment protected from water. - Not in puddles or wet conditions. - Elevated where required.	☐	☐	☐
 7. GENERAL	- No signs of overheating (burn marks, discoloration, hot odor). - Equipment suitable for the job.	☐	☐	☐



**IF ANY ITEM IS NOT OK,
DO NOT USE THE EQUIPMENT.**



**TAG OUT.
REPORT.
DO NOT USE.**

DATE: _____ INSPECTED BY: _____ SIGNATURE: _____



SAFE TODAY. SAFE TOMORROW. EVERY TIME.

YOUR CHECK TODAY PREVENTS ACCIDENTS TOMORROW.





PPE INSPECTION CHECKLIST

PERSONAL PROTECTIVE EQUIPMENT

PROJECT NAME : _____ INSPECTOR NAME : _____
LOCATION : _____ AREA INSPECTED : _____
DATE : _____

STATUS KEY

- ✓ = GOOD / FIT FOR USE
✗ = NEEDS ATTENTION
NA = NOT APPLICABLE

PPE INSPECTION CHECKLIST

SR. NO.	PPE ITEM		✓	✗	NA	REMARKS
1	 SAFETY HELMET	Shell intact, no cracks or damage; chin strap available and functional				
2	 SAFETY GOGGLES / EYE PROTECTION	Lens clear, no scratches; frame and strap intact				
3	 HEARING PROTECTION	Ear cups/muffs intact; no visible damage; padding in good condition				
4	 FACE SHIELD	Visor clear, no cracks; headgear and straps in good condition				
5	 RESPIRATORY PROTECTION	Mask clean, not damaged; straps and exhalation valve (if any) intact; proper fit				
6	 SAFETY GLOVES	No tears, holes or wear; suitable for the task; clean and in usable condition				
7	 SAFETY SHOES / BOOTS	Toe cap intact; sole not worn or damaged; laces in good condition				
8	 HI-VISIBILITY CLOTHING	Fabric clean and visible; reflective strips intact; no tears or damage				
9	 SAFETY HARNESS	Webbing, buckles and D-rings intact; stitching in good condition; lanyard available				
10	 APRON / BODY PROTECTION	No tears or damage; clean and suitable for hazards present				
11	 RAINCOAT / WEATHER GEAR	No tears or damage; waterproofing intact; clean and usable				
12	 FALL PROTECTION LANYARD	Rope/strap intact; shock absorber and hooks in good condition				

SAFETY REMINDERS



WEAR THE RIGHT PPE FOR THE JOB.



CHECK PPE BEFORE USE.



ENSURE PROPER FIT AND COMFORT.



REPORT DAMAGED OR DEFECTIVE PPE IMMEDIATELY.



KEEP PPE CLEAN AND STORE IT PROPERLY.

PPE RISK OBSERVATIONS

OBSERVATION	CORRECTIVE ACTION REQUIRED	RESPONSIBLE PERSON	TARGET DATE



INSPECTOR SIGNATURE



SUPERVISOR SIGNATURE



DATE

WEAR IT RIGHT. CHECK IT RIGHT. STAY PROTECTED. STAY SAFE.



MULTISTORY BUILDING SAFETY INSPECTION CHECKLIST



SAFE BUILDING • SAFE PEOPLE • SAFE TOMORROW

Building Name : _____

Inspecting Officer : _____

Location / Address : _____

Designation : _____

Date of Inspection : _____

Contact No. : _____



**REGULAR INSPECTION
PREVENTS ACCIDENTS
AND SAVES LIVES**

1. INSPECTION CHECKLIST

SR. NO.	ITEM TO BE CHECKED	STANDARD / REQUIREMENT	OK	NOT OK	N/A
1	Structural condition (walls, columns, beams, slabs)	IS 456 / IS 1893			
2	Staircases condition, handrails & anti-slip	NBC 2016 / IS 11812			
3	Fire exits / Escape routes unblocked & easily accessible	NBC 2016 – Part 4			
4	Emergency exit doors openable from inside	IS 3614			
5	Fire extinguishers available, accessible & inspected	IS 15683			
6	Fire hose reel / Hydrant system available & functional	IS 3844 / IS 15105			
7	Automatic Fire Detection & Alarm System	IS 2189 / IS 16093			
8	Sprinkler system available & functional	IS 151 sprinkler code			
9	Lift / Elevator safety & emergency communication	IS 14665 / IS 302			
10	Electrical installations & wiring in safe condition	IS 732 / NBC 2016			
11	Emergency lighting functional	IS 10322 (Part 5/Sec 5)			
12	Signages & safety instructions available & clearly visible	ISO 7010 / NBC 2016			
13	First Aid Box available & stocked	IS 8765			
14	Gas pipeline (if any) – condition & leak check	IS 6049			
15	Housekeeping – cleanliness, storage & waste management	Good Housekeeping Practice			

Note: Ensure all "Not OK" items are corrected immediately and re-verified.

2. ESCAPE ROUTES



- Escape Route
- Emergency Exit
- Staircase
- Fire Extinguisher
- Fire Hose Reel
- Assembly Point



ASSEMBLY POINT

Report to Assembly Point after Evacuation

3. SAFETY SIGNAGES (AS PER ISO 7010)



EMERGENCY EXIT



FIRE EXIT



ASSEMBLY POINT



FIRE EXTINGUISHER



FIRE HOSE REEL



FIRE ALARM



USE STAIRCASE



CAUTION ELECTRICAL HAZARD



NO SMOKING



DO NOT USE LIFT IN FIRE



NO OBSTRUCTION



KEEP AREA CLEAN

4. APPLICABLE STANDARDS & CODES

- National Building Code (NBC) 2016 – Part 4 (Fire & Life Safety)
- IS 15683 – Code of Practice for Portable Fire Extinguishers
- IS 3844 – Code of Practice for Fire Hose Reel
- IS 2189 – Code of Practice for Fire Detection & Alarm System
- IS 151 – Code of Practice for Automatic Sprinkler Systems
- IS 10322 (Part 5/Sec 5) – Emergency Lighting
- IS 14665 – Safety Code for Lifts
- IS 732 – Code of Practice for Electrical Wiring Installations
- ISO 7010 – Safety Signs – Safety Colours and Safety Signs
- Local Fire Department / Municipal Corporation Bye-laws



5. GENERAL INSTRUCTIONS



Keep all escape routes, corridors, and staircases free from obstruction.



Do not tamper with fire safety equipment.



In case of emergency, use stairs, not lifts.



Report to the Assembly Point and await instructions.



Report any unsafe condition immediately.

6. REMARKS / OBSERVATIONS

IN CASE OF EMERGENCY

FIRE BRIGADE : 101
POLICE : 100
AMBULANCE : 108
DISASTER MGMT : 1077

SAFETY IS EVERYONE'S RESPONSIBILITY



AWARE • PREPARE • PREVENT • PROTECT

Inspected By : _____

Signature : _____

Date : _____

THINK SAFETY • ACT SAFELY • BE SAFE

SAFETY TODAY, SECURITY TOMORROW

VEHICLE & TRAFFIC SAFETY CHECKLIST

SAFE VEHICLES. SAFE MOVEMENT. SAFE SITE.

PROJECT NAME : _____

DATE : _____

LOCATION : _____

TIME : _____

CHECKED BY : _____

DESIGNATION : _____

CHECKPOINT		YES	NO	N/A	REMARKS
A. VEHICLE CONDITION					
1	Vehicle is roadworthy and well maintained.				
2	Brakes, steering, lights, indicators, horn and reverse alarm are in working condition.				
3	Tyres are in good condition with proper inflation.				
4	Mirrors are clean and in proper working order.				
5	Seat belts are available and in good condition.				
6	Fire extinguisher is available and serviceable.				
7	First aid kit is available.				
8	Vehicle registration, insurance and permits are valid and available.				
B. DRIVER FITNESS & BEHAVIOUR					
1	Driver is licensed and authorized for the vehicle.				
2	Driver is fit, alert and not under the influence of alcohol or drugs.				
3	Seat belt is worn while driving.				
4	Mobile phone is not used while driving.				
5	Speed limits are obeyed at all times.				
C. TRAFFIC RULES & SITE SPEED MANAGEMENT					
1	Site speed limits are clearly displayed.				
2	Driver obeys speed limits and traffic signs.				
3	Overtaking is avoided in high-risk areas.				
4	Reverse movement is done only when necessary and with a spotter.				
5	Pedestrians are given right of way.				
D. SITE TRAFFIC MANAGEMENT					
1	Designated vehicle routes are followed.				
2	Traffic signs and markings are visible and clear.				
3	Pedestrian walkways are kept clear.				
4	Loading / unloading areas are well managed.				
5	Barricades and cones are in place at restricted areas.				
6	Night driving is avoided. If necessary, proper lighting is available.				
E. INCIDENTS & HAZARDS					
1	Any vehicle defects or hazards reported?				
2	Any near-misses or incidents reported?				
3	Corrective actions taken?				

OBSERVATIONS / REMARKS : _____

FOLLOW TRAFFIC RULES. STAY ALERT. PROTECT LIVES.

LADDER & STAIRCASE SAFETY INSPECTION CHECKLIST



INSPECT BEFORE EVERY USE – YOUR SAFETY DEPENDS ON IT

1. LADDER SAFETY CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	 Check for damage No cracks, bends, or broken parts.	☐	☐	
	 Check rungs/steps Rungs/steps are secure, clean and non-slip.	☐	☐	
	 Check side rails/stiles Straight, strong and not bent.	☐	☐	
	 Check spreaders/locks Spreader braces/locks function properly.	☐	☐	
	 Check feet/pads Feet/pads in good condition and non-slip.	☐	☐	
	 Check labels Safety labels present and readable.	☐	☐	
	 Check angle & setup Set at proper angle (= 75°) and on a stable surface.	☐	☐	
⚠ REMOVE FROM SERVICE IF ANY DEFECT IS FOUND				

2. STAIRCASE SAFETY CHECKLIST

	CHECKPOINT	OK	NOT OK	NOTES / ACTION
	 Check for damage No cracks, broken or loose parts.	☐	☐	
	 Check treads/steps Steps are secure, level and non-slip.	☐	☐	
	 Check handrails Handrails are secure, strong and at proper height.	☐	☐	
	 Check guardrails/balusters Guardrails are secure; no missing or loose parts.	☐	☐	
	 Check lighting Adequate lighting on stairway.	☐	☐	
	 Check for obstruction Stairway is clear of tools, materials and debris.	☐	☐	
	 Check safety signage Warning signs are present and readable.	☐	☐	
⚠ REMOVE FROM SERVICE IF ANY DEFECT IS FOUND				



SAFE ACCESS – EVERY STEP
INSPECT • VERIFY • STAY SAFE

INSPECTED BY: _____

DATE: _____

SIGNATURE: _____



A SMALL INSPECTION TODAY CAN PREVENT A BIG ACCIDENT TOMORROW



IN-SERVICE EXAMINATION CHECKLIST OF PRESSURE VESSELS



AS PER THE FACTORIES ACT, 1948 & IS STANDARDS

LEGAL REQUIREMENT

As per Section 41B of the Factories Act, 1948 and Rule 55 of the Factories Rules, 1950, every pressure vessel shall be thoroughly examined and tested by a competent person at prescribed intervals.



**SAFETY FIRST
COMPLIANCE ALWAYS**

IS STANDARDS REFERENCE

- IS 2825 : Code of Practice for In-Service Inspection of Pressure Vessels
- IS 1333 : Code of Practice for Non-Destructive Testing
- IS 4903 : Radiographic Testing
- IS 3658 : Liquid Penetrant Testing
- IS 3973 : Magnetic Particle Testing

SR. NO.	ITEM TO BE CHECKED	DETAILS / WHAT TO CHECK	ACCEPTABLE (✓)	NOT ACCEPTABLE (X)	REMARKS / ACTION TAKEN
1. GENERAL					
	1.1 Identification	Name plate legible and securely fixed; Maker's details, Serial No., Year of manufacture, MAWP, Test pressure, Temperature, Fluid.			
	1.2 Registration	Registered with Chief Inspector as required.			
	1.3 Drawings & Documents	As-built drawing, design calculations, material test certificates, previous inspection reports available.			
	1.4 Service Conditions	Operating pressure, temperature & fluid as per design.			
2. EXTERNAL VISUAL EXAMINATION					
	2.1 General Condition	Vessel is clean; free from dirt, corrosion, leakage, distortion.			
	2.2 Shell	Check for corrosion, pitting, dents, bulging, cracks, blistering.			
	2.3 Weld Joints (External)	Check for cracks, undercut, lack of fusion, porosity, corrosion.			
	2.4 Supports & Foundations	Supports, saddles, hangers, lugs in sound condition. No distortion or cracks in foundation.			
	2.5 Nozzles & Connections	Check for leaks, corrosion, wear, misalignment.			
	2.6 Insulation & Cladding	Insulation condition; any water logging or damage.			
	2.7 External Attachments	Ladders, platforms, handrails, name plate, FW gauge, pressure gauge – secured & serviceable.			
3. INTERNAL VISUAL EXAMINATION					
	3.1 Internal Condition	General cleanliness; free from corrosion, scaling, deposits.			
	3.2 Shell (Internal Surface)	Check for corrosion, pitting, grooving, cracks, erosion.			
	3.3 Weld Joints (Internal)	Check for cracks, lack of fusion, excessive reinforcement.			
	3.4 Nozzles (Internal)	Check for corrosion, erosion, cracks at root and body.			
	3.5 Baffles / Trays / Internals	Check for corrosion, distortion, loose/Worn parts.			
	3.6 Drainage	Proper drainage arrangement; no accumulation of liquid.			
4. NON-DESTRUCTIVE TESTING (NDT)					
	4.1 NDT Requirement	As per IS 2825 based on service, age, and previous findings.			
	4.2 Visual NDT	100% VT of accessible welds and critical areas.			
	4.3 PT (Liquid Penetrant)	For surface-breaking defects (as applicable). As per IS 3658.			
	4.4 MT (Magnetic Particle)	For surface-breaking defects in ferromagnetic materials. As per IS 3973.			
	4.5 RT (Radiography)	For volumetric examination (as applicable). As per IS 4903.			
	4.6 UT (Ultrasonic Testing)	For thickness measurement / subsurface defects (as applicable). As per IS 1333.			
	4.7 Thickness Measurement	Check minimum thickness at representative locations. Compare with design minimum thickness.			
5. PRESSURE PARTS & SAFETY DEVICES					
	5.1 Pressure Relief Valve (PRV)	Set pressure, sealing, blowdown, and condition as per code.			
	5.2 Pressure Gauge	Range, condition, accuracy, calibration valid.			
	5.3 Level Gauge / LWCO	Glass condition, cleanliness, proper functioning.			
	5.4 Thermometer	Condition and accuracy.			
	5.5 Shut-off Valves	Functioning, leakage check.			
6. LEAKAGE & FUNCTIONAL CHECK					
	6.1 Leakage	Check for leakage at shell, welds, nozzles, flanges, valves.			
	6.2 Operation	Vessel operating normally without unusual vibration, noise or overheating.			
	6.3 Testing (if carried out)	Hydraulic/Pneumatic test as per code (if required).			
7. FINAL ASSESSMENT					
	7.1 Overall Condition	Vessel fit for continued safe operation.			
	7.2 Repairs Required	List of defects, recommended repairs, and re-test (if any).			
	7.3 Next Examination Due	Date of next in-service examination.			

FREQUENCY OF EXAMINATION (AS PER IS 2825)

- Every 5 years for vessels in general service.
- More frequent examination may be required based on:
 - Severity of service
 - Age of vessel
 - Previous inspection results
 - Statutory requirements

NOTE

- Only a COMPETENT PERSON as defined under the Factories Act shall carry out this examination.
- Maintain records of all inspections, tests, and repairs.
- Any defect affecting safe operation shall be rectified immediately and the vessel re-examined before returning to service.

CERTIFICATION

I certify that the above pressure vessel has been thoroughly examined in accordance with the requirements of the Factories Act, 1948, the Factories Rules, 1950 and IS 2825 and is found fit / unfit for continued service.

Name of Competent Person : _____
Qualification : _____
Certificate No. : _____
Signature : _____
Date : _____



SAFETY IS OUR PRIORITY – COMPLIANCE IS OUR RESPONSIBILITY



OFFICE HOUSEKEEPING SAFETY CHECKLIST

OFFICE / DEPARTMENT : _____ INSPECTOR NAME : _____
 LOCATION : _____ AREA INSPECTED : _____
 DATE : _____ TIME : _____

STATUS KEY

- = SAFE / COMPLIANT
- = UNSAFE / NON-COMPLIANT
- = NOT APPLICABLE

OFFICE HOUSEKEEPING SAFETY CHECKLIST

SR. NO.	INSPECTION ITEM	✓	✗	NA	REMARKS
1	Workstations are clean and tidy				
2	Dustbins are available and emptied regularly				
3	Documents, files and papers are neatly organized				
4	Walkways and aisles are clear of clutter and obstruction				
5	Electrical cables are neatly arranged and not a tripping hazard				
6	Chairs and furniture are in good condition				
7	Computer area is clean and equipment is maintained				
8	Adequate lighting is available in all work areas				
9	Ventilation / AC vents are clean and unobstructed				
10	Printers and scanners are kept clean and organized				
11	Storage cabinets and drawers are organized and closed				
12	Plants and décor items do not block exits or access				
13	Food and drinks are stored properly; no spills on desks				
14	Fire extinguishers are accessible and not blocked				
15	Emergency exits and evacuation routes are clear				
16	First aid kit is available and accessible				
17	Common areas (pantry, meeting room, reception) are clean				
18	Washrooms are clean and well maintained				
19	Safety notices and signages are visible and updated				
20	Housekeeping inspection conducted regularly				

SAFETY REMINDERS



**KEEP YOUR
WORKSPACE
CLEAN
AND ORGANIZED.**



**USE DUSTBINS
AND SEGREGATE
WASTE.**



**KEEP CABLES
MANAGED
TO PREVENT
TRIPS.**



**KEEP FIRE
EQUIPMENT
ACCESSIBLE
AT ALL TIMES.**



**KEEP
EMERGENCY
EXITS CLEAR.**



**CLEAN
COMMUNAL
AREAS
REGULARLY.**

HIGH RISK OBSERVATIONS

OBSERVATION	CORRECTIVE ACTION REQUIRED	RESPONSIBLE PERSON	TARGET DATE



INSPECTOR SIGNATURE



SUPERVISOR SIGNATURE



DATE



**A CLEAN OFFICE
IS A SAFE OFFICE**

GOOD HOUSEKEEPING • SAFE PEOPLE • STRONG WORKPLACE

*Let's keep
our office safe,
clean & productive!*



CALCULATION OF INVERT LEVELS

AT EVERY 10 METERS (SLOPE = 2%)




Total Pipeline Length
100 meters



Slope = 2%
(0.02 m/m)

LONGITUDINAL PROFILE



1

STEP 1: CALCULATE DROP PER METER

$$2\% = \frac{2}{100} = 0.02$$

Drop per Meter = 0.02 m (20 mm)

2

STEP 2: CALCULATE DROP PER 10 METERS

$$0.02 \text{ m} \times 10 = 0.20 \text{ m (200 mm)}$$

Drop per 10 Meters = 0.20 m

3

STEP 3: CALCULATE INVERT LEVELS



4

RESULTS SUMMARY

- ✓ Slope = 2% (0.02 m/m)
- ✓ Total Distance = 100 m
- ✓ Drop per Meter = 0.02 m (20 mm)
- ✓ Drop per 10 Meters = 0.20 m (200 mm)
- ✓ Start Invert Level = 512.25 m
- ✓ End Invert Level = 510.25 m
- ✓ Total Drop = 2.00 m (100 m x 2%)



NOTE

Invert level decreases by 0.20 m every 10 meters for a slope of 2%.



STRONG
STRUCTURES



SMART
DESIGN



EFFICIENT
BUILDING



SAFE
SOLUTIONS