



Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. [Learn more](#)

Open folder

Overview

POST http://localhost:8080/ +

No environment



http://localhost:8080/api/users/signup

Save



POST



http://localhost:8080/api/users/signup

Send



Docs

Params

Authorization

Headers 8

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

```
1 {
2   "name": "Iswarya",
3   "email": "test@gmail.com",
4   "password": "12345678",
5   "userRole": "ADMIN"
6 }
```

Body



200 OK

999 ms

376 B



{ } JSON

Preview

Visualize



```
1 {
2   "jwt": null,
3   "userRole": "ADMIN",
4   "userId": 1
5 }
```

Build faster with Agent Mode

Use Agent Mode to transform the way you work with APIs.

Get your API working

Fix configurations, scripts, or anything else to get your request working.

Document

Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore

Let Agent Mode configure requests and identify use-cases.

And much more!

Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's [Terms of Service](#)

Agree and Continue



Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. [Learn more](#)

Open folder

Overview

POST http://localhost:8080/ +

No environment



HTTP http://localhost:8080/api/users/signup

Save



POST



http://localhost:8080/api/users/signup

Send



Docs

Params

Authorization

Headers 8

Body

Scripts

Settings

Cookies

raw

JSON



Schema

Beautify

```
1 {
2   "name": "Iswarya",
3   "email": "test@gmail.com",
4   "password": "12345678",
5   "userRole": "ADMIN"
6 }
```

Body



200 OK

1.05 s

376 B



Raw



Preview

Visualize



```
1 {"jwt":null,"userRole":"ADMIN","userId":1}
```

Build faster with Agent Mode

Use Agent Mode to transform the way you work with APIs.

Get your API working

Fix configurations, scripts, or anything else to get your request working.

Document

Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore

Let Agent Mode configure requests and identify use-cases.

And much more!

Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's [Terms of Service](#)

Agree and Continue



Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. [Learn more](#)

Open folder

Overview

POST http://localhost:8080/



No environment



http://localhost:8080/api/users/login

Save



POST



http://localhost:8080/api/users/login

Send



Docs

Params

Authorization

Headers 8

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

```
1 {
2   "email": "test@gmail.com",
3   "password": "12345678"
4 }
```

Body



200 OK

286 ms

517 B



Raw



Preview

Visualize



```
1 { "jwt": "eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJ0ZXN0QGdtYWlsLmNvbSIsIm1hdCI6MTc3NzcwNjY3MiwiZXhwIjozNzcwNzA4MTEyfQ.6B5VDWta7cfNrpPKST_Qwk0IQkVh3fkLzaJYVRipgrg", "userRole": "ADMIN", "userId": 1 }
```

Build faster with Agent Mode

Use Agent Mode to transform the way you work with APIs.

Get your API working

Fix configurations, scripts, or anything else to get your request working.

Document

Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore

Let Agent Mode configure requests and identify use-cases.

And much more!

Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's [Terms of Service](#)

Agree and Continue

My Workspace

Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. Learn more

Open folder

Overview

POST http://localhost:8080/

No environment

AI

HTTP

http://localhost:8080/api/books/addBook

Save

POST

http://localhost:8080/api/books/addBook

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

Headers

8 hidden

Key	Value	Description
Authorization	Bearer eyJhbGciOiJIUzI1NiJ9.eyJz...	

Body

201 Created • 192 ms • 513 B

Raw

Preview

Visualize

1

```
{ "message": "Book added successfully!", "status": 201, "data": { "isbn": 101, "title": "Spring Boot", "author": "John", "publicationYear": 2024, "timestamp": "2026-05-02T13:02:40.3052827" } }
```

Connect Git

Console

Terminal

Globals

Vault

Tools

Build faster with Agent Mode
Use Agent Mode to transform the way you work with APIs.

Get your API working
Fix configurations, scripts, or anything else to get your request working.

Document
Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore
Let Agent Mode configure requests and identify use-cases.

And much more!
Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's [Terms of Service](#)

Agree and Continue

My Workspace

Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. [Learn more](#)

Open folder

Overview

POST http://localhost:8080/

No environment

AI

HTTP

http://localhost:8080/api/books/addBook

Save

POST

http://localhost:8080/api/books/addBook

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

1 {

2 "isbn": 105,

3 "title": "Design Patterns",

4 "author": "Erich Gamma",

5 "publicationYear": 1994

6 }

Body

201 Created

49 ms

524 B

...

Raw

Preview

Visualize

...

1 {

2 "message": "Book added successfully!",

3 "status": 201,

4 "data": {

5 "isbn": 105,

6 "title": "Design Patterns",

7 "author": "Erich Gamma",

8 "publicationYear": 1994,

9 "timestamp": "2026-05-02T13:03:29.0263328"} }

Connect Git

Console

Terminal

Globals

Vault

Tools

Build faster with Agent Mode

Use Agent Mode to transform the way you work with APIs.

Get your API working

Fix configurations, scripts, or anything else to get your request working.

Document

Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore

Let Agent Mode configure requests and identify use-cases.

And much more!

Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's [Terms of Service](#)

Agree and Continue

13:03

02-05-2026

My Workspace

Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. [Learn more](#)

Open folder

Overview

PUT http://localhost:8080/a

No environment

AI

http://localhost:8080/api/books/update/101

Save

PUT http://localhost:8080/api/books/update/101

Send

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

raw JSON Schema Beautify

```
1 {
2   "isbn": 101,
3   "title": "Design",
4   "author": "Erich Gamma",
5   "publicationYear": 1999
6 }
```

Body 200 OK • 28 ms • 512 B

Raw Preview Visualize

```
1 {"message": "Book updated successfully!", "status": 200, "data": {"isbn": 101,
  "title": "Design", "author": "Erich Gamma", "publicationYear": 1999},
  "timestamp": "2026-05-02T13:04:57.7440707"}
```

Build faster with Agent Mode

Use Agent Mode to transform the way you work with APIs.

Get your API working

Fix configurations, scripts, or anything else to get your request working.

Document

Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore

Let Agent Mode configure requests and identify use-cases.

And much more!

Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's [Terms of Service](#)

Agree and Continue

Connect Git Console Terminal

Globals Vault Tools

13:05 02-05-2026



Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. [Learn more](#)

Open folder

Overview

DEL http://localhost:8080/a

No environment



HTTP http://localhost:8080/api/books/delete/105

Save



DELETE

http://localhost:8080/api/books/delete/105

Send



Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

```
1 {
2   "isbn": 101,
3   "title": "Design",
4   "author": "Erich Gamma",
5   "publicationYear": 1999
6 }
```

Body



200 OK

61 ms

441 B



Raw

Preview

Visualize



```
1 {"message":"Book deleted successfully!","status":200,"data":null,
  "timestamp":"2026-05-02T13:05:33.7736869"}
```

Build faster with Agent Mode

Use Agent Mode to transform the way you work with APIs.

Get your API working

Fix configurations, scripts, or anything else to get your request working.

Document

Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore

Let Agent Mode configure requests and identify use-cases.

And much more!

Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's [Terms of Service](#)

Agree and Continue



ENG IN



13:05

02-05-2026



My Workspace

Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. Learn more

Open folder

Overview

POST http://localhost:8080/

http://localhost:8080/api/users/signup

POST

Send

Save

Docs

Params

Authorization

Headers

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

1 {

2 "name": "User1",

3 "email": "user@gmail.com",

4 "password": "12345678",

5 "userRole": "USER"

6 }

Body

200 OK

167 ms

375 B

Raw

Preview

Visualize

1 {"jwt":null,"userRole":"USER","userId":2}

Build faster with Agent Mode

Use Agent Mode to transform the way you work with APIs.

Get your API working

Fix configurations, scripts, or anything else to get your request working.

Document

Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore

Let Agent Mode configure requests and identify use-cases.

And much more!

Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's Terms of Service

Agree and Continue

Connect Git

Console

Terminal

Globals

Vault

Tools



Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. [Learn more](#)

Open folder

Overview

POST http://localhost:8080/



No environment



http://localhost:8080/api/users/login

Save



POST



http://localhost:8080/api/users/login

Send



Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

raw

JSON



Schema

Beautify

```
1 {
2   "email": "user@gmail.com",
3   "password": "12345678"
4 }
```

Body



200 OK

157 ms • 516 B • 🌐



Raw



Preview

Visualize



```
1 {"jwt":"eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJ1c2VyQGdtYWlsLmNvbSIsIm1hdCI6MTc3NzcwNzQ0SWZlZGJ1eXN7fQ.eyJybnN7fj7h19v1xW0Paula81XaXkKRCVsyatLyHgg","userRole":"USER","userId":2}
```

Build faster with Agent Mode

Use Agent Mode to transform the way you work with APIs.

Get your API working

Fix configurations, scripts, or anything else to get your request working.

Document

Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore

Let Agent Mode configure requests and identify use-cases.

And much more!

Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's [Terms of Service](#)

Agree and Continue



ENG IN

13:08
02-05-2026



Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. [Learn more](#)

Open folder

Overview

POST http://localhost:8080/



No environment



http://localhost:8080/api/users/login

Save



POST



http://localhost:8080/api/users/login

Send



Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

```
1 {
2   "email": "user@gmail.com",
3   "password": "12345678"
4 }
```

Body



200 OK

153 ms

516 B



Raw



Preview



Visualize



```
1 { "jwt": "eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJ1c2VyQGdtYWlsLmNvbSIsIm1hdCI6MTc3NzcwNzUxNiwiZXhwIjozNzcwNzA4TU2fQ.LB1YCFrLMLXsPMrqKspHjpS_xoF9VBpDBEQ2Tgne1-U", "userRole": "USER", "userId": 2 }
```

Build faster with Agent Mode

Use Agent Mode to transform the way you work with APIs.

Get your API working

Fix configurations, scripts, or anything else to get your request working.

Document

Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore

Let Agent Mode configure requests and identify use-cases.

And much more!

Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's [Terms of Service](#)

Agree and Continue



ENG IN



13:09

02-05-2026



My Workspace

Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. [Learn more](#)

Open folder

Overview

GET http://localhost:8080/a

No environment

AI

http://localhost:8080/api/books/showAllBooks

Save

GET

http://localhost:8080/api/books/showAllBooks

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

1 {

2 "email": "user@gmail.com",

3 "password": "12345678"

4 }

Body

200 OK

57 ms

599 B

...

Raw

Preview

Visualize

1 {"message":"Books fetched successfully","status":200,"data":[{"isbn":101,

"title":"Design","author":"Erich Gamma","publicationYear":1999},{

"isbn":104,

"title":"Clean Code","author":"Robert C. Martin","publicationYear":2008}],

"timestamp":"2026-05-02T13:09:26.5425678"}

Connect Git

Console

Terminal

Build faster with Agent Mode

Use Agent Mode to transform the way you work with APIs.

Get your API working

Fix configurations, scripts, or anything else to get your request working.

Document

Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore

Let Agent Mode configure requests and identify use-cases.

And much more!

Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's [Terms of Service](#)

Agree and Continue

My Workspace

Work with your local codebase

Postman updates collections, specs and environments, and follows git branches. Push to cloud when ready. Learn more

Open folder

Overview

GET http://localhost:8080/a

Save

No environment

AI

HTTP

http://localhost:8080/api/books/showById/101

Send

GET

http://localhost:8080/api/books/showById/101

Docs

Params

Authorization

Headers

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

1 {

2 "email": "user@gmail.com",

3 "password": "12345678"

4 }

Body

200 OK

33 ms

511 B

Raw

Preview

Visualize

1 {

2 "message": "Book fetched successfully",

3 "status": 200,

4 "data": {

5 "isbn": 101,

6 "title": "Design",

7 "author": "Erich Gamma",

8 "publicationYear": 1999,

9 "timestamp": "2026-05-02T13:09:43.6268434"

10 }

11 }

Build faster with Agent Mode

Use Agent Mode to transform the way you work with APIs.

Get your API working

Fix configurations, scripts, or anything else to get your request working.

Document

Describe what type of documentation you'd like, and watch Agent Mode do the rest.

Explore

Let Agent Mode configure requests and identify use-cases.

And much more!

Use Agent Mode across Flows, Monitors, Mocks, and more!

By using this AI product, you agree to Postman's Terms of Service

Agree and Continue

Connect Git

Console

Terminal

Globals

Vault

Tools