12

d

out of

Which object is returned when you use fetchData().then(...)?

- a. Callback
- b. Object
- c. String
- d. JSON
- e. Promise

ous page

In JavaScript, what is a closure?

- a. A component's lifecycle method
- b. A sealed object
- c. A class with methods
- d. A nested function that remembers its outer scope
- e. A function with no return

What is the output of [1, 2, 3].map(x => x * 2)?

- a. undefined
- b. [1, 2, 3, 6]
- c. [2, 4, 6]
- d. 6
- e. null

page

What is JSON Placeholder API used for in JS practice?

- a. DOM manipulation
- b. CSS styling
- c. Mock testing and fake API data
- d. Client-side storage
- e. Data validation

e

Which keyword defines a function that always returns a Promise?

- a. yield
- b. return
- c. async
- d. await
- e. function

SLIIT UNI NetExam

THE KNOWLEDGE UNIVERSITY

ONLINE EXAMINATION PLATFORM

Question 10

Not yet answered

Marked out of 1

Flag question

Which destructuring syntax extracts name and age from an object?

- a. let [name, age] = obj
- b. extract(obj.name, obj.age)
- c. var name = obj->name, age = obj->age
- d. const { name, age } = obj
- e. const name = obj.name, age = obj.age

Previous page

12

d

out of

Which object is returned when you use fetchData().then(...)?

- a. Callback
- b. Object
- c. String
- d. JSON
- e. Promise

ous page

SLIIT UNI NetExam

THE KNOWLEDGE UNIVERSITY

ONLINE EXAMINATION PLATFORM

on 11

t

red

d out of

g

on

What function from Redux Toolkit creates a slice of state?

- a. bindSlice
- b. createSlice
- c. combineReducers
- d. createAction
- e. useSlice

vious page

In JavaScript, what is a closure?

- a. A component's lifecycle method
- b. A sealed object
- c. A class with methods
- d. A nested function that remembers its outer scope
- e. A function with no return

What is the output of [1, 2, 3].map(x => x * 2)?

- a. undefined
- b. [1, 2, 3, 6]
- c. [2, 4, 6]
- d. 6
- e. null

page

What is JSON Placeholder API used for in JS practice?

- a. DOM manipulation
- b. CSS styling
- c. Mock testing and fake API data
- d. Client-side storage
- e. Data validation

Which keyword defines a function that always returns a Promise?

- a. yield
- b. return
- c. async
- d. await
- e. function

Which hook is used in React to manage state in functional components?

- a. useFetch
- b. useState
- c. useEffect
- d. useReducer
- e. useContext

Which method allows you to handle asynchronous code without nesting?

- a. callback()
- b. setInterval()
- c. XMLHttpRequest
- d. async/await
- e. intervalHandler()

What will happen if an error occurs in a try...catch block inside an async function?

- a. It's ignored
- b. It triggers a retry
- c. It crashes the program
- d. It goes to the catch block
- e. It logs to a warning file

Which hook is used in React to manage state in functional components?

- a. useFetch
- b. useState
- c. useEffect
- d. useReducer
- e. useContext

Question **10**

Not yet answered

Marked out of 1

Flag question

Which destructuring syntax extracts name and age from an object?

- a. let [name, age] = obj
- b. extract(obj.name, obj.age)
- c. var name = obj->name, age = obj->age
- d. const { name, age } = obj
- e. const name = obj.name, age = obj.age

Previous page

on 11
t
red
d out of
g
on

What function from Redux Toolkit creates a slice of state?

- a. bindSlice
- b. createSlice
- c. combineReducers
- d. createAction
- e. useSlice

vious page