

Information Technologies for Industrial Engineers


เทคโนโลยีสารสนเทศสำหรับวิศวกรอุตสาหกรรม

HTML

- HyperText Markup Language
- Standard markup language for documents designed to be displayed in a web browser.
- Can be assisted by technologies such as Cascading Style Sheets (CSS) and scripting languages such as JavaScript.


HTML element

- Encloses parts of the content to make it appear a certain way.
- Consists of
 - Opening tag
 - Closing tag
 - Content



Attribute

- Contain extra information about the element.



The diagram shows the word "Attribute" centered above a horizontal line. A vertical line descends from the center of this horizontal line to the opening angle bracket of the `<p` tag in the HTML code below. The HTML code is `<p class="editor-note">My cat is very grumpy</p>`. The `class="editor-note"` portion is highlighted in a light blue color.

```
<p class="editor-note">My cat is very grumpy</p>
```

Empty element

```

```

- Two attributes
- No content
- Does not require `/` at the end.
- However, in React JS, this is required. Therefore you should write

```

```

HTML document

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

<!DOCTYPE html>

- A required preamble (คำนำ).

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

<html></html>

- Wraps all the content on the entire page
- *Root element*

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```


<head></head>

- Container for all the stuff to include on the HTML page that isn't the content you are showing to your page's viewers.

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

<meta charset="utf-8">

- Set the *character set* of the document to *UTF-8*.
 - Includes most characters from the vast majority of written languages.
- No reason not to set this.

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

<title></title>

- Sets the title of the page
 - Browser tab the page
 - Bookmark/favorite

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

<body></body>

- Contains all the content shown to web users
 - Text, images, videos, games, playable audio tracks, ...

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8" />
    <title>My test page</title>
  </head>
  <body>
    
  </body>
</html>
```

Deployment

- <https://app.netlify.com/>