



C O R D L E S S  
**IMPACT  
WRENCHES**



## Cordless Impact Wrenches 1/2" Drive

Strong yet lightweight composite construction, evenly balanced design & compact profile makes the GROZ Cordless Impact Wrenches ideal to get THE JOB DONE

Ideal for loosening & tightening lug nuts, driving long bolts & assembling heavy structures

### Lightweight Construction

Minimizes user fatigue in continuous applications, overhead applications etc.

### BLDC Motor Technology

High efficiency, consistent power output, reduced downtime ensuring lower maintenance and longer tool life

### Advanced Battery Management System

Protects against overcharging, overheating and short circuits, ensuring longer battery life and reliable performance

### Reverse Auto Brake Switch

Enhances user safety and operational control by automatically stopping tool rotation immediately after the fastener is loosened

### 3 Variable Speed Settings

Optimized speed and torque control, for efficient performance in heavy-duty and precision tasks

### One-Hand Forward/Reverse Control

Enables quick and effortless directional change

### Lock-off Trigger

Prevents accidental start ensuring user safety



1/2" anvil with hog ring

Speed control trigger


Variable speed setting

LED light

Forward/Reverse control switch

Belt clip

20V Lithium Ion battery




Battery level indicated via LEDs

### 3 VARIABLE SPEED SETTINGS

Press button to switch speed modes. Each mode is indicated via the LED light

#### Forward Direction



#### Reverse Direction





## VARIANTS

|                            |                                                                                   |                                                                                    |                                                                                     |
|----------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                            |  |  |  |
| MAX. TORQUE (HIGH)         | 400 Nm                                                                            | 600 Nm                                                                             | 1000 Nm                                                                             |
| MAX. TORQUE (MEDIUM)       | 320 Nm                                                                            | 500 Nm                                                                             | 750 Nm                                                                              |
| MAX. TORQUE (LOW)          | 250 Nm                                                                            | 350 Nm                                                                             | 650 Nm                                                                              |
| NO LOAD SPEED (HIGH)       | 0-2800 RPM                                                                        | 0-2200 RPM                                                                         | 0-1400 RPM                                                                          |
| NO LOAD SPEED (MEDIUM)     | 0-2300 RPM                                                                        | 0-1900 RPM                                                                         | 0-1000 RPM                                                                          |
| NO LOAD SPEED (LOW)        | 0-1800 RPM                                                                        | 0-1400 RPM                                                                         | 0-650 RPM                                                                           |
| IMPACT RATE (HIGH)         | 0-3500 BPM                                                                        | 0-2000 BPM                                                                         | 0-2100 BPM                                                                          |
| IMPACT RATE (MEDIUM)       | 0-2700 BPM                                                                        | 0-1800 BPM                                                                         | 0-1550 BPM                                                                          |
| IMPACT RATE (LOW)          | 0-2400 BPM                                                                        | 0-1500 BPM                                                                         | 0-900 BPM                                                                           |
| BATTERY                    | 20V 4000 mAh Li-Ion                                                               | 20V 4000 mAh Li-Ion                                                                | 20V 8000 mAh Li-Ion                                                                 |
| CHARGING TIME              | 2 Hours                                                                           | 2 Hours                                                                            | 2 Hours                                                                             |
| CHARGER                    | Input: 220-240V, 50-60Hz, 70W<br>Output: 20V=2.4A                                 | Input: 220-240V, 50-60Hz, 70W<br>Output: 20V=2.4A                                  | Input: 220-240V, 50-60Hz, 130W<br>Output: 20V=4.5A                                  |
| NET WEIGHT (INCL. BATTERY) | 1.9 kg                                                                            | 2.5 kg                                                                             | 3.8 kg                                                                              |




Comes in a blow moulded case

## ORDERING INFORMATION

| CAT NR.                 | BARE TOOL | LITHIUM-ION BATTERY | BATTERY CHARGER |
|-------------------------|-----------|---------------------|-----------------|
| <b>400 NM TORQUE</b>    |           |                     |                 |
| BIW/1-2/400/20-4/L1/EU  | Yes       | 1 pc                | Yes             |
| BIW/1-2/400/20-4/L2/EU  | Yes       | 2pcs                | Yes             |
| <b>600 NM TORQUE</b>    |           |                     |                 |
| BIW/1-2/600/20-4/L1/EU  | Yes       | 1 pc                | Yes             |
| BIW/1-2/600/20-4/L2/EU  | Yes       | 2pcs                | Yes             |
| <b>1000 NM TORQUE</b>   |           |                     |                 |
| BIW/1-2/1000/20-8/L1/EU | Yes       | 1 pc                | Yes             |
| BIW/1-2/1000/20-8/L2/EU | Yes       | 2pcs                | Yes             |



CONNECT WITH US!



**GROZ ENGINEERING TOOLS PVT. LTD.**

**GROZ NET INDUSTRIES**

Village Kherki Daula, National Highway-8,  
Gurugram-122004, Haryana, India

**Tel**

Email (International)

**Email (India)**

**URL**

+91.124.282.7700

info@groz-tools.com

india@groz-tools.com

www.groz-tools.com

The GROZ name, GROZ logo and the  mark are trademarks of  
Groz Engineering Tools Pvt. Ltd., India