



EPP & engineered materials

Product-family catalogue

77 product families across 13 industry applications. Original descriptions and practical priorities for your next packaging or component project.

PARK Nonwoven | sales@parknonwoven.com

Custom HVAC components

Shaped components that bring air-channel geometry, insulation and equipment interfaces into one coordinated design.

Design priorities: Air channel dimensions · Condensation interfaces · Assembly tolerances

Moulded air ducts

Lightweight shaped air passages for connecting sections of an HVAC assembly with a defined airflow path.

Design priorities: Pressure and flow · Duct connections · Access for cleaning

HVAC insulation housings

Fitted insulation shells around equipment sections, pipework interfaces and thermally sensitive assemblies.

Design priorities: Thermal bridges · Wall thickness · Seal locations

Aircraft interior components

Polymer and foam components for cabin interior development, selected around the installation and approval requirements.

Design priorities: Fire qualification · Interior interfaces · Traceability

Lightweight aviation inserts

Shaped lightweight inserts for supporting, separating or integrating elements within an aircraft interior assembly.

Design priorities: Part weight · Attachment method · Approval evidence

Protective furniture foams

Fitted foam supports that separate vulnerable furniture surfaces from packaging and handling loads.

Design priorities: Surface contact · Compression response · Upholstery protection

Corner protectors

Shaped corner cushions that cover vulnerable edges during packing, storage and shipment.

Design priorities: Edge geometry · Impact direction · Surface abrasion

EPP foam sheets

Flat foam stock for inserts, liners, cushioning studies and shaped components made through cutting or machining.

Design priorities: Thickness · Density · Cutting method

Foam furniture

Lightweight shaped foam forms for seating cores, furniture concepts and supported upholstered designs.

Design priorities: Seat geometry · Repeated loading · Upholstery attachment

Mobility foam components

Lightweight moulded forms for vehicle assemblies where integration, packaging space and component handling matter.

Design priorities: Assembly interfaces · Temperature exposure · Repeated loading

Vehicle protective inserts

Shaped inserts that hold or separate vehicle components through production handling and transport.

Design priorities: Cavity fit · Part retention · Return logistics

Appliance protective packaging

Fitted cushions, base supports and corner pieces for moving domestic appliances through a defined distribution route.

Design priorities: Appliance mass · Stacking loads · Transit impacts

Appliance technical parts

Moulded polymer components developed around the fit, attachment and operating conditions of an appliance.

Design priorities: Operating temperature · Attachment features · Part tolerances

Plastic pallets

Polymer pallet formats for moving unit loads, selected around handling equipment and the actual goods distribution system.

Design priorities: Fork entry · Static and dynamic loads · Cleaning conditions

Industrial storage bins

Containers for organising components, work-in-progress and returnable material flows.

Design priorities: Usable volume · Stacking arrangement · Lid and access

Custom cushioning foams

Product-specific foam inserts and support forms that control movement within the transport pack.

Design priorities: Fragile surfaces · Vibration route · Support geometry

Polystyrene insulated boxes

Cellular foam containers for temperature-sensitive shipments, specified as part of a complete pack configuration.

Design priorities: Payload volume · Coolant placement · Route duration

Stackable delivery boxes

Insulated delivery formats designed around filling, stacking and the last metres of the delivery journey.

Design priorities: Stacking interface · Handling grip · Payload fit

Catering transport boxes

Insulated containers for moving prepared meals and catering loads through a defined service route.

Design priorities: Meal format · Packing sequence · Cleaning method

Foldable insulated boxes

Collapsible insulated formats for applications where storage and return volume are important considerations.

Design priorities: Folded volume · Hinge durability · Insulation interfaces

Reusable industrial containers

Returnable containers for protected component handling, collection and storage across repeated journeys.

Design priorities: Cleaning cycles · Closure system · Service-life inspection

Reusable industrial coolers

Returnable insulated transport formats for repeated temperature-sensitive distribution cycles.

Design priorities: Thermal route · Lid retention · Return handling

Lightweight foam pallets

Foam pallet forms for lightweight unit-load handling and packaging development.

Design priorities: Load spread · Fork compatibility · Support position

Sports accessories

Moulded polymer and foam accessories for sport-specific equipment concepts and component development.

Design priorities: Intended activity · Grip and fit · Load conditions

Custom sports equipment

Custom-shaped sport and leisure components developed around user interaction and the intended equipment function.

Design priorities: User group · Mechanical loading · Test method

Leisure equipment components

Lightweight moulded parts for outdoor, recreation and leisure assemblies.

Design priorities: Outdoor exposure · Assembly method · Handling conditions

Moulded plastic toys

Moulded toy components developed with an intended age group, use pattern and safety evaluation in mind.

Design priorities: Age range · Detachable parts · Cleaning conditions

Childhood accessories

Foam and polymer accessories for children's product concepts, specified around their actual use and contact surfaces.

Design priorities: Accessible edges · Contact materials · Assembly retention

Meat packaging

Tray and container formats for meat presentation, filling and sealing workflows.

Design priorities: Sealing process · Product contact · Chilled route

Fresh fish packaging

Protective and insulated packaging formats for fresh fish handling, presentation and distribution.

Design priorities: Drainage · Cold-chain profile · Load and stacking

Catering packaging

Portion trays and takeaway formats for prepared food and professional catering workflows.

Design priorities: Portion volume · Lidding format · Filling conditions

Cheese packaging

Packaging formats that balance cheese presentation, product support and the selected closing process.

Design priorities: Product shape · Moisture conditions · Sealing interface

Bakery packaging

Presentation and transport formats for bakery products that need controlled positioning and surface protection.

Design priorities: Product height · Crush protection · Presentation

Ice cream packaging

Container and tray formats for frozen desserts, developed around filling, storage and serving conditions.

Design priorities: Freezing conditions · Lid fit · Serving format

Fruit & vegetable packaging

Handling and presentation formats for produce with different shape, loading and ventilation requirements.

Design priorities: Ventilation · Stacking · Bruise-sensitive surfaces

Custom food packaging

Application-specific food pack formats that coordinate the product, filling line, seal and distribution route.

Design priorities: Food-contact grade · Equipment fit · Recovery route

Seafood presentation platters

Rigid platter formats for presenting seafood while considering handling, moisture and product arrangement.

Design priorities: Platter geometry · Moisture resistance · Presentation

Shellfish trays

Rigid pack formats for shellfish and crustaceans where shape, product edges and closing requirements need particular attention.

Design priorities: Puncture resistance · Product arrangement · Seal geometry

Reusable food containers

Returnable food container concepts developed around collection, washing and repeated service.

Design priorities: Cleaning validation · Closure durability · Return loop

Skin packaging boards

Flat presentation and support formats for product packs using a selected skin-packaging process.

Design priorities: Film compatibility · Board geometry · Sealing equipment

Gastronorm catering trays

Catering tray formats specified around kitchen handling and the relevant gastronorm equipment interface.

Design priorities: Equipment format · Handling temperature · Tray rigidity

Last-mile fresh produce trays

Produce delivery formats for protecting an assembled order through the final delivery stage.

Design priorities: Order weight · Payload arrangement · Delivery duration

Retail food trays

Retail presentation trays selected around the food, shelf arrangement and sealing workflow.

Design priorities: Shelf format · Film selection · Product visibility

Minced meat trays

Tray formats for minced meat filling, presentation and the chosen sealing process.

Design priorities: Fill volume · Seal area · Chilled storage

High-volume food trays

Tray formats for production lines where handling consistency, nesting and lidding integration matter.

Design priorities: Line speed · Nesting behaviour · Sealing tool

Peel-seal trays

Tray formats with an opening experience that depends on the selected lidding film and sealing process.

Design priorities: Seal strength · Peel behaviour · Flange geometry

Skin-seal food trays

Food tray formats intended for evaluation within a skin-sealing packaging system.

Design priorities: Vacuum process · Film contact · Tool compatibility

Clear multipurpose containers

Transparent container formats for storage, presentation and a range of packaging applications.

Design priorities: Usable volume · Clarity · Closure fit

Attached-lid takeaway trays

Takeaway tray formats with an integrated lid for convenient filling and pack closing.

Design priorities: Hinge behaviour · Closure retention · Portion arrangement

Insulated food trays

Cellular food tray formats for applications that need thermal separation and product support.

Design priorities: Thermal duration · Product contact · Tray handling

Structural foam forms

Lightweight shaped forms used within a coordinated structural or construction method.

Design priorities: Structural design · Concrete interfaces · Installation method

Custom building insulation

Insulation shapes and boards selected around thermal design, available space and installation interfaces.

Design priorities: Thermal design · Moisture exposure · Compressive loading

Under-screed insulation pads

Insulation formats beneath floor build-ups, evaluated alongside loads, the substrate and the overall floor design.

Design priorities: Floor loads · Screed build-up · Thermal bridges

Insulated pharmaceutical cases

Insulated transport cases for developing qualified temperature-sensitive shipment systems.

Design priorities: Payload temperature · Coolant conditioning · Qualification protocol

Custom pharmaceutical packaging

Application-specific protective and insulated packs for healthcare logistics development.

Design priorities: Product sensitivity · Route profile · Packaging validation

Modular dry-ice containers

Insulated container concepts for controlled dry-ice transport applications.

Design priorities: Ventilation · Coolant handling · Compatible payload

Dry-ice transport crates

Crate formats for dry-ice logistics development, requiring a documented handling and shipment plan.

Design priorities: Dry-ice handling · Ventilation · Carrier requirements

Roof terrace insulation

Roof insulation formats selected as part of the waterproofing, load and thermal design of a roof build-up.

Design priorities: Membrane interface · Thermal design · Roof loads

Urban revegetation components

Shaped components for planted urban roof or landscape systems where drainage and installation interfaces matter.

Design priorities: Substrate loading · Water movement · Root-zone design

Drainage landscaping forms

Lightweight shaped elements for coordinating drainage spaces within a landscape installation.

Design priorities: Drainage path · Substrate loads · Outlet position

Custom swimming pool insulation

Application-specific insulation shapes for integrating with a pool structure and lining system.

Design priorities: Lining interface · Pool geometry · Thermal design

Swimming pool EPS blocks

Hollow foam block formats for pool construction methods developed with structural and installation requirements.

Design priorities: Reinforcement design · Interlocking details · Lining method

Expanded polystyrene pool forms

Shaped EPS components for a pool construction system with defined structural and hydraulic interfaces.

Design priorities: Structure design · Service penetrations · Installation sequence

Pool staircase & deck kits

Shaped staircase and deck concepts for pool projects, selected around geometry, loads and the lining system.

Design priorities: Step geometry · Surface finish · Structural support

Pool thermal panels

Insulation panel formats for evaluating heat transfer through pool construction interfaces.

Design priorities: Panel thickness · Thermal bridges · Substrate contact

Foam exercise jump boxes

Lightweight foam exercise-box concepts developed around training use, stability and repeated loading.

Design priorities: Box stability · Grip surface · Load testing

Perishable goods transport boxes

Insulated transport pack formats for perishable goods moving through a defined route and handling process.

Design priorities: Route temperature · Payload arrangement · Transit time

Foam seafood platters

Cellular foam presentation formats for seafood, selected around chilled handling and the plated product.

Design priorities: Cold conditions · Platter rigidity · Food-contact grade

Compartment meal trays

Meal tray formats that organise separate food portions within a coordinated filling and sealing workflow.

Design priorities: Compartment layout · Lid interface · Filling process

Ice cream presentation trays

Tray formats for arranging and presenting frozen dessert products.

Design priorities: Freezer conditions · Product arrangement · Tray depth

Insulated dessert boxes

Insulated box formats for protecting shaped desserts through handling and temperature-sensitive transport.

Design priorities: Dessert dimensions · Thermal route · Impact protection

Rigid food trays

Rigid tray formats for food presentation, sealing and handling within an agreed packaging workflow.

Design priorities: Food-contact grade · Seal compatibility · Pack stiffness

Temperature-sensitive shipping boxes

Insulated box concepts for products that need a controlled shipment temperature and documented pack configuration.

Design priorities: Temperature range · Shipping duration · Qualification plan

Moulded drainage panels

Cellular panels with shaped drainage spaces for roof and landscape system development.

Design priorities: Water capacity · Compression design · Outlet connections

EPS transport boxes

Lightweight EPS container formats for developing protective or insulated transport packs.

Design priorities: Box dimensions · Load support · Recovery route

Adhesive foam support pads

Cellular support pads for locating and supporting products inside a protective packaging unit.

Design priorities: Adhesive compatibility · Support area · Surface finish

Extendable protective corners

Adjustable corner protection concepts for product edges and changing packaging dimensions.

Design priorities: Adjustment range · Corner fit · Surface abrasion

Your project brief

Include the application, drawing, dimensions, planned quantities, operating conditions, assembly interfaces and validation criteria. Final geometry, grade and suitability should be agreed for the specific application.

Email your brief and drawings to sales@parknonwoven.com.