



Asymmetric cryptography controls two keys: private and public keys. Which party holds the main responsibility of maintaining the private key?

Select one:

- a. Sender
- b. Receiver
- c. Both parties
- d. None of the above

[Next page](#)

ASUS

HybridMaster



What is true about Network Security?

Select one:

- a. Distributed layer security involves router and switches hardening
- b. All the above are true.
- c. Access layer security check about personal computers and mobile phones.
- d. Network security involves the core layer security, distributed, and access layers security.





Question **26**

Not yet answered

Marked out of

1.00

Flag question

What is not buffer in the network layer

Select one or more:

- a. In Complete Connection Queue
- b. Application Buffer
- c. Completed Connection Queue
- d. Socket Buffer



The most common targets of Vulnerability Brokers are


Select one or more:

- a. Antivirus Software
- b. None of the above

- c. Microsoft products

- d.

Enterprise Firewalls





Question 30

Not yet answered

Marked out of
1.00

Flag question

Spanning Tree Protocol

Select one or more:

- a. is not a compulsory consideration in the data link layer and in network management.
- b. takes other decisions in the network, such as which port to block and which port to put in forwarding mode, are made from the perspective of this root bridge
- c. provides path redundancy and loop avoidance by defining a tree that spans all the switches in an extended network
- d. is the key is for all the switches in the network to elect a root bridge that becomes the focal point in the network

Next page



Question 27

Not yet answered

Marked out of
1.00

Flag question

Endpoint security includes securing the,

Select one or more:

- a. switches
- b. laptops
- c. IP telephony devices
- d. mobile phones
- e. servers



NetExam

Sri Lanka Institute of Information Technology

Question 28

Not yet answered

Marked out of
1.00

Flag question

Attacker spoofs **ICMP Echo Request** to a network broadcast address.

Echo Request

Echo Response

Ping Request

Ping Meaage



Question 26

What is not buffer in the network layer

Not yet answered


Marked out of

1.00

Select one or more:

- a. In Complete Connection Queue
- b. Application Buffer
- c. Completed Connection Queue
- d. Socket Buffer

Flag question





Question **25**

Not yet answered

Marked out of
1.00

Flag question

Which is not a part of authentication?

Select one:

- a. Use credit card details for Online payment.
- b. Refer User credentials and decide the network access and network access levels
- c. Challenge Handshake
- d. User Names and Passwords



tion 29

et answered

ed out of

g question

What attack is not fallen into the category of network layer header abuse?

Select one:

- a. ICMP Sweep
- b. TTL based attacks
- c. IP Spoofing
- d. Fragmentation attacks



29

answered

out of

question

What attack is not fallen into the category of network layer header abuse?

Select one:

- a. ICMP Sweep
- b. TTL based attacks
- c. IP Spoofing
- d. Fragmentation attacks

What is not true about Spyware

Select one:

- a. It gathers information about routers
- b. It processes the information to without the user's consent
- c. It gathers information about users
- d. It sends the information to another entity without the user's consent



What can you identify using a credit card number?

Select one or more:

- a. Your merchant (bank) name
- b. None of the above
- c. Card type (E.g., VISA)
- d. Your personal identity



Question 27

Not yet answered

Marked out of
1.00

Select one:

- P Flag question
- a. IP Work in the Datalink layer
 - b. Mostly CISCO supported
 - c. LLC and MAC are two protocols of Datalink layer
 - d. Multi-Protocol Support



Endpoint security includes securing the,

Select one or more:

- a. IP telephony devices
- b. servers
- c. laptops
- d. mobile phones
- e. switches

Select all features of TCP (Transport layer protocol)

Select one or more:

- a. Flow Controlling
- b. Error controlling
- c. Segmentation
- d. Application to application data delivery

What is true about Network Security?

Select one:

- a. Distributed layer security involves router and switches hardening
- b. All the above are true.
- c. Access layer security check about personal computers and mobile phones.
- d. Network security involves the core layer security, distributed, and access layers security.





Spanning Tree Protocol

≡ Quiz

Select one or more:

- a. is not a compulsory consideration in the data link layer and in network management.
- b. takes other decisions in the network, such as which port to block and which port to put in forwarding mode, are made from the perspective of this root bridge
- c. provides path redundancy and loop avoidance by defining a tree that spans all the switches in an extended network
- d. is the key is for all the switches in the network to elect a root bridge that becomes the focal point in the network

Finish atte

Time left 0

1	2
9	10
17	18
25	26

Next page

FEEDBACK
31

How to mitigate the ARP Attacks?

Select one:

- a. A switch must ensure that only valid ARP requests and replies are relayed
- b. None of the above can be used
- c. ARP should be disabled in the switches
- d. ARP should be disabled from the network

**Question 30**

Not yet answered

Marked out of

1.00

Flag question


What is the packet size of the Ping of Death attack?

Select one:

- a. Morethan 655535
- b. more than 65535 Bytes
- c. More than 65535
- d. 65535

Phishing Attempts to people to divulge information.

Eg: Receiving an email from their bank asking users to divulge their account and PIN numbers.

sensitive personal urge incure  convince demand

2



NetExam

Sri Lanka Institute of Information Technology

on 28

not answered

1 out of

question

Attacker spoofs **ICMP Echo Request** to a network broadcast address.

Echo Request

Echo Response

Ping Request

Ping Meaage

Select all antispoofing technologies.

Select all that may apply.

Select one or more:

- a.
Source Guard
- b.
Port security
- c. 
Dynamic Address Resolution
- d. **Protocol (ARP) Inspection**

What attack is not fallen into the category of network layer header abuse?

Select one:

- a. TTL based attacks
- b. Fragmentation attacks
- c. IP Spoofing
- d. ICMP Sweep



The most common targets of Vulnerability Brokers are

Select one or more:

- a. Microsoft products
- b. Antivirus Software
- c. None of the above
- d. Enterprise Firewalls





Question 4

Not yet answered

Marked out of

0.00

Flag question

Spanning Tree Protocol

Select one or more:

- a. **is the key is** for all the switches in the network to elect a root bridge that becomes the focal point in the network
- b. **provides path** redundancy and loop avoidance by defining a tree that spans all the switches in an extended network
- c. is not a compulsory consideration in the data link layer and in network management.
- d. **takes other** decisions in the network, such as which port to block and which port to put in forwarding mode, are made from the perspective of this root bridge

Select all features of the Network Layer

Select one or more:

- a Connection less communication
- b Network troubleshooting
- c Best effort delivery
- d Packet fragmentation



Question 26

Not yet answered

Marked out of
1.00

Flag question

What is not buffer in the network layer

Select one or more:

- a. In Complete Connection Queue
- b. Application Buffer
- c. Completed Connection Queue
- d. Socket Buffer



Moodle

X

← → X ⌂ | ⓘ | ↗

Page failed to load.

URL: <https://netexam.sliit.lk/mod/quiz/processattempt.php?cmid=2471>

Error: (-105)

ERR_NAME_NOT_RESOLVED



Question 25

Not yet answered

Marked out of

0


Flag question

Which is not a part of authentication?

Select one:

- a. Use credit card details for Online payment.
- b. Refer user credentials and decide the network access and network access levels.
- c. Challenge Handshake
- d. User Names and Passwords

Attacker spoofs to a network broadcast address.



Next page



Question **23**

Not yet answered

Marked out of
1.00

Flag question

What is correct about the Ping of Death attack?

Select one:

- a. The attacker sends ICMP Request messages.
- b. None of the above is true
- c. The attacker Maps ICMP Response messages.
- d. The attacker sends PING messages.



Question 15

Not yet answered

Marked out of
1.00

Flag question

What is true about the Internet

Select one or more:

- a. It's a part of a storage network
- b. It's a global network
- c. It's a part of a Cloud network
- d. It maintains open protocols for the communication



Question **20**

Not yet answered

Marked out of
1.00

Flag question

Select all antispoofing technologies.

Select all that may apply.

Select one or more:

- a. Port security
- b. Dynamic Address Resolution
- c. Source Guard
- d. Protocol (ARP) Inspection



Question 19

Not yet answered

Marked out of

1.00

Flag question

What is correct about STP attacks

Select one:

- a. None of the above statements is true
- b. It's an header abuse attack
- c. It's Spaning Tree Manipulation Attack
- d. It's an address Spoofing attack





Question 21

yet answered

Marked out of

0

Flag question

What method used for password attacks?

Select one or more:

- a.
dictionary attacks
- b.
network sniffing
- c.
social engineering
- d.
brute-force attacks



Question 18

Not yet answered

Marked out of
1.00

Flag question

A Firewall is

Select one:

- a. None of the above
- b. a network security device that monitors incoming and outgoing traffic
- c. a network security device or software that monitors incoming and outgoing traffic
- d. a network security software that monitors incoming and outgoing traffic

Select all applies related to "accounting"

Select one or more:

- a. The accounting can be implemented to what are the software installed by the users
- b. None of the above are true
- c. The accounting can be implemented to measure the time users spent in the network
- d. The accounting can be implemented to measure the changes used did when in the network



NetExam

Sri Lanka Institute of Information Technology

27
answered
out of
questions

What is not a Network Layer Protocol

Select all may apply

Select one or more:

a. ARP

b. PING


c. ICMP

d. TCP

Adwares **displays** annoying pop-ups to generate **revenue** for its author. That is done by analysing user **interests** by tracking the websites visited and then send pop-up advertising pertinent to those sites.

growth **visualize** **income**

Next page



NetExam

Sri Lanka Institute of Information Technology

Question 16

Not yet answered

Marked out of
1.00

Flag question

Adwares [] annoying pop-ups to generate [] for its author. That is done by analysing user [] by tracking the websites visited and then send pop-up advertising pertinent to those sites.

[] displays [] visualize [] interests [] revenue [] income [] growth

Next page

Stream cipher encrypts

Select one:

- a. One bit of a plain text at a time
- b. None of the above
- c. One sentence of a plain text at a time
- d. One word of a plain text at a time



Question 14

Not yet answered

Marked out of
1.00

Flag question

Size of the key in IDEA

Select one:

- a. is 128 Bytes
- b. is 256 Bytes
- c. is 256 bits
- d. is 128 bits



Question 17

Not yet answered

Marked out of
1.00

Flag question


What is not true about Spyware

Select one:

- a. It processes the information to without the user's consent
- b. It gathers information about routers
- c. It gathers information about users
- d. It sends the information to another entity without the user's consent



idle



NetExam

Sri Lanka Institute of Information Technology

it19013756 Jayasinghe

Grey hats **exploit** networks and computer systems in the way that **black** hats do, but do so **without** any malicious intent, disclosing all **networks** and vulnerabilities to law enforcement agencies or intelligence agencies.

red networks loopholes

without



Next page

☰ Quiz navig

Finish attempt ...

Time left 0:19:32

1	2	3
9	10	11
17	18	19
25	26	27

FEEDBACK

31



Question 21

Not yet answered

Marked out of
1.00

Flag question

What method used for password attacks?

Select one or more:

- a.
dictionary attacks
- b.
network sniffing
- c.
social engineering
- d.
brute-force attacks



Question 22

Not yet answered


Marked out of
0.00

Flag question

Grey hats exploit networks and computer systems in the way that black hats do, but do so loopholes any malicious intent, disclosing all and vulnerabilities to law enforcement agencies or intelligence agencies.

 red networks

Next page

Attacker spoofs  to a network broadcast address.

ICMP Echo Request

Echo Request

Echo Response

Ping Request

Ping Meaage

Asymmetric cryptography controls two keys: private and public keys. Which party holds the main responsibility of maintaining the private key?

Select one:

- a. Both parties
- b. None of the above
- c. Sender
- d. Receiver



Next page



Question 15

Not yet answered

Marked out of
1.00

Flag question

What is true about the Internet

Select one or more:

- a. It's a part of a storage network
- b. It's a global network
- c. It's a part of a Cloud network
- d. It maintains open protocols for the communication



Question 21

Not yet answered

Marked out of
1.00

Flag question

A Firewall is

Select one:

- a. a network security device that monitors incoming and outgoing traffic
- b. a network security device or software that monitors incoming and outgoing traffic
- c. None of the above
- d. a network security software that monitors incoming and outgoing traffic

X

| ① | ② |



NetExam

Sri Lanka Institute of Information Technology

Which is not a part of authentication?

Select one:

- a. User Names and Passwords
- b. Refer user credentials and decide the network access and network access levels
- c. Use credit card details for Online payment.
- d. Challenge Handshake





Question 16

Not yet answered

Marked out of
1.00

Flag question

Adwares displays annoying pop-ups to generate revenue for its author. That is done by analysing user interests by tracking the websites visited and then send pop-up advertising pertinent to those sites.

 visualize income growth[Next page](#)

≡ Quiz na

Finish attemp

Time left 0:28

1

2

9

10

17

18

25

26

FEEDBACK

31

22
swered
ut of
estion

Phishing Attempts to **convince** people to divulge **sensitive** information.

Eg: Receiving an email from their bank asking users to divulge their account and PIN numbers.

personal

incure

demand

urge





Question 28

Not yet answered

Marked out of
1.00

Flag question

Select a one advantage of anomaly detection

Select one:

- a. Rules can be defined easily
- b. Malicious activities can be detected easily
- c. Custom protocols can be defined easily
- d. The analysis engine can scale as the ruleset grows



Question 19

Not yet answered

Marked out of
1.00

Flag question

What is correct about STP attacks

Select one:

- a. None of the above statements is true
- b. It's an header abuse attack
- c. It's Spanning Tree Manipulation Attack
- d. It's an address Spoofing attack

Question 23

Not yet answered

Marked out of

0.00

Flag question

What is correct about the Ping of Death attack?

Select one:

- a. The attacker sends ICMP Request messages.
- b. None of the above is true
- c. The attacker Maps ICMP Response messages.
- d. The attacker sends PING messages.



Question **20**

Not yet answered

Marked out of
1.00

Flag question

Select all antispoofing technologies.

Select all that may apply.

Select one or more:

- a.
Port security
- b.
Dynamic Address Resolution
- c.
Source Guard
- d. **Protocol (ARP) Inspection**



NetExam

Sri Lanka Institute of Information Technology

on 19

et answered

ed out of

ng question

ICMP sweep is -----

(Select answers all that apply)

Select one or more:

- a. a Network Layer attack
- b. Not an attack
- c. a network troubleshooting method
- d. ICMP attack

What is correct about STP attacks

Select one:

- a. It's Spanning Tree Manipulation Attack
- b. None of the above statements is true
- c. It's an address Spoofing attack
- d. It's an header abuse attack



Question 17

Not yet answered

Marked out of
1.00

Flag question

Select all features of the Network Layer

Select one or more:

- a. Connection less commuincation
- b. Packet fragmentation
- c. Best effort delivery
- d. Network troubleshooting

**Question 11**

Not yet answered

Marked out of
1.00

Flag question

What is true about the network attacks

Select one or more:

- a. There are two types of attacks: 1. Internal Attacks and 2. External Attacks
- b. The external attacks do much destruction to the network
- c. In the external attacks, the attackers are targeting the network through the Internet.
- d. The Internal Attacks do much destruction to the network

What is not a traditional malware

Select one:

- a. Trojan
- b. Adware
- c. Virus
- d. Worm



2

swe

t of

estion

What is True About Malwares

Select one:

- a. It cannot take the form of executable code
- b. Malware is not defined by its malicious intent, acting against the requirements of the computer user
- c. Malware is not a malicious software
- d. Malware is a term used to refer to a variety of forms of harmful or intrusive software

Question 9

Not yet answered

Marked out of
1.00

 Flag question

What is True about Data Link Layer?

Select one:

- a. Multi-Protocol Support
- b. Mostly CISCO supported
- c. LLC and MAC are two protocols of Datalink layer
- d. IP Work in the Datalink layer





Question 6

Not yet answered

Marked out of
1.00

Flag question

What can you identify using a credit card number?

Select one or more:

- a. Your merchant (bank) name
- b. Card type (E.g., VISA)

- c. None of the above
- d. Your personal identity



Question 7

Not yet answered

Marked out of

1.00

Flag question

Which is not a part of authentication?

Select one:

- a. Refer user credentials and decide the network access and network access levels
- b. User Names and Passwords
- c. Use credit card details for Online payment.
- d. Challenge Handshake



What is true about the network attacks

Select one or more:

- a. In the external attacks, the attackers are targeting the network through the Internet.
- b. There are two types of attacks: 1. Internal Attacks and 2. External Attacks
- c. The external attacks do much destruction to the network
- d. The Internal Attacks do much destruction to the network



Select all true about "Ransomeware"

Select one or more:

- a. Many cybercriminals, design Ransomewares, aren't holding up their "end of the bargain" and released data even after receiving payments.
- b. It denies access to the infected computer system
- c. It demands pay for the restriction to be removed
- d. EvilQuest is the third ransomware variant for macOS devices

Next page



NetExam

Sri Lanka Institute of Information Technology

8

answered

out of

question

The most common targets of Vulnerability Brokers are

Select one or more:

- a. Antivirus Software
- b. Enterprise Firewalls
- c. None of the above
- d. Microsoft products



Question 4

yet answered

Marked out of


Flag question

Spanning Tree Protocol

Select one or more:

- a.
is the key is for all the switches in the network to elect a root bridge that becomes the focal point in the network
- b.
provides path redundancy and loop avoidance by defining a tree that spans all the switches in an extended network
- c. is not a compulsory consideration in the data link layer and in network management.
- d.
takes other decisions in the network, such as which port to block and which port to put in forwarding mode, are made from the perspective of this root bridge

Next page



NetExam

Sri Lanka Institute of Information Technology

Size of the key in IDEA

Select one:

- a. is 128 Bytes
- b. is 128 bits
- c. is 256 bits
- d. is 256 Bytes



Question 9

Not yet answered

Marked out of

0

Flag question

Phishing Attempts to convince people to divulge sensitive information.

Eg: Receiving an email from their bank asking users to divulge their account and PIN numbers.

 incur personal demand urge



Question 10

Not yet answered

Marked out of
1.00

Flag question

What are the reasons to use access attacks?

Select one:

- a.
To retrieve data
- b. All of above are true
- c.
To escalate access privileges
- d.
To gain access



Question 7

Not yet answered

Marked out of
1.00

Flag question

What is the main goal of a data protection policy
select all that may apply.

Select one or more:

- a. assurance
- b. Confidentiality
- c. Availability
- d. Integrity

What is true about the network attacks

Select one or more:

- a. In the external attacks, the attackers are targeting the network through the Internet.
- b. There are two types of attacks: 1. Internal Attacks and 2. External Attacks
- c. The external attacks do much destruction to the network
- d. The Internal Attacks do much destruction to the network



Question 5

Not yet answered

Marked out of
1.00

Flag question

What attack is not fallen into the category of network layer header abuse?

Select one:

- a. ICMP Sweep
- b. TTL based attacks
- c. Fragmentation attacks
- d. IP Spoofing

**Question 8**

Not yet answered

Marked out of
1.00

Flag question

The most common targets of Vulnerability Brokers are


Select one or more:

- a. Antivirus Software
- b. Enterprise Firewalls
- c. None of the above
- d. Microsoft products

What are the types the network layer firewalls filtering?

Select one:

- a. Packets
- b. None of the packets or frames
- c. Both packets and frames.
- d. Frames



NetExam

Sri Lanka Institute of Information Technology



Grey hats [] networks and computer systems in the way that [] hats do, but do so [] without any malicious intent, disclosing all [] and vulnerabilities to law enforcement agencies or intelligence agencies.

exploit networks black loopholes red

≡ Quiz na

Finish attemp

Time left 0:35

1

2

11

12

21

22

FEEDBACK

31

Next page





Question **11**

Not yet answered

Marked out of
1.00

Flag question

What attacks can be given for layer 2 switches?

Select one or more:

- a. CAM table attacks
- b. ARP attacks
- c. VLAN attacks
- d. STP attacks



Select all features of TCP (Transport layer protocol)

Select one or more:

- a. Segmentation
- b. Application to application data delivery
- c. Error controlling 
- d. Flow Controlling



What is not buffer in the network layer

Select one or more:

- a. In Complete Connection Queue
- b. Application Buffer
- c. Completed Connection Queue
- d. Socket Buffer



Question 10

Not yet answered

Marked out of
1.00

Flag question

Select a one advantage of anomaly detection

Select one:

- a. Custom protocols can be defined easily
- b. The analysis engine can scale as the ruleset grows
- c. Rules can be defined easily
- d. Malicious activities can be detected easily

NetExam

Sri Lanka Institute of Information Technology

What are the addresses required to do network packet delivery?

Select one or more:

- a. MAC
- b. IP
- c. Port
- d. None of above

What is correct about STP attacks

Select one:

- a. It's Spaning Tree Manipulation Attack
- b. None of the above statements is true
- c. It's an address Spoofing attack
- d. It's and header abuse attack



Question 7

Not yet answered

Marked out of
1.00

Flag question

What is the main goal of a data protection policy
select all that may apply.

Select one or more:

- a. assurance
- b. Confidentiality
- c. Availability
- d. Integrity



NetExam

Sri Lanka Institute of Information Technology

Question 13

Not yet answered

Marked out of
1.00

Flag question

What is not a Network Layer Protocol

Select all may apply

Select one or more:

- a. TCP
- b. PING
- c. ICMP
- d. ARP

X

NetExamination

Sri Lanka Institute of Information Technology

What is not true about Spyware

Select one:

- a. It gathers information about routers
- b. It sends the information to another entity without the user's consent
- c. It processes the information to without the user's consent
- d. It gathers information about users

X

NetExam

Sri Lanka Institute of Information Technology

Asymmetric cryptography controls two keys: private and public keys. Which party holds the main responsibility of maintaining the private key?

Select one:

- a. Sender
- b. Receiver
- c. Both parties
- d. None of the above

Next



Question 1

Not yet answered

Marked out of

0.0

Flag question

Select all applies related to "accounting"

Select one or more:

- a. The accounting can be implemented to measure the time users spent in the network
- b. The accounting can be implemented to measure the changes used did when in the network
- c. None of the above are true
- d. The accounting can be implemented to what are the software installed by the users



Question 2

Not yet answered


Marked out of

0.00

Flag question

What can you identify using a credit card number?

Select one or more:

- a. None of the above
- b. Your merchant (bank) name
- c. Card type (E.g., VISA) 
- d. Your personal identity



Question 3

Not yet answered

Marked out of
1.00

Flag question

What is True about Data Link Layer?

Select one:

- a. Mostly CISCO supported
- b. LLC and MAC are two protocols of Datalink layer
- c. Multi-Protocol Support
- d. IP Work in the Datalink layer





Question 7

Not yet answered

Marked out of

1.00

Flag question

Which is not a part of authentication?

Select one:

- a. Refer user credentials and decide the network access and network access levels
- b. User Names and Passwords
- c. Use credit card details for Online payment.
- d. Challenge Handshake





Question 2

Not yet answered

Marked out of

.00

Flag question

In Routing table overflow attacks, an adversary router advertises routes to , to the authorized routers present in the network.



Non-Authorized Routers

existent routers

Authorized Routers

Next page



Question 3

Not yet answered

Marked out of
1.00

Flag question

What is True about Data Link Layer?

Select one:

- a. Mostly CISCO supported
- b. LLC and MAC are two protocols of Datalink layer
- c. Multi-Protocol Support
- d. IP Work in the Datalink layer





Select all true about "Ransomeware"

Select one or more:

- a. Many cybercriminals, design Ransomewares, aren't holding up their "end of the bargain" and released data even after receiving payments.
- b. It denies access to the infected computer system
- c. It demands pay for the restriction to be removed
- d. EvilQuest is the third ransomware variant for macOS devices

Next page



Question 6

Not yet answered

Marked out of
1.00

Flag question

What can you identify using a credit card number?

Select one or more:

- a. Your merchant (bank) name
- b. Card type (E.g., VISA)

- c. None of the above
- d. Your personal identity



Question 4

yet answered

Marked out of


Flag question

Spanning Tree Protocol

Select one or more:

- a.
is the key is for all the switches in the network to elect a root bridge that becomes the focal point in the network
- b.
provides path redundancy and loop avoidance by defining a tree that spans all the switches in an extended network
- c. is not a compulsory consideration in the data link layer and in network management.
- d.
takes other decisions in the network, such as which port to block and which port to put in forwarding mode, are made from the perspective of this root bridge

Next page



NetExam

Sri Lanka Institute of Information Technology

Size of the key in IDEA

Select one:

- a. is 128 Bytes
- b. is 128 bits
- c. is 256 bits
- d. is 256 Bytes



Question **5**

Not yet answered

Marked out of
1.00

Flag question

The Security mechanisms should be able to

Select one:

- a. Prevent attacks
- b. Recover from attacks
- c. Detect attacks
- d. All the above

What is true about the network attacks

Select one or more:

- a. In the external attacks, the attackers are targeting the network through the Internet.
- b. There are two types of attacks: 1. Internal Attacks and 2. External Attacks
- c. The external attacks do much destruction to the network
- d. The Internal Attacks do much destruction to the network

A Firewall is

Select one:

- a. a network security software that monitors incoming and outgoing traffic
- b. None of the above
- c. a network security device or software that monitors incoming and outgoing traffic
- d. a network security device that monitors incoming and outgoing traffic

Next page



Question 2

Not yet answered

Marked out of
1.00

Flag question

What can you identify using a credit card number?

Select one or more:

- a. None of the above
- b. Your merchant (bank) name
- c. Card type (E.g., VISA)
- d. Your personal identity





NetExam

Sri Lanka Institute of Information Technology

What is true about the Internet

Select one or more:

- a. It maintains open protocols for the communication
- b. It's a part of a Cloud network
- c. It's a part of a storage network
- d. It's a global network



Question 7

Not yet answered

Marked out of
1.00

Flag question

What is the main goal of a data protection policy
select all that may apply.

Select one or more:

- a. assurance
- b. Confidentiality
- c. Availability
- d. Integrity

What is true about the network attacks

Select one or more:

- a. In the external attacks, the attackers are targeting the network through the Internet.
- b. There are two types of attacks: 1. Internal Attacks and 2. External Attacks
- c. The external attacks do much destruction to the network
- d. The Internal Attacks do much destruction to the network



Question 5

Not yet answered

Marked out of
1.00

Flag question

What attack is not fallen into the category of network layer header abuse?

Select one:

- a. ICMP Sweep
- b. TTL based attacks
- c. Fragmentation attacks
- d. IP Spoofing

**Question 8**

Not yet answered

Marked out of
1.00

Flag question

The most common targets of Vulnerability Brokers are

Select one or more:

- a. Antivirus Software
- b. Enterprise Firewalls
- c. None of the above
- d. Microsoft products



What is not buffer in the network layer

Select one or more:

- a. In Complete Connection Queue
- b. Application Buffer
- c. Completed Connection Queue
- d. Socket Buffer



Question 4

Not yet answered

Marked out of

0

Flag question

Select all applies related to "accounting"

Select one or more:

- a. The accounting can be implemented to measure the changes used did when in the network
- b. The accounting can be implemented to what are the software installed by the users
- c. None of the above are true
- d. The accounting can be implemented to measure the time users spent in the network

What is the ICMP message generated when the TTL values of the fragmented packets less than 1?

Select one:

- a. Communication Prohibited
- b. Time Exceeded in Transit Message
- c. Echo-Reply message
- d. Echo-Request message



Question 4

Not yet answered

Marked out of
1.00

Flag question

What is not a traditional malware

Select one:

- a. Virus
- b. Adware
- c. Trojan
- d. Warm



Question 7

Not yet answered

Marked out of
1.00

Flag question

What is the main goal of a data protection policy
select all that may apply.

Select one or more:

- a. assurance
- b. Confidentiality
- c. Availability
- d. Integrity



on 4

et answered

ed out of

ag question

What is not buffer in the network layer

Select one or more:

- a. In Complete Connection Queue
- b. Application Buffer
- c. Completed Connection Queue
- d. Socket Buffer

Next

Select all features of TCP (Transport layer protocol)

Select one or more:

- a. Segmentation
- b. Application to application data delivery
- c. Error controlling 
- d. Flow Controlling

**Question 1**

Not yet answered

Marked out of
1.00

▼ Flag question

Stream cipher encrypts

Select one:

- a. None of the above
- b. One word of a plain text at a time
- c. One sentence of a plain text at a time
- d. One bit of a plain text at a time

What is not buffer in the network layer

Select one or more:

- a. In Complete Connection Queue
- b. Application Buffer
- c. Socket Buffer
- d. Completed Connection Queue

X

NetExam


Sri Lanka Institute of Information Technology

Asymmetric cryptography controls two keys: private and public keys. Which party holds the main responsibility of maintaining the private key?

Select one:

- a. Sender
- b. Receiver
- c. Both parties
- d. None of the above

Next



NetExam
Sri Lanka Institute of Information Technology

What is not a Layer three (network layer) attack?

Select one:

- a. SYN flood attack
- b. Routing attack
- c. Header abuse
- d. Information gathering