
# COMUNE DI MILANO CONSTRUCTION DOCUMENTATION

**Property**AST VENEZIA S.R.L.

Via Borgonuovo, 9 20121 Milano Tenant

RH MILAN S.R.L.

Vicolo San Giovanni sul muro, 9 20121 Milano



#### **CONSULTANT'S TEAM**



BMS Progetti s.r.l.

piazza santissima trinità 6 20154 milano

bmsprogetti.it

**Designer** ing. Aldo Bottini

Consultants

SMP studio PAN studio Jensen Hughes

## Ristruttazione Edilizia - Corso Venezia 56

TITLE SCALE

Elenco attrezzature con dati impiantistici elettrici piano B01

DOCUMENT

20011 P E F&B T02 28/03/2025

| REV | DATE       | DESCRIPTION    | EDITED | VERIFY | APPROVED |
|-----|------------|----------------|--------|--------|----------|
| 00  | 28/03/2025 | Tender package | MR     | СС     | AM       |
|     |            |                |        |        |          |
|     |            |                |        |        |          |
|     |            |                |        |        |          |

PE F&B T02

### Premessa & note di lettura del presente documento

## Progetto di riferimento

Il documento è stato sviluppato sulla base del progetto esecutivo consegnato in data 07.03.2025 e 28.03.2025 basato sui seguenti riferimenti:

- Design intent da parte di RH del 27.12.2024
- Revisione da parte (RH) del 13.02.2025
- Revisione del giardino (OHLA) del 13.02.2025
- Progetto illuminotecnico (Foundry) consegnato il 28.02.2025
- Progetto Audio (VIVID) revisione del 03.03.2025
- Progetto antennas (Signal solution) revisione del 26.02.25
- Progetto prevenzione incedi del 30.09.2024 (in attesa del parere)
- Parere favorevole con prescrizioni del 28.11.2024 da parte della sovrintendenza
- Autorizzazione paesaggistica parere favorevole con prescrizioni del 05.02.2025

#### Considerazioni

Il presente documento è stato redatto in conformità alla tavola "20011 PE F&B 002 03".

Si precisa che i collegamenti elettrici previsti nel capitolo "SERVICE SOCKETS" e riguardanti il RAW BAR sono da verificarsi con le attrezzature scelte in sede di TENDER.

# Esclusioni nel presente documento

Tutte le attrezzature fornite in comodato d'uso tipo POS, CASSA, WINE BOTTLE RACK.

| ITEM  | QT<br>Y | SOURCE                     | DESCRIPTION   | L MM          | D       | Н       | CONNECTI | VOLTAGE  | POWER<br>UNIT<br>KWE | TOTAL<br>POWER<br>KWE | POWER<br>UNIT<br>WATT | TOTAL<br>POWER<br>WATT |
|-------|---------|----------------------------|---|---------------|---------|---------|----------|--|----------------------|-----------------------|-----------------------|------------------------|
|       |         |                            | DIS   | H WASH        | I AND P | OLISH   |          |  |                      |                       |                       |                        |
| 100.1 | 1       | Cambro                     | Storage Shelving_5 shelf  | 540           | 1220    | 2140    |          |  |                      |                       |                       |                        |
| 100.2 | 1       | Cambro                     | Storage Shelving_5 shelf  | 540           | 910     | 2140    |          |  |                      |                       |                       |                        |
| 101   | 1       | FABRICATOR                 | WORKTOP WITH FREE SPACE FOR BASKETS<br>AND UNDERCOUNTER DISHWASHER  | 2305          | 753     | 900     |          |  |                      |                       |                       |                        |
| 105   | 1       | Hobart                     | UNDERCOUNTER DISHWASHER   | 600           | 603     | 825     | DIRETTO  | 380  | 4,9                  | 4,9                   |                       |                        |
| 107   | 1       | ELECTROLUX PROFESSIONAL    | Condensate Hood   | 1200          | 1000    | 50      | DIRETTO  | 220  |                      |                       | 250                   | 250                    |
| 108   | 1       | Hobart                     | HOOD-TYPE DISHWASHER  | 713           | 815     | 1995    | DIRETTO  | 380  | 11                   | 11                    |                       |                        |
| 109   | 1       | FABRICATOR                 | CUSTOM-MADE STEEL TOP WITH TUBES,<br>CABINET UNDERLYING, FREE SPACE FOR<br>INSERTING WASTE BINS   | 3085          | 780     | 900     |          |  |                      |                       |                       |                        |
| 109.1 | 3       | METALCARRELL<br>I          | HOPPER ON WHEELS LT 135   | 400           | 700     | 730     |          |  |                      |                       |                       |                        |
| 109.2 | 1       | FABRICATOR                 | SHELF   | 1580          | 500     |         |          |  |                      |                       |                       |                        |
| 109.3 | 1       | FABRICATOR                 | SHELF   | 2000          | 400     | 40      |          |  |                      |                       |                       |                        |
| 110   | 1       | T&S Brass                  | Pre-Rinse Faucet Assembly included in item 109  |               |         |         |          |  |                      |                       |                       |                        |
| 112   | 1       | FABRICATOR                 | TABLE WITH REAR UPPER AND LEFT AND RIGHT SIDES  | 1920          | 700     | 1000    |          |  |                      |                       |                       |                        |
| 115   | 1       | FABRICATOR                 | SHELF   | 1900          | 400     | 40      |          |  |                      |                       |                       |                        |
| 116   | 5       | Metro                      | LS BASKET HOLDER SERVICE TROLLEY  | 515           | 515     | 187     |          |  |                      |                       |                       |                        |
|       |         |                            |   | JAI           | NITOR   |         |          |  |                      |                       |                       |                        |
| 121   | 1       | ELECTROLUX PROFESSIONAL    | Mop Sink Cabinet  | 600           | 600     | 1000    |          |  |                      |                       |                       |                        |
| 122   | 1       | Cambro                     | Storage Shelving_5 shelf  | 760           | 460     | 2140    |          |  |                      |                       |                       |                        |
|       |         | ELECTROLUX                 | Hand Sink w/ Soap & Towel Disp. included in item  |               | WASH    |         |          |  |                      |                       |                       |                        |
| 125   | 1       | PROFESSIONAL               | 127   | 400           | 300     | 056     |          |  |                      |                       |                       |                        |
| 126   | 1       | HUPFER                     | Bun Pan Rack, Mobile STEEL WORKTOP WITH 2-BOWL SINK,  | 619           | 454     | 856     |          |  |                      |                       |                       |                        |
| 127   | 1       | FABRICATOR                 | UNDERLYING CABINETS, DRAWER UNIT, FREE SPACE FOR TROLLEY AND HAND WASHBASIN   | 3880          | 700     | 750     |          |  |                      |                       |                       |                        |
| 127.1 | 1       | FABRICATOR                 | N. 2 Prep Sink included in item 127   | 475           | 375     |         |          |  |                      |                       |                       |                        |
| 128   | 1       | FABRICATOR                 | Wall Shelf / Pot Rack   | 100           | 400     | 40      |          |  |                      |                       |                       |                        |
| 128.1 | 1       | FABRICATOR                 | Wall Shelf / Pot Rack   | 200           | 400     | 40      |          |  |                      |                       |                       |                        |
| 129   | 1       | Cambro                     | Storage Shelving _ 5 shelf  | 1220          | 610     | 2140    |          |  |                      |                       |                       |                        |
|       |         |                            |   | PREP          | ARATIO  | N       |          |  |                      |                       |                       |                        |
| 130   | 1       | FABRICATOR                 | STEEL WORKTOP WITH REAR AND LEFT SIDE<br>UPSTAND, CABINET FOR SINK AND FREE<br>SPACE FOR REFRIGERATED TABLE, DRAWER<br>UNIT AND WASTE COMPARTMENT                                   | 2700          | 700     | 750     |          |  |                      |                       |                       |                        |
| 130.1 | 1       | FABRICATOR                 | Prep Sink included in item 130  | 500           | 500     |         |          |  |                      |                       |                       |                        |
| 131   | 2       | FABRICATOR                 | Double Wall Shelf, Bracketless  | 1350          | 400     | 40      |          |  |                      |                       |                       |                        |
| 132   | 1       | ELECTROLUX<br>PROFESSIONAL | TABLE REFR.290LT, 2 DOORS - WITHOUT TOP   | 1341          | 700     | 850     | DIRETTO  | 220  |                      |                       | 250                   | 250                    |
|       |         |                            |   | GA            | RMO     |         |          |  |                      |                       |                       |                        |
| 136   | 1       | FABRICATOR                 | WORKTOP IN STEEL SHAPED TO MEASURE 2319/1360x900x900 WITH TRAY AND UNDERLYING COMPARTMENT FOR REFRIGERATED COUNTERS, WASTE COMPARTMENT, WATER DISPENDER AND TRAY HOLDER COMPARTMENT | 2319/1<br>360 | 900     | 750     |          |  |                      |                       | 250                   | 250                    |
| 136.1 | 1       | FABRICATOR                 | Built-In Hand Sink included in item 136   | 175           | 275     |         |          |  |                      |                       |                       |                        |
| 136.2 | 1       | FABRICATOR                 | REFRIGERATOR TABLE 290LT, 4 DRAWERS,<br>WITHOUT TOP   | 1341          | 700     | 850     |          |  |                      |                       |                       |                        |
| 136.3 | 1       | FABRICATOR                 | REFRIGERATED ELEMENT FOR BOWL HOLDER  | 1340          | 255     |         |          |  |                      |                       |                       | <u> </u>               |
| 137   | 1       | FABRICATOR                 | Double Wall Shelf, Bracketless  | 2313          | 350     |         |          |  |                      |                       |                       | <u> </u>               |
| 138   | 1       | ELECTROLUX<br>PROFESSIONAL | TAVOLO REFR.290LT, 2PORTE-SENZA TOP   | 1341          | 700     | 850     | DIRETTO  | 220  |                      |                       | 250                   | 250                    |
| 139   | 1       | OWN                        | POS - Printer   |               |         |         |          |  |                      |                       | -                     | <u> </u>               |
| 140   | 1       | HUPFER                     | Bun Pan Rack, Mobile  | 454           | 619     | 1662    | <u> </u> |  |                      | <u> </u>              | L                     | <u> </u>               |
|       | 1       | T                          | I   | нот           | LINE_2  | 1       | 1        | 1  |                      | 1                     |                       | т——                    |
| 141   | 1       | PROFESSIONAL               | STAINLESS STEEL 304 WALL HOOD + FILTERS + LIGHTS  | 3780          | 1500    | 500     | DIRETTO  | 220  |                      |                       | 500                   | 500                    |
| 141.1 | 1       | ELECTROLUX<br>PROFESSIONAL | Hood Control Panel  |               |         |         |          |  |                      |                       |                       |                        |
| 141.2 | 1       | Ansul                      | Fire Suppression System   |               |         | <u></u> |          | <u>                                       </u> |                      |                       |                       |                        |

| ITEM  | QT<br>Y | SOURCE                          | DESCRIPTION  | L MM         | D       | н        | CONNECTI | VOLTAGE | POWER<br>UNIT<br>KWE | TOTAL<br>POWER<br>KWE | POWER<br>UNIT<br>WATT | TOTAL<br>POWER<br>WATT |
|-------|---------|---------------------------------|--|--------------|---------|----------|----------|---------|----------------------|-----------------------|-----------------------|------------------------|
| 141.3 | 1       | FABRICATOR                      | S/S Wall Panels (LOT)  |              |         | Ī        | Τ        |         |                      |                       |                       |                        |
| 142   | 2       | RATIONAL                        | RATIONAL ICOMBI PRO OVEN 6 GN 1/1  | 850          | 842     | 754      | DIRETTO  | 380     | 10,25                | 20,5                  |                       |                        |
| 142.1 | 1       | Everpure                        | Water Filtration System  |              |         |          |          |         |                      | - , -                 |                       |                        |
| 145   | 1       | FABRICATOR                      | CABINET TABLE WITH 2 HINGED DOORS  | 900          | 930     | 1000     |          |         |                      |                       |                       |                        |
| 146   | 1       | ELECTROLUX<br>PROFESSIONAL      | ELECTRIC PASTA COOKER. 1 BOWL 40 LT  | 400          | 930     | 850      | DIRETTO  | 380     | 10                   | 10                    |                       |                        |
| 147   | 1       | GEM                             | WORKTOP WITH 1200MM UPSTAND  | 1200         | 930     | 140      | DIRETTO  | 220     |                      |                       | 300                   | 300                    |
| 147.1 |         |                                 | REFRIGERATED BASE 2 DRAWERS, -2+10°C, 1200 MM -R290  | 1200         | 830     | 600      |          |         |                      |                       |                       |                        |
| 148   | 1       | Garland<br>Commercial<br>Ranges | INDUCTION HOB, DOUBLE ZONE,<br>COUNTERTOP, SINGLE PHASE  | 400          | 600     | 152      | PRESA    | 380     | 7                    | 7                     |                       |                        |
| 149   | 1       | Garland<br>Commercial<br>Ranges | INDUCTION HOB, DOUBLE ZONE,<br>COUNTERTOP, SINGLE PHASE  | 400          | 600     | 152      | PRESA    | 380     | 7                    | 7                     |                       |                        |
| 150   | 1       | Garland<br>Commercial<br>Ranges | INDUCTION HOB, DOUBLE ZONE,<br>COUNTERTOP, SINGLE PHASE  | 400          | 600     | 152      | PRESA    | 380     | 7                    | 7                     |                       |                        |
| 151   | 1       | Electrolux<br>Professional      | CUOCIPASTA ELETT. 1 VASCA 40 LT  | 400          | 930     | 850      | DIRETTO  | 380     | 10                   | 10                    |                       |                        |
|       |         |                                 |  | нот          | LINE_1  |          |          |         |                      |                       |                       |                        |
| 152   | 2       | ELECTROLUX PROFESSIONAL         | STAINLESS STEEL 304 WALL HOOD + FILTERS<br>+ LIGHTS  | 2550         | 1500    | 500      | DIRETTO  | 220     |                      |                       | 500                   | 1000                   |
| 152.1 | 1       | FABRICATOR                      | S/S Wall Panels (LOT)  |              |         |          |          |         |                      |                       |                       |                        |
| 155   | 1       | GEM                             | 1 DOOR FREEZER TABLE WITHOUT TOP   | 900          | 690     | 860      | DIRETTO  | 220     |                      |                       | 500                   | 500                    |
| 155.1 | 1       | GEM                             | STEEL WORKTOP WITH UPSTAND FOR FREEZER TABLE   | 900          | 930     |          |          |         |                      |                       |                       |                        |
| 156   | 2       | ELECTROLUX<br>PROFESSIONAL      | Fryer Battery, Electric  | 400          | 930     | 850      | DIRETTO  | 380     | 18                   | 36                    |                       |                        |
| 157   | 1       | ARRIS                           | Griddle, Electric, Countertop  | 800          | 900     | 900      | DIRETTO  | 380     | 8,3                  | 8,3                   |                       |                        |
| 158   | 1       | ELECTROLUX<br>PROFESSIONAL      | Cheesemelter, Electric   | 759          | 484     | 404      | PRESA    | 380     | 4                    | 4                     |                       |                        |
| 159   | 1       | FABRICATOR                      | STEEL WORKTOP WITH UNDERLYING<br>CABINET, WASTE COMPARTMENT, DRAWER<br>UNIT AND TRAY HOLDER COMPARTMENT  | 1600         | 930     | 1000     |          |         |                      |                       |                       |                        |
| 160   | 1       | ZANUSSI                         | TOP HP ELECTRIC GRILL 800MM  | 800          | 930     | 250      | DIRETTO  | 380     | 12                   | 12                    |                       |                        |
| 160,1 | 1       | FABRICATOR                      | OPEN NEUTRAL BASE FOR GRID   | 800          | 785     | 600      |          |         |                      |                       |                       |                        |
|       |         |                                 |  | CHEF         | ISLAND  | )        |          |         |                      | ı                     | ı                     |                        |
| 165   | 1       | FABRICATOR                      | REFRIGERATOR TABLE 290LT, 4 DRAWERS,<br>WITHOUT TOP  ARM. TABLE HOT + RIP. + SLIDING DOORS   | 1341         | 700     | 850      | DIRETTO  | 220     |                      |                       | 250                   | 250                    |
| 165   | 1       | FABRICATOR                      | 1600MM, WITHOUT TOP  | 1600         | 900     | 900      | DIRETTO  | 220     | 2,5                  | 2,5                   |                       |                        |
| 165   | 1       | ALTO-SHAM                       | HOT TROLLEY ON WHEELS TEMPERATURE<br>RANGE 16°C-93°C   | 483          | 675     | 809      | DIRETTO  | 220     | 2,5                  | 2,5                   |                       |                        |
| 165.1 | 1       | FABRICATOR                      | Built-In Hand Sink included in item 166  | 400          | 500     |          |          |         |                      |                       |                       |                        |
| 166   | 1       | FABRICATOR                      | STEEL WORKTOP WITH REAR AND SIDE UPPER BACK ON THE RIGHT AND LEFT WITH TRAY AND UNDERLYING COMPARTMENT FOR HOUSING HOT AND COLD EQUIPMENT, WASTE COMPARTMENT, WATER DISPENSER AND CUPBOARD COMPARTMENT | 5007         | 900     | 900      |          |         |                      |                       |                       |                        |
| 166.1 |         | FABRICATOR                      | POLYETHYLENE CUTTING BOARD   | 1300         | 400     |          |          |         |                      |                       |                       |                        |
| 166.2 |         | FABRICATOR                      | REFRIGERATED ELEMENT FOR BOWL HOLDER   | 1340         | 255     | <u> </u> | <u> </u> |         |                      |                       |                       | <u> </u>               |
| 167   | 3       | OWN                             | POS - Printer  |              |         |          |          | j       |                      |                       |                       | <u> </u>               |
|       |         |                                 | REFRIGERATOR TABLE 290LT, 4 DRAWERS,   | CHARC        | CUTERII |          |          |         |                      | ı                     | I                     |                        |
| 168   | 1       | FABRICATOR                      | WITHOUT TOP  | 1341         | 700     | 850      | DIRETTO  | 220     |                      |                       | 250                   | 250                    |
| 168.1 | 1       | FABRICATOR                      | CUSTOM-SHAPED STEEL WORKTOP WITH FREE COMPARTMENTS UNDERNEATH FOR INSERTING A REFRIGERATED TABLE AND FREEZER TABLE, DRAWER UNIT, WASTE COMPARTMENT AND WATER DISPENSER                                 | 2665/7<br>65 | 900     | 900      |          |         |                      |                       |                       |                        |
| 168.2 | 1       | FABRICATOR                      | FREEZER TABLE GN 1/1 WITHOUT TOP   | 900          | 690     | 860      |          |         |                      |                       |                       |                        |
| 168.3 | 1       | FABRICATOR                      | ELEMENTO REFRIGERATO PORTABACINELLE  |              | 255     | 0        | <u> </u> |         |                      |                       |                       |                        |
| 169   | 1       | FABRICATOR                      | Double Wall Shelf, Bracketless   | 3527         | 350     | <u> </u> | DDEC.4   | 000     |                      |                       | 000                   | 000                    |
| 170   | 1       | Alto-Shaam<br>Berkel            | Hot Food Well Unit, Drop-In, Electric Proscuitto Slicer  | 380<br>800   | 586     | 572/64   | PRESA    | 220     |                      |                       | 600                   | 600                    |
| 171   | 1       |                                 |  |              | 597     |          |          |         |                      |                       |                       |                        |

| ITEM       | QT<br>Y  | SOURCE                             | DESCRIPTION   | L MM       | D      | Н            | CONNECTI<br>ON | VOLTAGE    | POWER<br>UNIT<br>KWE | TOTAL<br>POWER<br>KWE | POWER<br>UNIT<br>WATT | TOTAL<br>POWER<br>WATT |
|------------|----------|------------------------------------|---|------------|--------|--------------|----------------|------------|----------------------|-----------------------|-----------------------|------------------------|
|            |          |                                    |   | PI         | ZZA    |              |                |            |                      |                       |                       |                        |
|            | Ι,       |                                    | CUSTOM SHAPED TABLE WITH  |            |        | l            |                |            |                      |                       |                       |                        |
| 172        | 1        | FABRICATOR                         | POLYETHYLENE CUTTING BOARD  | 813        | 1390   | 900          |                |            |                      |                       |                       |                        |
| 175        | 1        | GENIUS<br>CLASSIC D6L +<br>ALTO 6L | ELECTRIC 2-CHAMBER PIZZA OVEN ON OPEN<br>BASE   | 1850       | 1010   | 800          | PRESA          | 380        | 18,1                 | 18,1                  |                       |                        |
| 175        | 1        | GENIUS<br>CLASSIC D6L +<br>ALTO 6L | REFRIGERATED CONDENSING HOOD<br>WITHOUT FLUE  | 1420       | 1160   | 300          |                |            |                      |                       |                       |                        |
| 176        | 1        | FABRICATOR                         | REFRIGERATED TABLE GN 1/1 TEMPERATURE 2°/+8°C WITHOUT TOP STEEL WORKTOP WITH FREE COMPARTMENT | 900        | 690    | 810          | DIRETTA        | 220        |                      |                       | 250                   | 250                    |
| 176.1      | 1        | FABRICATOR                         | BELOW FOR INSERTING A REFRIGERATED TABLE, TRAY HOLDER AND WATER DISPENSER                     | 1700       | 900    | 900          |                |            |                      |                       |                       |                        |
| 176.2      | 1        | FABRICATOR                         | REFRIGERATED ELEMENT FOR BOWL HOLDER  | 1000       | 400    | 900          |                |            |                      |                       |                       |                        |
| 176.3      | 1        | OWN                                | POS - Printer   |            |        |              |                |            |                      |                       |                       |                        |
| 177        | 1        | FABRICATOR                         | Double Wall Shelf, Bracketless  | 1700       | 350    |              |                |            |                      |                       |                       |                        |
| 178        | 1        | Alto-Shaam                         | Mobile Heated Cabinet   | 608        | 804    | 1924         | PRESA          | 220        | 1,8                  | 1,8                   |                       |                        |
|            |          |                                    |   | WIN        | E BAR  | •            | •              |            |                      |                       |                       |                        |
| 185        | 1        | SubZero                            | Column wine cellar  | 762        | 610    | 2134         | PRESA          | 220        |                      |                       | 250                   | 250                    |
| 186        | 1        | PRISMA                             | REFRIGERATOR TABLE 290LT, 2 DOORS, REMOTE, WITHOUT TOP  | 1207       | 700    | 900          | TALOA          | 220        |                      |                       | 350                   | 350                    |
| 187        | 1        | PRISMA                             | REFRIGERATOR TABLE 290LT, 2 DOORS,<br>REMOTE, WITHOUT TOP                                     | 1207       | 700    | 900          |                |            |                      |                       | 350                   | 350                    |
| 188        | 1        | SubZero                            | Column wine cellar  | 762        | 610    | 2134         | PRESA          | 220        |                      |                       | 250                   | 250                    |
| 189        | 1        | PRISMA                             | Hand Sink w/ soap & towel dispenser   | 300        | 600    |              |                |            |                      |                       |                       |                        |
| 190        | 1        | PRISMA                             | Dry Waste Unit  | 300        | 600    |              |                |            |                      |                       |                       |                        |
| 191        | 1        | PRISMA                             | Underbar Mixology Sink Unit   | 300        | 600    |              |                |            |                      |                       |                       |                        |
| 192        | 1        | PRISMA                             | Underbar Bottle Display Unit  | 300        | 600    |              |                |            |                      |                       |                       |                        |
| 195        | 1        | PRISMA                             | Ice Bin Cocktail Station  | 920        | 480    |              |                |            |                      |                       |                       |                        |
| 196        | 1        | PRISMA                             | Drainboard Cabinet  | 300        | 600    |              |                |            |                      |                       |                       |                        |
| 197        | 1        | OWN                                | POS - Cash Register   |            |        |              |                |            |                      |                       |                       |                        |
| 198<br>199 | 1        | OWN<br>Mahlkonig                   | POS - Printer  COFFEE GRINDER   | 230        | 410    | 770          | presa          | 220        | 1,3                  | 1,3                   |                       |                        |
| 200        | 1        | F&O                                | Espresso Cappuccino Machine   | 740        | 640    | 540          | presa          | 220        | 5,2                  | 5,2                   |                       |                        |
| 201        | 1        | Mahlkonig                          | COFFEE GRINDER  | 230        | 410    | 770          | presa          | 220        | 1,3                  | 1,3                   |                       |                        |
| 201        | <u> </u> | Warmtorng                          | OOTT EE ORINGER   |            | TORAG  |              | prood          | 220        | 1,0                  | 1,0                   |                       | ļ                      |
| 205        | · ·      | Cb. 7                              | CANITINIA VIINO A COLONINA  |            |        |              | DDECA          | 220        |                      | I                     | 250                   | 250                    |
| 205        | 1        | SubZero                            | CANTINA VINO A COLONNA  | 610        | 610    | 2134         | PRESA<br>PRESA | 220        |                      |                       | 250<br>250            | 250<br>250             |
| 206<br>207 | 1        | SubZero<br>SubZero                 | CANTINA VINO A COLONNA CANTINA VINO A COLONNA   | 610<br>610 | 610    | 2134<br>2134 | PRESA          | 220<br>220 |                      |                       | 250                   | 250                    |
| 208        | 1        | HOSHIZAKI                          | Ice Bin for Ice Machines  | 1219       | 820    | 1016         | FRESA          | 220        |                      |                       | 250                   | 250                    |
| 208.1      | 1        | SAN JAMAR                          | Scoop Holder  | 232        | 214    | 287          |                |            |                      |                       |                       |                        |
| 209        | 1        | Hoshizaki                          | Ice Maker, Cube-Style   | 567        | 288    | 711          | PRESA          | 220        | 4,65                 | 4,65                  |                       |                        |
| 209.1      | 1        | Everpure                           | Water Filtration System   | 307        | 200    | 711          | TINLOA         | 220        | 4,03                 | 4,03                  |                       |                        |
| 210        | 1        | INOXSYSTEM                         | Floor Trough  | 760        | 190    |              |                |            |                      |                       |                       |                        |
| 211        | 1        | OWN                                | Wine Bottle Rack  | 1.00       |        |              |                |            |                      |                       |                       |                        |
| 212        | 1        | OWN                                | Wine Bottle Rack  |            |        |              |                |            |                      |                       |                       |                        |
| 215        | 1        | OWN                                | Wine Bottle Rack  |            |        |              |                |            |                      |                       |                       |                        |
| 216        | 1        | OWN                                | Wine Bottle Rack  |            |        |              |                |            |                      |                       |                       |                        |
| 217        | 1        | Everpure                           | Water Filtration System   |            |        |              |                |            |                      |                       |                       |                        |
| 218        | 1        | FABRICATOR                         | STEEL WORKTOP WITH FREE COMPARTMENT<br>BELOW FOR INSERTING A REFRIGERATED<br>TABLE            | 1300       | 900    | 900          |                |            |                      |                       |                       |                        |
| 219        | 1        | BUN                                | Beverage Counter  | 231        | 302    | 373          | 1              |            |                      |                       | 500                   | 500                    |
| 220        | 1        | BUN                                | Coffee Brewer   | 574        | 620    | 639          | ?              | ?          | 6                    | 6                     |                       |                        |
| 221        | 1        | ELECTROLUX<br>PROFESSIONAL         | TAVOLO REFR. 290LT, 2 PORTE, REMOTO,<br>SENZA PIANO   | 1207       | 700    | 900          | DIRETTA        | 220        | -                    |                       | 250                   | 250                    |
|            |          |                                    |   | CHAMP      | AGNE B | AR           |                |            |                      |                       |                       |                        |
| 230        | 1        | PRISMA                             | Underbar Mixology Sink Unit   | 300        | 600    |              |                |            |                      |                       |                       |                        |
| 231        | 1        | PRISMA                             | Dry Waste Unit  | 300        | 600    |              |                |            |                      |                       |                       |                        |
| 232        | 1        | PRISMA                             | Underbar Bottle Display Unit  | 300        | 600    |              |                |            |                      |                       |                       |                        |
| 235        | 1        | PRISMA                             | Ice Bin   | 1070       | 490    |              |                |            |                      |                       |                       |                        |
| 236        | 1        | PRISMA                             | Drainboard Cabinet  | 460        | 290    |              |                |            |                      |                       |                       |                        |
| 230        | _ '_     | i NISIVIA                          | Drainboard Cabinet  | 400        | 250    | I .          | 1              |            |                      | J                     | <u> </u>              | l                      |

| ITEM  | QT<br>Y | SOURCE                  | DESCRIPTION                          | L MM           | D          | н         | CONNECTI<br>ON | VOLTAGE | POWER<br>UNIT<br>KWE | TOTAL<br>POWER<br>KWE | POWER<br>UNIT<br>WATT | TOTAL<br>POWER<br>WATT |
|-------|---------|-------------------------|--------------------------------------|----------------|------------|-----------|----------------|---------|----------------------|-----------------------|-----------------------|------------------------|
| 237   | 1       | Hobart                  | Dishwasher, Undercounter             | 600            | 660        | 840       | DIRETTO        | 380     | 4,9                  | 4,9                   |                       |                        |
| 238   | 1       | PRISMA                  | Hand Sink w/ soap & towel dispenser  | 300            | 600        |           |                |         | ,-                   | ,-                    |                       |                        |
| 239   | 1       | PRISMA                  | Back Bar Cabinet, Refrigerated       | 1800           | 410        | 1050      |                |         |                      |                       | 250                   | 250                    |
| 239.1 | 2       | PRISMA                  | CHAMPAGNE REFRIGERATED DISPLAY CASES | 1600           | 450        | 2050      |                |         |                      |                       |                       |                        |
|       |         |                         | RAW BAR (see wa                      | ater pred      | lispositio | on & serv | vice sockets)  |         |                      |                       |                       | •                      |
| 245   | 1       | PRISMA                  | Freezer                              | 680            | 776        |           |                |         |                      |                       |                       |                        |
| 246   | 1       | PRISMA                  | Pan sheet cart                       | 500            | 630        |           |                |         |                      |                       |                       |                        |
| 247   | 1       | PRISMA                  | Refrigerator drawer                  | 810            | 610        |           |                |         |                      |                       |                       |                        |
| 248   | 1       | PRISMA                  | Cntr top cold try                    | 1460           | 335        |           |                |         |                      |                       |                       |                        |
| 249   | 1       | PRISMA                  | Trash drop trash                     | 280            | 500        |           |                |         |                      |                       |                       |                        |
| 250   | 1       | PRISMA                  | U/C ice                              | 580            | 740        |           |                |         |                      |                       |                       |                        |
| 251   | 1       | PRISMA                  | Preparation sink                     | 460            | 560        | 0050      |                |         |                      |                       |                       |                        |
| 252   | 2       | PRISMA                  | RAW REFRIGERATED DISPLAY CASES       | 1600<br>ERVICE | 270        | 2050      |                |         |                      |                       |                       |                        |
|       | l I     | PRESE DI                | T                                    | ERVICE         | JUCKI      |           |                |         |                      | 1                     |                       | <u> </u>               |
| 1     | 8       | SERVIZIO 1 PRESE DI     | SCHUKO                               |                |            |           |                |         |                      |                       | 700                   | 5600                   |
| 1     | 8       | SERVIZIO 1              | SCHUKO                               |                |            |           |                |         |                      |                       | 700                   | 5600                   |
| 1     | 8       | PRESE DI<br>SERVIZIO 1  | PRESA DI SERVIZIO                    |                |            |           |                | 220     | 1                    | 8                     |                       |                        |
| 2     | 2       | PRESE DI<br>SERVIZIO 2  | schuko                               |                |            |           |                |         |                      |                       | 700                   | 1400                   |
| 2     | 2       | PRESE DI<br>SERVIZIO 2  | PRESA DI SERVIZIO                    |                |            |           |                | 220     | 1                    | 2                     |                       |                        |
| 2     | 2       | PRESE DI<br>SERVIZIO 2  | PRESA DI SERVIZIO                    |                |            |           |                | 380+N+T | 2                    | 4                     |                       |                        |
| 3     | 3       | PRESE DI<br>SERVIZIO 3  | SCHUKO                               |                |            |           |                |         |                      |                       | 700                   | 2100                   |
| 3     | 3       | PRESE DI<br>SERVIZIO 3  | SCHUKO                               |                |            |           |                |         |                      |                       | 700                   | 2100                   |
| 3     | 3       | PRESE DI<br>SERVIZIO 3  | PRESA DATI                           |                |            |           |                |         |                      |                       |                       |                        |
| 3*    | 7       | PRESE DI<br>SERVIZIO 3* | SCHUKO                               |                |            |           |                |         |                      |                       | 700                   | 4900                   |
| 3*    | 7       | PRESE DI<br>SERVIZIO 3* | SCHUKO                               |                |            |           |                |         |                      |                       | 700                   | 4900                   |
| 3*    | 7       | PRESE DI<br>SERVIZIO 3* | PRESA DATI                           |                |            |           |                |         |                      |                       |                       |                        |
| 3*    | 7       | PRESE DI<br>SERVIZIO 3* | PRESA TELEFONICA                     |                |            |           |                |         |                      |                       |                       |                        |
| 4     | 2       | RESTAURANT<br>BAR       | PRESA DATI                           |                |            |           |                |         |                      |                       |                       |                        |
| 4     | 1       | RESTAURANT<br>BAR       | PRESA DI SERVIZIO                    |                |            |           |                | 220     | 1                    | 1                     |                       |                        |
| 4     | 1       | RESTAURANT<br>BAR       | PRESA DI SERVIZIO                    |                |            |           |                | 220     | 1                    | 1                     |                       |                        |
| 4     | 1       | RESTAURANT<br>BAR       | PRESA DI SERVIZIO                    |                |            |           |                | 220     | 1                    | 1                     |                       |                        |
| 4     | 1       | RESTAURANT<br>BAR       | PRESA DI SERVIZIO                    |                |            |           |                | 220     | 1                    | 1                     |                       |                        |
| 4     | 1       | RESTAURANT<br>BAR       | MACCHINA CAFFE                       |                |            |           |                | 220     | 5,2                  | 5,2                   |                       |                        |
| 4     | 1       | RESTAURANT<br>BAR       | MACINACAFFE                          |                |            |           |                | 220     | 1,3                  | 1,3                   |                       |                        |
| 4     | 1       | RESTAURANT<br>BAR       | MACINACAFFE                          |                |            |           |                | 220     | 1,3                  | 1,3                   |                       |                        |
| 5     | 1       | CHAMPAGNE<br>BAR        | PRESA DI SERVIZIO                    |                |            |           |                | 220     | 1                    | 1                     |                       |                        |
| 5     | 1       | CHAMPAGNE<br>BAR        | PRESA DI SERVIZIO                    |                |            |           |                | 220     | 1                    | 1                     |                       |                        |
| 5     | 1       | CHAMPAGNE<br>BAR        | PRESA DI SERVIZIO                    |                |            |           |                | 220     | 1                    | 1                     |                       |                        |
| 5     | 1       | CHAMPAGNE<br>BAR        | PRESA DI SERVIZIO                    |                |            |           |                | 220     | 1                    | 1                     |                       |                        |
| 5     | 2       | CHAMPAGNE<br>BAR        | PRESA DATI                           |                |            |           |                |         |                      |                       |                       |                        |
| 5     | 1       | CHAMPAGNE<br>BAR        | ARRIVO LINEA                         |                |            |           |                | 380+N+T | 4,9                  | 4,9                   |                       |                        |
| 6     | 1       | RAW BAR                 | PRESA DI SERVIZIO                    |                |            |           |                | 220     | 1                    | 1                     |                       |                        |

| ITEM | QT<br>Y                                 | SOURCE  | DESCRIPTION       | L MM | D | Н | CONNECTI | VOLTAGE | POWER<br>UNIT<br>KWE | TOTAL<br>POWER<br>KWE | POWER<br>UNIT<br>WATT | TOTAL<br>POWER<br>WATT |
|------|---|---------|-------------------|------|---|---|----------|---------|----------------------|-----------------------|-----------------------|------------------------|
|      | , |         |                   |      |   |   |          |         |                      |                       |                       |                        |
| 6    | 1                                       | RAW BAR | PRESA DI SERVIZIO |      |   |   |          | 220     | 1                    | 1                     |                       |                        |
| 6    | 1                                       | RAW BAR | PRESA DI SERVIZIO |      |   |   |          | 220     | 1                    | 1                     |                       |                        |
| 6    | 1                                       | RAW BAR | PRESA DI SERVIZIO |      |   |   |          | 220     | 1                    | 1                     |                       |                        |
| 6    | 2                                       | RAW BAR | PRESA DATI        |      |   |   |          |         |                      |                       |                       |                        |
| 6    | 1                                       | RAW BAR | ARRIVO LINEA      |      |   |   |          | 220     | 1,5                  | 1,5                   |                       |                        |
| 6    | 1                                       | RAW BAR | ARRIVO LINEA      |      |   |   |          | 220     |                      |                       | 750                   | 750                    |
| 6    | 1                                       | RAW BAR | ARRIVO LINEA      |      |   |   |          | 220     | 1                    | 1                     |                       |                        |
| 6    | 1                                       | RAW BAR | ARRIVO LINEA      |      |   |   |          | 220     |                      |                       | 900                   | 900                    |
| 1    | 1                                       |         | PRESA DI SERVIZIO |      |   |   |          | 220     | 1                    | 1                     |                       |                        |
| II   | 2                                       |         | ARRIVO LINEA      |      |   |   |          |         |                      |                       | 350                   | 700                    |
| III  | 1                                       |         | PRESA DI SERVIZIO |      |   |   |          |         |                      |                       | 500                   | 500                    |
| IV   | 4                                       |         | ARRIVO LINEA      |      |   |   |          |         |                      |                       | 800                   | 3200                   |
| ٧    | 1                                       |         | ARRIVO LINEA      |      |   |   |          |         | 1                    | 1                     |                       |                        |
|      |   |         |                   |      |   |   |          |         |                      |                       |                       | •                      |
|      |   | TOTALE  |                   |      |   |   |          |         | KW                   | 229,15                | WATT                  | 40.250                 |