

Fast paper:


Introduction to computing

Q1:- Explain concept of abstraction no more than 3 lines.
Your answer cover the whole concept and defines it clearly. Also draw figure that clarify your answer?

Ans:-

Abstraction:-

Abstraction is that given an input and you are interested in the output without concerning your self with the working - e.g pizza order (کے سامان اٹھاتی نہیں)



Q2:- In what sense a software crash a good thing? (Crash not clash).

Ans:-

Crash is a good thing in sense of that it tells us that there exists a problem and the programmer can easily identify problem.

Q3:- What value we get:
True or False and False, or False?

Sol:-

True or False, or False

True or False

True

Q4:- Write a single line piece of code to find the highest number from the following:-

1, 24, 7, 8, 11, 23, 9, 3, 98

`max((1, 24, 7, 8, 11, 23, 9, 3, 98))`

Q5:- What should be the result of the following piece of code :-

```
y = 4
t = pow(y, 2)
print T
```

In case

of 'T'

mistake :-

$y = 4$
 $t = 4^2$
16

In case 'T' true :-

$y = 4$
 $t = \text{pow}(y, 4^2)$

Syntax error

Q6: What will be the value of this expression
must show your working?

$$\max(\min(-8.9), \min(\text{pow}(2, 2), -7))$$

$$\max(-9, \min(2^2, -7))$$

$$\max(-9, \min(4, -7))$$

$$\max(-9, -7)$$

$$\boxed{-7}$$

Q7:- You can use the sqrt from the math module
using two method:-

$$\text{math}.\text{sqrt}(36)$$

or

$$\text{sqrt}(36)$$

import math

import sqrt from math
from math import sqrt

Your import statements for each of these methods would look different. What would these two import statements be?

Sol:-

For `math.sqrt(36)` the import statement is
`import math`

For `sqrt(36)` the import statement is
~~`import sqrt from math`~~
`from math import sqrt`

Q8:- if we have code:

`x = 'a'`

`y = x * 2`

Type of `y` = ?

Sol:-

Type(`y`) = string

Q9:- For above question what code you write to find type of y?

Sol:-

Type(y)
str

Q10:- What is the output of the following piece of code (not show your working)?

a = min

b = max

a(1, b(2.4))

Sol:-

a(1, 4)

1 - ans