
Overlapping GO Biological Proc
Pathways shown pass adjusted P <=
−log10 adjusted P
Gene set size
2.5
5.0
7.5
10.0
100
200
branching morphogenesis of an epithelial tube
morphogenesis of a branching structure
morphogenesis of a branching epithelium
extracellular matrix organization
extracellular structure organization
external encapsulating structure organization
skeletal system development
skeletal system morphogenesis
regulation of extracellular matrix organization
Activated
mitochondrial ATP synthesis coupled electron transport
ATP synthesis coupled electron transport
oxidative phosphorylation
proton motive force−driven ATP synthesis
proton motive force−driven mitochondrial ATP synthesis
isoprenoid metabolic process
Down
−2
−1
0
1
2
Normalized enrichment score


Overlapping GO Cellular Componen
Pathways shown pass adjusted P <= 0.1 i
−log10 adjusted P
2 3 4 5 6
Gene set size
100 200
complex of collagen trimers
collagen trimer
fibrillar collagen trimer
fibrillar collagen
heterochromatin
Activated
respiratory chain complex
proteasome complex
NADH dehydrogenase complex
respiratory chain complex I
proteasome regulatory particle
endopeptidase complex
organellar ribosome
mitochondrial ribosome
transport vesicle membrane
proteasome accessory complex
coated vesicle membrane
organellar large ribosomal subunit
mitochondrial large ribosomal subunit
endoplasmic reticulum protein−containing complex
mitochondrial protein−containing complex
BLOC−1 complex
vacuolar membrane
synaptic vesicle membrane
exocytic vesicle membrane
transport vesicle
Down
−2
0
2
Normalized enrichment score


Changed signif
Both contrasts ad
−log10 adjusted
5
10
15
d: young−down
humoral immune response
cell killing
antigen processing and presentation of peptide antigen
adaptive immune response
humoral immune response mediated by circulating immunoglobulin
complement activation
leukocyte mediated immunity
complement activation, classical pathway
myeloid leukocyte migration
leukocyte chemotaxis
adaptive immune response based on somatic recombination of immune receptors
built from immunoglobulin superfamily domains
granulocyte migration
antigen processing and presentation
defense response to Gram−positive bacterium
B cell mediated immunity
myeloid leukocyte activation
immunoglobulin mediated immune response
lymphocyte mediated immunity
antigen processing and presentation of exogenous peptide antigen
leukocyte migration
killing of cells of another organism
disruption of cell in another organism
neutrophil migration
antigen processing and presentation of peptide antigen via MHC class I
myeloid leukocyte mediated immunity
antigen processing and presentation of exogenous antigen
antimicrobial humoral immune response mediated by antimicrobial peptide
disruption of anatomical structure in another organism
granulocyte chemotaxis
mononuclear cell migration
−2
0
2
Normalized enrichment


Changed significant GO Cellular Compone
Both contrasts adjusted P <= 0.1; shown if NES si
−log10 adjusted P
5
10
15
20
Gene set size
100
200
300
Switched: young−down, ID−up
external side of plasma membrane
other organism part
symbiont cell surface
MHC protein complex
plasma membrane signaling receptor complex
integrin complex
phagocytic vesicle
receptor complex
cortical actin cytoskeleton
phagocytic vesicle membrane
endocytic vesicle
actin filament
cortical cytoskeleton
plasma membrane protein complex
actin cytoskeleton
cell−cell junction
Same direction, weaker in old ID
ribosomal subunit
−2
0
2
Normalized enrichment score