Descriptions \angle

Display multiple read-only fields in groups.

When To Use

Commonly displayed on the details page.

Examples

UserName: Zhou Maomao Telephone: 1810000000 Live: Hangzhou, Zhejiang

Remark: empty Address: No. 18, Wantang Road, Xihu District, Hangzhou, Zhejiang, China

Basic 🖉

Product	Cloud Database	Billing Mode	Prep aid	Automatic Renewal	YES
Order time	2018-04-24 18:00:00	Usage Time	2019-04-	-24 18:00:00	
Status	Running				
Negotiated Amount	\$80.00	Discount	\$20. 00	Official Receipts	\$60. 00
Config Info	Data disk type: MongoDB Database version: 3.4 Package: dds.mongo.mid Storage space: 10 GB Replication factor: 3 Region: East China 1				

border 🖉

Descriptions with border and background color.

```
import React from 'react';
import { Badge, Descriptions } from 'antd';
const App: React.FC = () => (
  <Descriptions title="User Info" bordered>
   <Descriptions.Item label="Product">Cloud Database
Descriptions.Item>
    <Descriptions.Item label="Billing Mode">Prepaid/Descriptions.Item>
    <Descriptions.Item label="Automatic Renewal">YES</Descriptions.Item>
    <Descriptions.Item label="Order time">2018-04-24 18:00:00</Descriptions.Item>
   <Descriptions.Item label="Usage Time" span={2}>
      2019-04-24 18:00:00
    </Descriptions.Item>
    <Descriptions.Item label="Status" span={3}>
      <Badge status="processing" text="Running" />
    </Descriptions.Item>
    <Descriptions.Item label="Negotiated Amount">$80.00</Descriptions.Item>
    <Descriptions.Item label="Discount">$20.00</Descriptions.Item>
    <Descriptions.Item label="Official Receipts">$60.00</Descriptions.Item>
    <Descriptions.Item label="Config Info">
      Data disk type: MongoDB
      <br />
      Database version: 3.4
      <br />
      Package: dds.mongo.mid
      <br />
      Storage space: 10 GB
      <br />
      Replication factor: 3
      Region: East China 1
      <br />
    </Descriptions.Item>
  </Descriptions>
);
export default App;
```

\bigcirc	.1 . 614	O	O
\cup	default	middle	small

Custom Size Edit

Product	Cloud Database	Billing	Prepaid	time	18:00:00
Amount	\$80.00	Discount	\$20.00	Official	\$60.00
Config Info	Data disk type: Mong Database version: 3.4 Package: dds.mongo. Storage space: 10 GB Replication factor: 3 Region: East China 1	mid			

Custom Size Edit

Product: Cloud Database Billing: Prepaid time: 18:00:00

Amount: \$80.00 Discount: \$20.00 Official: \$60.00

Custom size 🖉

Custom sizes to fit in a variety of containers.

```
import React, { useState } from 'react';
import type { RadioChangeEvent } from 'antd';
import { Button, Descriptions, Radio } from 'antd';
const App: React.FC = () \Rightarrow {
 const [size, setSize] = useState<'default' | 'middle' | 'small'>('default');
 const onChange = (e: RadioChangeEvent) => {
   console.log('size checked', e.target.value);
   setSize(e.target.value);
 };
 return (
     <Radio.Group onChange={onChange} value={size}>
        <Radio value="default">default</Radio>
        <Radio value="middle">middle</Radio>
        <Radio value="small">small</Radio>
      </Radio.Group>
      <br />
      <br />
      <Descriptions
       bordered
       title="Custom Size"
        size={size}
        extra={<Button type="primary">Edit</Button>}
        <Descriptions.Item label="Product">Cloud Database/Descriptions.Item>
        <Descriptions.Item label="Billing">Prepaid/Descriptions.Item>
        <Descriptions.Item label="time">18:00:00</Descriptions.Item>
        <Descriptions.Item label="Amount">$80.00/Descriptions.Item>
        <Descriptions.Item label="Discount">$20.00</Descriptions.Item>
        <Descriptions.Item label="Official">$60.00</Descriptions.Item>
        <Descriptions.Item label="Config Info">
         Data disk type: MongoDB
         Database version: 3.4
          hn /
```

Responsive Descriptions

Product	Cloud Database	Billing	Prepaid	time	18:00:00
Amount	\$80.00	Discount	\$20.00	Official	\$60.00
Config Info	Data disk type: MongoDB Database version: 3.4 Package: dds.mongo.mid Storage space: 10 GB Replication factor: 3 Region: East China 1				

responsive 🖉

Responsive configuration enables perfect presentation on small screen devices.

```
import React from 'react';
import { Descriptions } from 'antd';
const App: React.FC = () => (
  <div>
   <Descriptions
      title="Responsive Descriptions"
      bordered
     column={{ xxl: 4, xl: 3, lg: 3, md: 3, sm: 2, xs: 1 }}
      <Descriptions.Item label="Product">Cloud Database/Descriptions.Item>
      <Descriptions.Item label="Billing">Prepaid/Descriptions.Item>
      <Descriptions.Item label="time">18:00:00</Descriptions.Item>
      <Descriptions.Item label="Amount">$80.00</Descriptions.Item>
      <Descriptions.Item label="Discount">$20.00</Descriptions.Item>
      <Descriptions.Item label="Official">$60.00</Descriptions.Item>
      <Descriptions.Item label="Config Info">
       Data disk type: MongoDB
        <br />
        Database version: 3.4
        <br />
        Package: dds.mongo.mid
        <br />
        Storage space: 10 GB
        <br />
        Replication factor: 3
        <br />
        Region: East China 1
      </Descriptions.Item>
   </Descriptions>
  </div>
);
export default App;
```

UserName: Telephone: Live:

Zhou Maomao 1810000000 Hangzhou, Zhejiang

Address: Remark:

No. 18, Wantang Road, Xihu District, Hangzhou, Zhejiang, China empty

Vertical 🖉

export default App;

Product	Billing Mode	Automatic Renewal
Cloud Database	Prepaid	YES
Order time	Usage Time	
2018-04-24 18:00:00	2019-04-24 18:00:00	
2		

Status

Running

Negotiated Amount	Discount	Official Receipts
\$80.00	\$20.00	\$60.00

Config Info

Data disk type: MongoDB Database version: 3.4 Package: dds.mongo.mid Storage space: 10 GB Replication factor: 3 Region: East China 1

<u>Vertical border</u> <u>//</u>

Descriptions with border and background color.

```
import React from 'react';
import { Badge, Descriptions } from 'antd';
const App: React.FC = () => (
  <Descriptions title="User Info" layout="vertical" bordered>
   <Descriptions.Item label="Product">Cloud Database/Descriptions.Item>
   <Descriptions.Item label="Billing Mode">Prepaid/Descriptions.Item>
    <Descriptions.Item label="Automatic Renewal">YES</Descriptions.Item>
    <Descriptions.Item label="Order time">2018-04-24 18:00:00</Descriptions.Item>
   <Descriptions.Item label="Usage Time" span={2}>
      2019-04-24 18:00:00
    </Descriptions.Item>
   <Descriptions.Item label="Status" span={3}>
      <Badge status="processing" text="Running" />
    </Descriptions.Item>
    <Descriptions.Item label="Negotiated Amount">$80.00</Descriptions.Item>
    <Descriptions.Item label="Discount">$20.00</Descriptions.Item>
    <Descriptions.Item label="Official Receipts">$60.00</Descriptions.Item>
    <Descriptions.Item label="Config Info">
      Data disk type: MongoDB
      <br />
      Database version: 3.4
      <br />
      Package: dds.mongo.mid
      <br />
      Storage space: 10 GB
      <br />
      Replication factor: 3
      <br />
      Region: Fast China 1
```

Property	Description	Туре	Default	Version
bordered	Whether to display the border	boolean	false	
colon	Change default props colon value of Descriptions.Item	boolean	true	
column	The number of DescriptionItems in a row,could be a number or a object like { xs: 8, sm: 16, md: 24},(Only set bordered={true} to take effect)	number	3	
contentStyle	Customize content style	CSSProperties	-	4.10.0
extra	The action area of the description list, placed at the top-right	ReactNode	-	4.5.0
labelStyle	Customize label style	CSSProperties	-	4.10.0
layout	Define description layout	horizontal vertical	horizontal	
size	Set the size of the list. Can be set to middle, small, or not filled	default middle small	-	
title	The title of the description list, placed at the top	ReactNode	-	

DescriptionItem

Property	Description	Type	Default	Version
contentStyle	Customize content style	CSSProperties	_	4.9.0
label	The description of the content	ReactNode	-	
labelStyle	Customize label style	CSSProperties	-	4.9.0
span	The number of columns included	number	1	

The number of span Description.Item. Span={2} takes up the width of two DescriptionItems. When both style and labelStyle (or contentStyle) configured, both of them will work. And next one will overwrite first when conflict.

Design Token

▼ Global Token

Token Name	Description	Туре	Default Value
colorFillAlter	Control the alternative background color of element.	string	□rgba(0, 0, 0, 0.02)
colorSplit	Used as the color of separator, this color is the same as colorBorderSecondary but with transparency.	string	□rgba(5, 5, 5, 0.06)
colorText	Default text color which comply with W3C standards, and this color is also the darkest neutral color.	string	□rgba(0, 0, 0, 0.88)
colorTextSecondary	The second level of text color is generally used in scenarios where text color is not emphasized, such as label text, menu text selection state, etc.	string	□rgba(0, 0, 0, 0.65)
colorTextTertiary	The third level of text color is generally used for descriptive text, such as form supplementary explanation text, list descriptive text, etc.	string	□rgba(0, 0, 0, 0.45)
borderRadiusLG	LG size border radius, used in some large border radius components, such as Card, Modal and other components.	number	8
fontFamily	The font family of Ant Design prioritizes the default interface font of the system, and provides a set of alternative font libraries that are suitable for screen display to maintain the readability and readability of the font under different platforms and browsers, reflecting the friendly, stable and professional characteristics.	string	-apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, 'Helvetica Neue', Arial, 'Noto Sans', sans-serif, 'Apple Color Emoji', 'Segoe UI Emoji', 'Segoe UI Symbol', 'Noto Color Emoji'
fontSize	The most widely used font size in the design system, from which the text gradient will be derived.	number	14
fontSizeLG	Large font size	number	16
fontSizeSM	Small font size	number	12
fontWeightStrong	Control the font weight of heading components (such as h1, h2, h3) or selected item.	number	600
lineHeight	Line height of text.	number	1.5714285714285714
lineHeightLG	Line height of large text.	number	1.5
lineHeightSM	Line height of small text.	number	1.666666666666666
lineType	Border style of base components	string	solid
lineWidth	Border width of base components	number	1

Token Name	Description	Туре	Default Value
marginXS	Control the margin of an element, with a small size.	number	8
marginXXS	Control the margin of an element, with the smallest size.	number	4
padding	Control the padding of the element.	number	16
paddingLG	Control the large padding of the element.	number	24
paddingSM	Control the small padding of the element.	number	12
paddingXS	Control the extra small padding of the element.	number	8