



Think Big, Start Small, Grow Fast



Head Office and Factory : 2246-1, Amagu, Asahicho, Takeo City, Saga Pref., 843-0001, Japan  
TEL: (81) 954-22-4171 FAX: (81) 954-23-0691  
E-MAIL: overseas@nakayamairon.co.jp

Singapore (NCSS)  
United Kingdom (NAKAYAMA R&D)

: 10 Anson Rd #24-03A, International Plaza, Singapore 079903  
: Unit B15, Omagh Enterprise Centre, Great Northern Road,  
Omagh, Co. Tyrone, BT78 5LU, United Kingdom

[www.ncjpn.com](http://www.ncjpn.com)



English Version

**NAS1200T**  
Suction Air Separator Unit



# Capabilities


The NAS1200T automatically removes lightweight materials from construction waste, such as:

- Vinyl
- Wood chips
- Paper
- Fabric
- Dust

The suction air separator unit reduces the need for manual picking, enhancing workplace safety and optimizing operational efficiency.

## NAS1200T

The NAS1200T is a compact and powerful suction air separator unit designed to improve recycling efficiency and deliver high-quality products.



# Key Features

## Reduces Manual Picking and Enhances Workplace Safety

- Automated Lightweight Waste Removal: Eliminates the need for manual picking, reducing labor efforts
- Enhanced Workplace Safety: Reduces safety risks in hazardous environments associated with manual waste handling



## Adjustable Suction Power with Inverter Control

- Suction power can be adjusted for different materials, ensuring optimal separation efficiency

## Delivers High-Quality Products

- Equipped with Tornado Axial Flow Cyclone (TC15) to protect the fan from small particles being sucked in.

## Adjustable Suction Height

Optimizes separation efficiency for various materials.

## Compact and Easy Installation

- Modular design allows for quick setup and relocation using a crane.


## Flexible Power Options

- Plug-in connection supports multiple power sources
- Commercial Power Supply
  - Generator

\*Compatible with 35kVA plug-in three-phase power



Generator




Commercial Power

# NAS1200T

# Specifications

## External Dimensions

(Unit: mm)



Component Names

- ① Belt Conveyor
- ② Control Panel
- ③ Screen (NRE4101)  
4'x10' 1-Deck Screen
- ④ Suction Air Separator (AS1200)
- ⑤ Axial Flow Cyclone (TC15)
- ⑥ Blower

## Specifications

| MODEL     | SUCTION AIR SEPARATOR |                             | SCREEN  |                         | AXIAL FLOW CYCLONE |                        | AIRFLOW<br>(m³/min) | MOTOR<br>POWER<br>(kW) | WEIGHT<br>(TON) |
|-----------|-----------------------|-----------------------------|---------|-------------------------|--------------------|------------------------|---------------------|------------------------|-----------------|
|           | MODEL                 | SUCTION SURFACE<br>WxL (mm) | MODEL   | SCREEN SIZE<br>WxL (mm) | MODEL              | FRAME SIZE<br>WxL (mm) |                     |                        |                 |
| NAS 1200T | AS1200                | 250X1300                    | NRE4101 | 1200x3000               | TC15               | 670x1270               | 275                 | 24.8                   | 3.8             |

Specifications and dimensions are subject to change without prior notice.


# Set-up Application

## Compact Recycling System

Boost your recycling efficiency by combining the NAS1200T Suction Air Separator with the NE100JP Eco Plug-in Mobile Crusher. This powerful duo optimizes material processing, ensuring high-quality output while maximizing space efficiency and sustainability.

The NE100JP is designed for high-performance recycling, efficiently crushing asphalt, concrete, rocks, bricks, and construction debris with its powerful electric motor.


The NAS1200T enhances efficiency by transforming the waste separation process. It effectively removes lightweight waste such as vinyl, paper, and wood chips, improving the quality of recycled materials.



## COMBO SET UP

The compact and mobile design of the NE100JP and NAS1200T allows for easy installation and relocation, making them ideal for urban recycling operations.

Both machines are compatible with a 60kVA plug-in power supply, allowing for seamless operation using a shared power source.



Construction Waste Containing  
Lightweight Materials



High-Quality Product

# NAS1200T & NE100JP