

GRAV


Store & Purchase

Complete user guide

From an approved need to supplier order, receipt, location control, issue, return, valuation and the hand-off to Budget and Accounting.

Demand to payment

Each application owns one part of the chain; Store and Purchase connect the operational documents.



The complete business chain. Store & Purchase owns the operational middle; it does not replace Requests, Budget or Accounting.

Prepared from the current GRAV Store & Purchase navigation and workflows

Version date: 6 September 2026

Audience: Store team, buyers, requesters, department approvers, Finance, Accounting, auditors and system administrators

How to use this guide

Read Part I once to understand the system. Then use the workflow chapters while doing live work. The screen reference is for quick lookup; the checklists are for daily control.

If you are...	Start with	Then keep open
Store operator	Quick start; stock fulfilment; receiving; inventory operations	Daily Store checklist
Buyer	Purchase goods; services; suppliers and offers	Purchase-order and supplier-offer references
Requester or department approver	Requests; service acceptance; quantity/status vocabulary	Request Desk and Service Orders
Finance or Budget user	Budget and Accounting connection	Budget trace and exception reports
Accountant	Receipt/service evidence and supplier-voucher hand-off	Accounting boundary and matching checklist
Administrator	Masters, locations, permissions and setup checklist	Troubleshooting and legacy policy

Scope This guide describes the Store & Purchase application as it exists now. It distinguishes current operational screens from legacy records and does not pretend that Store is the accounting ledger or the costing engine.

Ten rules that prevent most mistakes

- Start demand in Request Desk. Do not create disconnected purchasing or stock activity when a request already exists.
- Choose the correct fulfilment path per line: reserve and issue existing stock, buy a physical item, or order a service.
- Use Materials for stock-tracked inputs, Finished products & BOM for the production catalogue, and Service master for non-stock work.
- Never type an opening or corrected stock balance into an item master. Stock changes through receipts, issues, returns, transfers, counts or adjustments.
- Never add quantities with different units. Metres, kilograms and pieces are separate measures unless a valid conversion exists.
- A purchase order orders goods; a goods receipt records what physically arrived and was accepted. They are not the same event.
- A service order never creates a goods receipt or stock movement. Completion must be reported and accepted.
- On hand is not available. Available is on hand less active reservations; picked stock has been prepared but not yet issued.
- Store supplies evidence to Budget and Accounting. Budget controls planned spend; Accounting posts the supplier voucher and payment.
- Use legacy screens only to read historical records or complete explicitly supported old work. Start new work in the current workflow.

Contents

Part	What it covers
I · System model	Purpose, ownership, vocabulary, navigation, roles and setup
II · Complete workflows	Stock fulfilment, goods purchasing, service purchasing, receiving, returns and counts
III · Screen-by-screen guide	Every current navigation entry, including reports, settings and legacy
IV · Cross-application control	Budget, Accounting, costing, audit and exception handling
V · Operating reference	Status meanings, troubleshooting, checklists, glossary and route map
VI · Photo-guided workflows	Actual authenticated Store screens with numbered, step-by-step annotations

Part I · Understand the system

1. What Store & Purchase is for

Store & Purchase is the operational record of physical materials and procured services. It connects an approved business need to a supplier order, records what arrived or what work was accepted, and maintains the movement and location evidence needed to know what the company can use.


The application owns

- Material identity, variants, units, reorder policy and stock-tracking attributes.
- Supplier identity and dated supplier offers for items, services and freight.
- Purchase orders for physical goods and service orders for non-stock work.
- Goods receipts, inspection outcomes, quarantine, put-away and supplier returns.
- Reservations, picking, issues, internal returns, transfers, cycle counts and immutable stock movements.
- Operational reports for movement, purchasing exceptions and management inventory valuation.

The application does not own

- The employee's original need or department approval — Requests owns that.
- The definition of budget heads, appropriations and available budget — Budget owns that.
- Supplier invoices, recoverable GST, payables and payment — Accounting owns that.
- Finished-product engineering and BOM authoring — Production owns that; Store reads the catalogue.
- Final product profitability or income tax — Central Costing and Accounting own those calculations.

2. Navigation map



1 Purchase navigation

Service orders sit beside purchase orders because services are ordered but never received into stock.

3 Refresh

Reloads the register. Use it after another user changes an order.

5 Search

Search by service order number, source request or supplier.

2 Page identity

The heading explains the document and explicitly states that no goods receipt or stock movement is created.

4 Status filters

Use the business state to narrow the queue. All returns the complete accessible register.

6 Explained failure

A failure banner must tell you what failed. Refresh only helps when the problem is temporary.

Annotated current screen. The same top navigation pattern is used throughout Store & Purchase.

Group	Screens	Question answered
Overview	Overview	What needs attention now?

Group	Screens	Question answered
Requests	Request desk	What does the business need, and how will each line be fulfilled?
Purchase	Purchase orders; Service orders; Purchase forms — legacy	What have we ordered from suppliers?
Receive	Goods receipts; Deliveries (legacy)	What arrived, what was accepted and where did it go?
Inventory	Reservations & picking; Issues & returns; Stock counts; Stock movements; Stock exceptions; Lot labels & barcodes	What stock is promised, moving, uncertain or traceable?
Masters	Materials; Finished products & BOM; Service master; Suppliers; Supplier offers; Units; Warehouses	What reusable records define our items, services, suppliers and locations?
Reports	Request register; Movement report; Purchase exceptions; Inventory valuation	What happened, what is late and what is the management value?
Settings	Store settings	Which defaults and operating policies apply?
Legacy & production	Old PO sheets and production-linked screens	How can historical/production records be read without using them as the new workflow?

3. Roles and separation of duties

Role	Normal work	Must not do
Requester	Describe the need, quantity, required date and justification; accept completed services	Choose a supplier or alter stock
Department approver	Confirm need and priority	Treat approval as proof of receipt
Store operator	Classify, reserve, pick, issue, receive, inspect, put away, return and count	Post supplier bills or payments
Buyer	Source offers, compare terms and issue orders	Invent item identity or bypass approved demand
Finance/Budget	Resolve heads, approve planned spend and monitor commitments	Edit quantities received
Accounting	Match evidence, post supplier vouchers and settle suppliers	Create warehouse movements

Role	Normal work	Must not do
Administrator	Maintain access, company context and controlled masters	Perform operational work merely to overcome a user's missing permission
Auditor/reader	Read records, history and reports	Use read access to perform transitions

Permission behaviour The screens and actions visible to a user depend on assigned capabilities. Being signed in is not the same as being authorised. Some mutations also need a linked staff identity because the history must name the person who acted.


4. Core vocabulary

Term	Exact meaning	Common confusion
Material	A physical, stock-tracked input or consumable.	Not a finished product or service.
Variant	A controlled version of a material, such as colour, size or grade.	Variant quantities may use different units and must not be summed blindly.
Request	The employee's need and approval record.	Not an order to a supplier.
Supplier offer	A dated, comparable price and terms from a supplier.	Not a live master price and not a purchase order.
Purchase order	The issued order for physical goods.	Does not prove delivery or acceptance.
Service order	The issued order for non-stock work.	Never creates stock.
Goods receipt	The factual record of goods received against a PO.	Not the supplier invoice.
Inspection	The decision to accept, quarantine or reject received quantity.	Not optional when the receipt requires control.
Put-away	Moving accepted stock into a usable warehouse location.	Unassigned stock is on hand but has no location.
Reservation	A promise of on-hand stock to approved demand.	Does not reduce on-hand quantity.
Pick	Preparing reserved stock for issue.	Picked stock has not left Store.
Issue	Confirming stock has left Store for the request/work.	This changes stock.
Supplier return	Sending rejected or damaged receipt quantity back to the supplier.	Different from unused issued material returning to Store.

Term	Exact meaning	Common confusion
Stock movement	Immutable evidence of a quantity change.	Corrections are compensating movements, not silent edits.

Inventory quantity states

Do not treat these figures as synonyms. Every operational decision depends on the distinction.



Quantity states. Quarantine and unassigned stock require their own operational decisions; they are not automatically available.

5. Before the first transaction

1. Confirm the company and site context shown by the application are correct. A record from another company must never be selected to solve a missing-data problem.
2. Create or verify units of measure and only the conversions the business can defend.
3. Create warehouses and locations, including receiving, inspection/quarantine, usable storage, returns and scrap locations as needed.
4. Create material records with a stable internal item code, base unit, category, reorder policy and variants.
5. Create services separately for non-stock work, subscriptions and charges; record the billing unit and classification.
6. Create suppliers and record their approved/active state.
7. Capture supplier offers so buyers compare dated facts rather than memory.
8. Confirm Finance has mapped item, service or category identities to budget heads. This mapping is not maintained on the material editor.
9. Confirm operational users have the capabilities for their duties and a linked staff identity where an action must be attributed.

Existing data If a register is unexpectedly empty after company scoping is enabled, do not recreate hundreds of masters. First check whether historical records lack company identity and require a controlled migration.

Part II · Complete workflows

6. Decide how to fulfil an approved request

The most important Store decision is made line by line. A single request may contain stockable materials, items that must be purchased and services that must be ordered.

1. Open Requests → Request desk and find the approved request by number, requester, department or status.
2. Open the record and read the need, quantity, unit, required date, notes and attachments before selecting an action.
3. For each line, identify whether it is a stock-tracked material, a non-stock service or an unresolved description that still needs classification.
4. For a material, select the exact material and variant. Check base unit, requested unit, on hand, active reservations and available quantity.
5. If enough usable stock is available, choose the stock-fulfilment path. The application should create or expose a reservation rather than treating approval as an issue.
6. If stock is insufficient or the item must be bought, choose the purchasing path and source/select an offer before creating the purchase order.
7. For non-stock work, match the line to Service master and create a service order after the required approvals.
8. Resolve the budget allocation before the approval gate that creates a commitment. An unresolved head is an exception, not a reason to assign an arbitrary head.
9. Confirm each line has one visible outcome and no duplicate operational document.

Decision guide

Question	Yes	No
Is it physical and stock tracked?	Material path	Service path
Is usable available stock sufficient?	Reserve → pick → issue	Purchase path
Is there a current comparable supplier offer?	Use it as sourcing evidence	Capture offers before selection
Has the budget identity resolved?	Proceed to the appropriate approval	Stop and resolve mapping/allocation
Has an order already been created for the same request line?	Open the existing order	Create only after all gates pass

7. Fulfil from existing stock

1. From Request Desk, open the approved material line and inspect availability by item, variant and location.
2. Create a reservation for the approved quantity. If only part is available, reserve only that part and keep the shortage visible.
3. Open Inventory → Reservations & picking. Filter to the request or reservation and review its state.
4. Select a source location containing usable stock. Quarantine, scrap and unassigned quantity must not be treated as freely available.
5. Pick the quantity. Picking records preparation; it does not yet reduce on hand.

6. Confirm issue only when the material physically leaves Store. This creates the stock movement and closes or reduces the reservation.
7. If unused material comes back, record an internal return against the issue. Do not create an unrelated positive adjustment.
8. Verify the request line, reservation, movement and location balances agree.


What can go wrong

- Available becomes lower between reservation and pick because another valid transaction posted; refresh and resolve the shortage.
- Requested and base units differ without an approved conversion; stop rather than assuming 1:1.
- The line is linked to the wrong variant; correct the classification before issue.
- A user tries to edit the original movement; use a reversal/corrective movement with a reason.

8. Purchase physical goods

Masters and documents

Masters define reusable identity. Documents record dated business events and keep historical snapshots.



Masters define identity; documents freeze the dated business event. A supplier offer belongs to sourcing, while a purchase order belongs to commitment and fulfilment.

1. Confirm the request line is an exact material/variant with a defensible quantity and unit.
2. Open Masters → Supplier offers and compare active offers for price, quoted unit, taxes/terms where recorded, lead time and validity.
3. Select the supplier based on the approved commercial decision. Record the reason when the lowest price is not selected.
4. Create the purchase order from the approved demand so request-line identity, item identity, quantity, unit, price and budget identity remain connected.
5. Review the draft: supplier, delivery destination, dates, lines, units, rate, taxes/charges as supported, terms and references.
6. Issue the purchase order. An issued order is a historical commercial commitment; do not silently overwrite it. Use cancellation or amendment where supported.

7. Monitor status and expected delivery. Use Purchase exceptions for overdue or inconsistent orders.
8. When goods arrive, receive against the purchase order. Never increase item stock directly to simulate a receipt.

Purchase-order completion check

- The supplier and company match.
- Every line points to the intended material and variant.
- Quantities and price units are explicit and convertible where necessary.
- The delivery warehouse/location is valid.
- The request line and budget allocation remain traceable.
- Issued, partially received, completed, cancelled or amended state is honest.

9. Receive, inspect and put away goods

1. Open Receive → Goods receipts, or use Receive from the purchase-order detail.
2. Choose the correct purchase order and verify supplier, item, variant and outstanding quantity.
3. Enter what physically arrived per PO line. Record quantity and unit at line level; never rely on a receipt-wide number that mixes units.
4. Record supplier invoice/delivery references, receipt date and destination as requested by the screen.
5. Submit the receipt once. If the response is uncertain, use the same retry path; do not create another receipt to be safe.
6. Inspect controlled goods. Mark accepted, quarantined/rejected and damaged quantities explicitly.
7. Put accepted stock into its actual usable location. Resolve any unassigned quantity instead of leaving it invisible to warehouse control.
8. Create a supplier return for rejected/damaged quantity when it is physically returned.
9. Verify the receipt lines, PO outstanding quantities, location balances and stock movements agree.

Partial, excess and mixed-unit receipts

- A partial receipt leaves an outstanding quantity on the PO; it does not close the line.
- An over-receipt is shown as quantity received beyond ordered, not as a negative remaining quantity.
- Two lines with no recorded unit are counted as two incomplete lines; their numbers are not totalled.
- A receipt with metres, kilograms and pieces has no meaningful receipt-wide quantity. Review each line or totals by unit.

10. Purchase and accept a service

1. Classify the request line against an active Service master record before Finance approval.
2. Confirm service code, name, billing unit, SAC/classification where recorded, supplier requirements and budget head.
3. Capture and compare service offers if the purchase requires sourcing.
4. Create the service order from the approved request. No stock item, warehouse or goods receipt is involved.
5. Issue the service order to the supplier and monitor Draft → Issued → In progress.
6. When the supplier reports completion, review the evidence, deliverable, period and quantity/rate basis.
7. The requesting department accepts the work or marks Rework required. Acceptance is the factual evidence Accounting needs.
8. Accounting matches the accepted service to the supplier voucher. Payment remains outside Store.

Service-order states

State	Meaning	Normal next action
Draft	Prepared but not sent as a binding order	Review and issue
Issued	Sent to the supplier	Supplier starts/acknowledges work
In progress	Work has started	Monitor delivery
Completion reported	Supplier says the work is complete	Requester verifies outcome
Accepted	Business accepts the delivered service	Accounting match
Rework required	Delivered work is not accepted	Supplier corrects and reports again
Cancelled	Order will not proceed	Record reason; no acceptance

Identity requirement Reading company-scoped Service Orders should depend on read permission. Mutating a service order still requires a linked staff record because the transition history must name the actor.

11. Transfer stock between locations

1. Confirm the source location, destination location, material, variant, quantity and unit.
2. Check that the source has sufficient usable on-hand quantity after active reservations.
3. Use the location transfer workflow; do not create a negative adjustment at the source and a positive adjustment at the destination.
4. Submit once and retain the operation reference. A retry must replay the same result, not post a second transfer.
5. Verify the paired movement evidence and both location balances.

12. Count and correct stock

1. Open Inventory → Stock counts and create a count for the intended warehouse/location and scope.
2. Choose normal or blind counting according to policy. In a blind count, counters should not be influenced by system quantity.
3. Record each observed item/variant with quantity and unit. Add unexpected stock explicitly rather than attaching it to a similar SKU.
4. Save progress, then submit for review. Review differences, unit issues, reservations and movement timing.
5. Approve/post the count only after the cut-off and evidence are sound.
6. Posting creates adjustment movements for accepted differences. It must not rewrite movement history.
7. Investigate material differences through Stock exceptions and document the reason.

Count controls

- Freeze or control movement timing around the count.
- Count by location and item identity, not by description alone.
- Do not convert missing units or variants by assumption.
- A zero count is an observation; a blank quantity is incomplete data.
- Recount large differences before posting.

13. Return flows

Return type	When used	Operational effect
Internal material return	Unused material returns from a department/work order	Adds usable stock back against the original issue
Supplier return	Rejected or damaged received goods go back to supplier	Reduces the appropriate received/quarantine quantity and preserves PO/receipt lineage
Cancellation before movement	A prepared action should not proceed	Changes document state; no stock movement should be invented
Correction after movement	A posted movement was wrong	Append a compensating/reversal movement with actor, time and reason

Part III · Screen-by-screen guide

14. Overview

Where to find it: Overview

The operational landing page. It should surface work that needs a decision instead of behaving as a decorative dashboard.

Use this screen when

- Beginning a Store or buyer shift
- Checking pending requests, receipts, shortages or exceptions
- Navigating to the next operational queue

How to use it

1. Read every attention card and its population/date scope.
2. Open the highest-risk queue first: blocked receipts, stock exceptions, overdue orders or approved demand without fulfilment.
3. Use links on the cards rather than recreating a filtered search manually.
4. Refresh after another user completes related work.

Before you consider the work complete

- Every urgent card is either acted on, assigned or acknowledged
- Counts reconcile with the destination register and filters

Avoid

- Treating the cards as accounting totals
- Ignoring the date or loaded-record scope of a figure

15. Request desk

Where to find it: Requests → Request desk

The working queue for approved demand. Store classifies each line and decides whether it will be fulfilled from stock, purchased as goods or ordered as a service.

Use this screen when

- An approved request reaches Store
- A request line is unresolved
- You need to inspect fulfilment, budget or downstream document lineage

How to use it

1. Search by request number, requester or department and narrow by status.
2. Open the request drawer/detail and read the requirement before choosing a master record.
3. Match each line to one material/variant or one service.
4. Review available stock and reservations for material lines.
5. Select the correct fulfilment action and retain the source request-line identity.
6. Resolve missing budget allocation with Finance before the commitment gate.
7. Confirm the downstream reservation, PO or service order is visible.

Before you consider the work complete

- Every active line has an honest classification and outcome
- Shortage and unresolved budget states remain visible
- No line was converted twice

Avoid

- Choosing a similar SKU because the exact material is missing
- Classifying a service as a material
- Using a legacy purchase form for new work

16. Purchase orders

Where to find it: Purchase → Purchase orders

The register and detail workspace for physical-goods orders.

Use this screen when

- Preparing, issuing or monitoring a PO
- Receiving against an order
- Reviewing partial receipt, cancellation or exception history

How to use it

1. Filter by status, supplier or search term.
2. Open the order and verify source request, supplier, item lines, units, rate, delivery destination and dates.
3. Issue only after commercial and budget gates are satisfied.
4. Use Receive for actual delivery; use cancellation/amendment actions for a changed commitment.
5. Review receipts and remaining quantities line by line.

Before you consider the work complete

- Issued document is historically stable
- Received/outstanding quantities make sense per unit
- Order and receipt references remain linked

Avoid

- Editing an issued commercial fact silently
- Recording services on a PO
- Treating All orders minus other statuses as a cancelled count

17. Service orders

Where to find it: Purchase → Service orders

The register for non-stock work from an approved service request through supplier completion and requester acceptance.

Use this screen when

- Ordering repairs, subscriptions, consulting, freight-like non-stock work or other services
- Monitoring completion or rework
- Providing acceptance evidence to Accounting

How to use it

1. Use status filters or search by order number, request or supplier.
2. Open the order and confirm service identity, scope, supplier, value/basis and requester.
3. Issue the order and move it to In progress when work starts.
4. Record completion evidence when the supplier reports completion.
5. Have the requesting department accept or require rework.
6. Refresh after another participant completes a transition.

Before you consider the work complete

- Accepted service has identifiable evidence and actor
- No goods receipt or stock movement exists
- The supplier voucher can trace the accepted service

Avoid

- Creating a GRN for a service
- Accepting work merely because an invoice arrived
- Retrying an explained staff-link blocker

Important The screen annotation earlier shows status filters, search and error behaviour. A temporary server failure may merit Refresh; an explained account or data blocker needs correction, not repeated retries.

18. Purchase forms — legacy

Where to find it: Purchase → Purchase forms — legacy

A historical register for purchase forms and petty-cash records created through the earlier material-request workflow.

Use this screen when

- Looking up an old form
- Downloading historical evidence
- Following a source-request link from an old record

How to use it

1. Search or filter the historical register.
2. Open a form to review line items, recorded petty cash, linked request and any linked PO.
3. Download the record if documentary evidence is required.
4. For new demand, leave this screen and use Request Desk.

Before you consider the work complete

- Historical figures are read with their register scope
- A converted form without a linked PO is not presented as if a PO exists

Avoid

- Creating new purchasing work here
- Assuming the first 200 loaded forms are the complete history
- Treating blank petty cash as zero

Important Legacy means retained historical workflow, not invalid data. New transactions should not be initiated through it.

19. Goods receipts

Where to find it: Receive → Goods receipts

The authoritative line-level register of physical goods received against purchase orders.

Use this screen when

- Receiving a PO
- Inspecting or putting away received goods
- Reviewing partial, excess, damaged, quarantined or returned quantity

How to use it

1. Start from the correct PO or select it in the receipt flow.
2. Enter actual quantity per line with unit and references.
3. Review before submitting; a receipt changes operational evidence.
4. Complete required inspection decisions.
5. Put accepted stock away into the actual location.
6. Open the receipt later to review line allocation, returns and movement evidence.

Before you consider the work complete

- Every number has an item and unit
- Accepted, rejected/quarantined and returned quantities reconcile
- No duplicate receipt was created on retry

Avoid

- Typing one total for mixed units
- Receiving the ordered quantity instead of the arrived quantity
- Leaving accepted stock unassigned indefinitely

20. Deliveries (legacy)

Where to find it: Receive → Deliveries (legacy)

A read-oriented view of older delivery records. Some historical rows contain only a receipt-wide quantity that cannot identify which PO lines arrived.

Use this screen when

- Investigating an old delivery
- Reading historical order-lifetime information
- Following return evidence on a legacy record

How to use it

1. Search and filter the register.
2. Expand a record and distinguish receipt contents from order-lifetime lines.
3. Where the screen says Not itemised, do not infer which items arrived.
4. Use the current Goods receipts workflow for new receiving.

Before you consider the work complete

- Mixed or missing units are not totalled
- Over-receipt is visible where computable
- Unitemised history remains labelled honestly

Avoid

- Using the unit-less aggregate as a reconciled receipt quantity
- Creating new work through the legacy screen

21. Reservations & picking

Where to find it: Inventory → Reservations & picking

The fulfilment queue between approved material demand and confirmed issue.

Use this screen when

- Allocating stock to a request
- Picking from locations
- Resolving shortage, expiry or cancellation

How to use it

1. Filter the queue to the request, status, item or date.
2. Open the reservation and check item, variant, requested quantity, reserved quantity and available stock.
3. Reserve from usable stock; keep any shortage explicit.
4. Pick from a real source location.
5. Confirm issue only when stock physically leaves.
6. Cancel/expire only with the recorded business reason.

Before you consider the work complete

- Reservation and pick never make stock negative
- Issue creates one immutable movement
- Request-line identity remains present

Avoid

- Treating reserved as issued
- Picking quarantine stock
- Submitting twice after an uncertain response

22. Issues & returns

Where to find it: Inventory → Issues & returns

The operational workspace for stock leaving Store and unused issued material returning.

Use this screen when

- Confirming an approved issue
- Recording an internal return
- Reviewing the history of an issue

How to use it

1. Prefer the reservation/picking path for request fulfilment.
2. Select exact material, variant, quantity, unit and source location.
3. Confirm the linked demand and recipient.
4. Submit the issue once.
5. For a return, reference the original issue and record the quantity physically returned.

Before you consider the work complete

- On-hand and location movements reconcile
- The request/issue/return chain is visible
- Correction evidence is append-only

Avoid

- Using a standalone issue to bypass a request
- Returning to an arbitrary SKU
- Editing the original movement

23. Stock counts

Where to find it: Inventory → Stock counts

The controlled cycle-count and stocktake workflow.

Use this screen when

- Starting a location count
- Recording observations
- Reviewing and posting count differences

How to use it

1. Create the count with warehouse, location, scope and count method.
2. Enter observations by exact item/variant and unit.
3. Save incomplete work; do not post it.
4. Submit for review and investigate differences.
5. Approve/post accepted differences to create movements.
6. Cancel an invalid count rather than manipulating observations to make it agree.

Before you consider the work complete

- Count status is correct
- Unexpected items and zero counts are explicit
- Every posted difference has actor, time and reason

Avoid

- Counting while uncontrolled movements continue
- Copying system quantity into a blind count
- Posting unexplained major differences

24. Stock movements

Where to find it: Inventory → Stock movements

The item/variant movement ledger used to explain how stock changed over time.

Use this screen when

- Investigating a balance
- Following receipt, issue, return, transfer or adjustment history
- Reviewing a corrective movement

How to use it

1. Search and select the exact item.
2. Choose All variants or one valid variant.
3. Apply direction/type/date filters and read the scope sentence.
4. Review each movement's date, type, quantity, unit, reference and location context.
5. Open the source document where available.

Before you consider the work complete

- Filtered rows are not mistaken for the whole balance
- Variant filters genuinely match the item
- Corrections point back to their originals

Avoid

- Calling a filtered net figure the current stock balance
- Summing across units
- Assuming row order proves an unbroken sequence

25. Stock exceptions

Where to find it: Inventory → Stock exceptions

The queue for inventory conditions requiring investigation or an operational correction.

Use this screen when

- Finding negative/uncertain balances, location gaps, blocked movements or control mismatches
- Assigning and resolving inventory follow-up

How to use it

1. Filter by exception type, severity, status, warehouse or item.
2. Open the exception and read the evidence and suggested next step.
3. Follow the source record rather than repairing the displayed symptom blindly.
4. Perform the legitimate receipt, transfer, return, count or corrective movement.
5. Resolve the exception only when evidence and balances agree.

Before you consider the work complete

- Resolution names the root cause and action
- No history was deleted
- Related exceptions are not left contradictory

Avoid

- Posting a manual adjustment before understanding the cause
- Closing an exception because the current balance looks plausible

26. Lot labels & barcodes

Where to find it: Inventory → Lot labels & barcodes

Creates traceable physical labels for received or stored quantities. Printing a label does not receive or adjust stock.

Use this screen when

- Labelling a lot, container or stored quantity
- Reprinting the latest created batch

How to use it

1. Select the item.
2. Choose a variant or explicitly choose Whole item / no variant.
3. Enter Quantity per label with unit.
4. Enter Number of labels and optional purchase-order reference.
5. Review item, SKU, variant, quantity per label, label count and PO reference.
6. Create and print. Use Reprint to reuse created IDs; Create another batch starts fresh.

Before you consider the work complete

- A label quantity is not multiplied into stock
- Every label carries the intended identity and unit
- A partial creation failure is understood before retry

Avoid

- Reading Number of labels as a stock quantity
- Printing a label to fix stock
- Recreating a successful batch because the print dialog failed

27. Materials

Where to find it: Masters → Materials

The stock-tracked item master for raw materials, consumables and other physical inputs used across purchase, Store and production.

Use this screen when

- Creating/editing a material
- Reviewing variants, reorder policy, supplier references or stock history
- Opening stock adjustment or PO actions from an item

How to use it

1. Search the register by item identity and use stock-status filters where needed.
2. Open an item to review base unit, category, reorder points, variants, supplier references and movements.
3. For a new item, enter name, category, base unit, reorder minimum and target maximum; the internal code is assigned on save.
4. Add controlled attributes/variants only when they change operational identity.
5. Save the item with zero stock. Enter opening or corrected quantity through a stock operation.

Before you consider the work complete

- Stable internal item code exists
- Base unit and category are correct
- Variants are counted, not added across mixed units
- Budget mapping is resolved in Finance, not assumed from this form

Avoid

- Creating duplicates for spelling differences

- Putting finished goods or services here
- Typing opening stock into the master
- Expecting budget-head fields on the item editor

28. Finished products & BOM

Where to find it: Masters → Finished products & BOM

A Store-facing, read-only view of the production catalogue and bill-of-material context.

Use this screen when

- Confirming the finished product a material demand belongs to
- Reading BOM context for issue, planning or costing traceability

How to use it

1. Search/select the finished product.
2. Review product identity, variants and BOM lines.
3. Follow production-owned links for engineering changes.
4. Use material masters and stock operations for physical inputs.

Before you consider the work complete

- The correct product/BOM version is being read
- No Store action is mistaken for BOM authoring

Avoid

- Editing production engineering from Store
- Using finished-product identity as a raw-material SKU

29. Service master

Where to find it: Masters → Service master

The reusable catalogue for non-stock work, subscriptions and charges.

Use this screen when

- Creating a service identity
- Classifying a service request
- Maintaining billing and tax classification

How to use it

1. Create a unique service code and clear business name.
2. Choose the billing unit that suppliers and requesters understand.
3. Record SAC/tax classification and default commercial information where supported.
4. Activate only when the service is ready for selection.
5. Retire/deactivate obsolete services without erasing historical orders.

Before you consider the work complete

- Requests can match the service before Finance approval
- The service never appears as on-hand stock
- Historical orders retain their frozen identity

Avoid

- Creating a material for non-stock work
- Using free text after a master exists
- Deleting a service used by history

30. Suppliers

Where to find it: Masters → Suppliers

The controlled master for organisations that provide goods or services.

Use this screen when

- Onboarding or reviewing a supplier
- Checking status, contacts or assessment
- Opening sourcing/order history

How to use it

1. Search for duplicates by legal/trade name and tax identity before creating.
2. Record legal identity, contact and commercial information.
3. Complete approval/assessment fields required by company policy.
4. Activate the supplier for new sourcing only after checks pass.
5. Deactivate rather than delete a supplier with history.

Before you consider the work complete

- Supplier belongs to the correct company
- Active status is justified
- Sensitive changes retain audit history

Avoid

- Creating one supplier per spelling or branch without policy
- Treating an inactive supplier as selectable
- Using supplier master price as a dated quotation

31. Supplier offers

Where to find it: Masters → Supplier offers

Dated sourcing evidence for materials, services and freight.

Use this screen when

- Comparing suppliers
- Recording a quoted unit/rate, lead time, terms or validity
- Selecting evidence for a PO or service order

How to use it

1. Choose Item, Service or Freight according to the thing quoted.
2. Select the supplier and exact master identity.
3. Record quoted quantity/unit, rate, currency/terms, lead time and validity where supported.
4. Compare like with like; convert units only through valid conversions.
5. Select the offer for the order and retain its snapshot.

Before you consider the work complete

- The offer was valid at selection time
- Quoted unit and order unit reconcile
- Selection reason is defensible

Avoid

- Overwriting old offers to make them current
- Comparing rates in incompatible units
- Treating an offer as proof of order or delivery

32. Units of measure

Where to find it: Masters → Units of measure

The controlled vocabulary and conversions used by items, offers, orders, receipts and movements.

Use this screen when

- Adding a unit
- Defining a conversion
- Diagnosing a unit mismatch

How to use it

1. Use an unambiguous name and symbol.
2. Define conversions only within a defensible measurement family or item-specific rule supported by the system.
3. Test both directions and zero/decimal behaviour.
4. Review affected item and offer records before changing an active conversion.

Before you consider the work complete

- Missing conversion causes a refusal, not silent 1:1
- Zero or invalid factors cannot pass
- Rendered quantities always show a unit or say it is missing

Avoid

- Converting metre to piece without an item-specific basis
- Reusing a symbol for different meanings
- Changing a factor to fix one transaction

33. Warehouses & locations

Where to find it: Masters → Warehouses

The physical hierarchy for receiving, inspection, usable storage, returns, quarantine and other controlled stock locations.

Use this screen when

- Creating warehouse structure
- Putting away, transferring or counting stock
- Reviewing capacity and location history

How to use it

1. Create the warehouse and its locations with clear codes and operational purpose.

2. Distinguish receiving/inspection/quarantine from usable pick locations.
3. Configure capacity only with compatible units and a defensible basis.
4. Use transfers/put-away to move stock between locations.
5. Retire locations only after active stock and work are resolved.

Before you consider the work complete

- Every on-hand quantity has a valid location or is explicitly Unassigned
- Quarantine cannot be picked as usable
- Location history is preserved

Avoid

- Using a warehouse total as a bin location
- Comparing capacity across incompatible units
- Deleting a location with stock/history

34. Material request register

Where to find it: Reports → Material request register

A report view of request demand and fulfilment status.

Use this screen when

- Reviewing request throughput
- Tracing a line to reservation, PO, receipt or issue
- Finding unresolved demand

How to use it

1. Set the required date/status/department filters.
2. Read the scope and loaded-result limit.
3. Open source or downstream documents for evidence.
4. Export only after filters and units are understood.

Before you consider the work complete

- Counts use the visible population
- Mixed units remain separate
- Unresolved lines are not hidden by summary totals

Avoid

- Calling a filtered count the all-time total
- Using the report to mutate source records

35. Movement report

Where to find it: Reports → Movement report

The reporting view of receipts, issues, returns, transfers, counts and adjustments.

Use this screen when

- Period review
- Movement-type analysis
- Audit support

How to use it

1. Choose company/site, period, item/variant and movement type as required.
2. Read quantity with unit and value basis separately.
3. Drill to source documents for unusual movements.
4. Export the filtered population with its scope.

Before you consider the work complete

- Opening/closing logic and filters are understood
- Correction pairs are included
- No filtered net is called on-hand balance

Avoid

- Summing quantities across units
- Assuming report order proves no missing movement

36. Purchase exceptions

Where to find it: Reports → Purchase exceptions

The control queue for overdue, blocked, inconsistent or incomplete purchasing activity.

Use this screen when

- Chasing late orders
- Finding unmatched receipt/order conditions
- Prioritising buyer follow-up

How to use it

1. Filter by exception type, age, supplier or owner.
2. Open the source PO/service order/receipt.
3. Resolve the actual operational condition.
4. Refresh and confirm the exception clears or records the remaining reason.

Before you consider the work complete

- Each exception has an owner and next action
- False completion is not used to make the queue green

Avoid

- Closing an order simply because it is old
- Treating a supplier delay as a stock adjustment

37. Inventory valuation

Where to find it: Reports → Inventory valuation

A management valuation based on accepted operational movements, including landed-cost overlays where available.

Use this screen when

- Reviewing inventory value
- Explaining base versus landed value
- Identifying missing valuation evidence

How to use it

1. Choose the valuation date and required scope.
2. Review quantity, base value and landed/effective value separately.
3. Drill to receipt and landed-cost allocation evidence.
4. Treat missing or unavailable inputs as exceptions, not zero cost.

Before you consider the work complete

- Values use accepted/applied movements only
- Variant and receipt identity are distinguishable
- Management valuation is not presented as statutory closing stock

Avoid

- Using off-bill manual charges as landed cost
- Allocating recoverable GST into product cost
- Calling an estimate the accounting ledger

38. Settings

Where to find it: Settings

Company/site defaults and Store operating preferences.

Use this screen when

- Reviewing configuration before go-live
- Changing a documented operating default

How to use it

1. Read the current value and the business process it controls.
2. Confirm who will be affected.
3. Change one policy at a time with approval.
4. Test the downstream request/order/receipt behaviour.

Before you consider the work complete

- The change is documented and effective from a known date
- Historical records retain their original facts

Avoid

- Using settings to repair one bad transaction
- Changing defaults without testing live workflow

39. Legacy & production group

This group is deliberately separated from the current operational journey. It includes PO sheets (legacy print), work-order sheets, machine operations, devices & machines and assigned team.

Screen type	Use it for	Do not use it for
PO sheets — legacy print	Printing or reading older PO sheet formats	Starting a new purchasing workflow

Screen type	Use it for	Do not use it for
Work-order sheets	Reading/printing production-linked work information	Replacing Request Desk or Store reservations
Machine operations	Production execution context	Recording supplier purchases
Devices & machines	Production equipment records	Material item identity
Assigned team	Production staffing context	Store access administration


Legacy policy Legacy records remain valid history. Restrict new creation, retain read/search/export needed for audit, and migrate outstanding work deliberately. Do not delete old records merely because the current workflow is better.

Part IV · Budget, Accounting and costing

40. Where budget sits

Budget and Accounting connection

Budget controls planned spend. Accounting owns posted actuals and payments. Store retains operational context.



The item-wise budget chain. The budget allocation belongs to the request/commitment identity; the Store item editor is not the budget-maintenance screen.

Budget is the financial control layer around planned spend. Store supplies the operational identity — item or service, quantity, supplier order and acceptance evidence — but the budget application decides which head and period fund the line and whether enough budget is available.

Item-wise and service-wise allocation

1. A material or service is mapped to a default budget head through Finance-controlled mapping. A more specific item override takes precedence over a category/default mapping.
2. When a request line is created/classified, the system resolves the allocation and stores the chosen head, period and resolution evidence.
3. Approval creates or updates a commitment against that budget. The commitment is planned/approved spend, not an accounting actual.
4. The PO or service order carries the request-line and allocation identity downstream.
5. An accepted receipt or accepted service establishes the factual operational quantity.
6. Accounting posts the supplier voucher. That posting is the actual financial event; recoverable GST remains separate from product/service cost.
7. The budget commitment releases or settles against the posted actual according to Budget rules.

Why you do not see budget on Add item The material editor defines reusable stock identity. Putting a budget head there as an editable Store field would let Store redefine Finance policy. Budget mapping and exceptions belong in Finance/Budget screens; Store should show the resolved result on the request/order trace where it matters.

41. Store to Accounting hand-off

Evidence	Store responsibility	Accounting use
Purchase order	Approved supplier, item/service, quantity, rate and terms	Commercial match
Goods receipt	Actual physical quantity received and accepted/rejected	Quantity match and accrual evidence
Service acceptance	Requester confirms delivered work	Service quantity/completion match
Supplier return	Quantity and reason returned	Debit-note/credit adjustment evidence
Landed-cost allocation	Traceable allocation to eligible receipts	Management valuation support; accounting treatment remains Accounting's
Supplier voucher	Not created by Store	Posted payable, tax and actual expense/inventory
Payment	Not created by Store	Supplier ledger settlement

Three-way match for goods

- PO: what the company authorised and ordered.
- Accepted receipt: what physically arrived and was accepted.
- Supplier voucher: what the supplier billed and Accounting posted.

Two-way operational match for services

- Service order: authorised scope/rate/basis.
- Service acceptance: what the requesting department accepted.
- Accounting then matches the supplier voucher to both.

42. Relationship to full product costing

Store provides material quantity and valuation evidence, service/freight/procurement context and receipt-level landed cost. Central Costing combines this with operations, labour, packaging, freight, duty, financing, development and overhead policy to estimate and freeze product cost. Income tax is assessed after profit; it is not hidden inside product cost.

Question	Owning answer
What material and quantity is required?	BOM/production plus material master
What did it cost to acquire?	Accepted receipt valuation plus eligible landed-cost allocation
What service/freight was consumed?	Service order/acceptance and costing policy
What overhead should the product absorb?	Central Costing policy and coverage

Question	Owning answer
What was actually invoiced and paid?	Accounting
What budget funded it?	Budget allocation, commitment and settlement
Is selling price minus cost cash in pocket?	No. Profitability must also consider overhead, financing, tax and timing; Accounting confirms realised results.

Part V · Operating reference

43. Status and next-action reference

Object/state	What it tells you	Next action
Request · approved	Need is authorised	Store classifies and chooses fulfilment
Reservation · active	Stock is promised	Pick when ready
Pick · prepared	Stock is staged	Confirm issue when it leaves
PO · draft	Not yet a binding issued order	Review and issue
PO · issued	Supplier order is live	Monitor/receive/amend/cancel
PO · partly received	Some quantity arrived	Receive balance or resolve exception
Receipt · pending inspection	Goods arrived but usability is undecided	Inspect
Receipt · accepted	Quantity may be put away/valued	Put away and match
Receipt · quarantined/rejected	Not usable stock	Review, rework or supplier return
Service · completion reported	Supplier says work is complete	Requester accepts or requires rework
Service · accepted	Operational delivery is confirmed	Accounting match
Count · review	Observations differ or await approval	Investigate and post/cancel
Exception · open	Control condition is unresolved	Follow evidence and correct root cause

44. Troubleshooting

What you see	Likely cause	What to do
Register is empty, but records used to exist	Filters, company scoping, or historical rows without company identity	Clear filters; verify company/site; ask admin to audit migration—do not recreate masters
Access denied / action hidden	Capability is missing	Confirm assigned Store role/capability; do not use another person's login
Account is not linked to staff	Login has no Employee record for attributable mutations	Ask admin to link the account to the correct employee
Service orders could not be loaded	Temporary API error or explained data blocker	Read the banner; Refresh only for a temporary failure
Unit conversion unavailable	No valid conversion exists	Correct the master/transaction unit; never assume 1:1
Insufficient available stock	On hand is reserved, quarantined or in another location	Review Reservations, location stock and shortage path
Stock exists but cannot be picked	Wrong variant/location/status or unassigned/quarantine state	Use exact identity and put-away/inspection workflow
Receipt quantity looks wrong	Mixed units, legacy aggregate or over-receipt	Review line-level figures by unit
Save/submit result was uncertain	Connection dropped after request started	Use the same retry action/key and check history before creating anything new
Record changed while open	Another user updated it	Refresh, reread and retry the decision from current state
Budget head unresolved	No valid item/service/category mapping	Finance resolves mapping or an authorised override
Inventory value missing	Receipt/value/landed-cost evidence is incomplete	Follow the valuation exception; do not substitute zero
Old screen says legacy	Historical workflow	Read/export old records; begin new work in current screens

45. Daily Store checklist

- Open Overview and Stock exceptions; assign urgent blockers.
- Process approved requests due soon.
- Review reservations waiting to be picked and picks waiting to be issued.
- Receive scheduled deliveries against the correct POs.
- Complete inspections and put-away; clear unassigned accepted stock.
- Record internal returns and supplier returns promptly.

- Review negative/uncertain/location exceptions before shift close.
- Confirm no uncertain retry created a duplicate transaction.

46. Daily buyer checklist

- Review purchase shortages and approved demand awaiting sourcing.
- Capture/refresh dated supplier offers.
- Issue approved POs and service orders.
- Follow overdue or at-risk orders in Purchase exceptions.
- Resolve supplier, unit, rate or validity anomalies before issue.
- Coordinate receipt/service acceptance without marking it complete on another team's behalf.

47. Weekly control checklist

- Review slow/open requests, partial POs and old reservations.
- Reconcile quarantined, unassigned and returns locations.
- Run movement and purchase-exception reports with documented scope.
- Review material reorder policy and supplier-offer expiry.
- Perform scheduled cycle counts and investigate differences.
- Review inactive/duplicate suppliers, materials and services without deleting history.
- Review unresolved budget mappings and accounting match blockers.

48. Month-end checklist

- Ensure all goods received by cut-off have line-level receipts and inspection outcomes.
- Ensure accepted services have acceptance evidence.
- Complete or explain open supplier returns and material internal returns.
- Reconcile material/location movements and investigate exceptions.
- Provide Accounting the PO–receipt/service acceptance trail.
- Review management inventory valuation and missing-cost exceptions.
- Separate operational estimates from posted Accounting actuals.

49. Administrator setup checklist

- Company and site context resolves for every Store user.
- Operational users have least-privilege capabilities and linked staff identities for mutations.
- Materials, services and finished products remain separate masters with clear ownership.
- Units and conversions are controlled and tested.
- Warehouse/location hierarchy reflects real physical flow.
- Suppliers have lifecycle status and audit history.
- Budget mappings cover active item/service/category identities.
- Historical records are migrated to company scope before legacy fallback is removed.
- Legacy creation paths are restricted; historical read/export remains available.
- Backups, audit retention and period-end controls are documented outside this user guide.

50. Glossary

Abbreviation/term	Meaning
BOM	Bill of materials: the product's defined material requirements.

Abbreviation/term	Meaning
GRN / Goods receipt	Goods receipt note/record for physical arrival against a PO.
MRF / Material request	A department's request for material; current work is handled through Request Desk.
PO	Purchase order for physical goods.
SO / Service order	Order for non-stock work; not a sales order in this context.
SKU / Item code	Stable internal identifier for a material or variant.
SAC	Service accounting classification used for service tax/accounting context.
On hand	Physical quantity recorded in Store.
Available	On hand less active reservations, subject to usability/location rules.
Landed cost	Eligible acquisition charges allocated to accepted receipts for management valuation.
Commitment	Approved planned spend reserved against a budget.
Actual	Financial amount posted by Accounting, normally through the supplier voucher.
Idempotent retry	Repeating the same operation safely without duplicating its business effect.
Immutable movement	A posted stock fact that is corrected by a linked compensating movement, not overwritten.

51. Route and ownership map

Navigation	Typical path	Owner
Overview	/store/dashboard/overview	Store operations
Request desk	/store/dashboard/order-requests	Requests + Store decision
Purchase orders	/store/dashboard/operations/purchase-order	Purchase
Service orders	/store/dashboard/operations/service-orders	Purchase + requester acceptance
Purchase forms — legacy	/store/dashboard/operations/requisitions	Historical

Navigation	Typical path	Owner
Goods receipts	/store/dashboard/operations/goods-receipts	Receive/Store
Deliveries (legacy)	/store/dashboard/operations/delivery	Historical
Reservations & picking	/store/dashboard/operations/reservations	Store
Issues & returns	/store/dashboard/raw-items/stock-adjustments	Store
Stock counts	/store/dashboard/raw-items/stock-count	Store control
Stock movements	/store/dashboard/operations/stock-ledger	Store/audit
Stock exceptions	/store/dashboard/operations/stock-exceptions	Store control
Lot labels & barcodes	/store/dashboard/operations/barcode-generator	Store
Materials	/store/dashboard/raw-items	Item master
Finished products & BOM	/store/dashboard/products	Production-owned; Store read
Service master	/store/dashboard/services	Service master
Suppliers	/store/dashboard/vendors-buyer/vendors	Supplier master
Supplier offers	/store/dashboard/supplier-offers	Sourcing
Units of measure	/store/dashboard/configurations/units-packaging	Master data
Warehouses	/store/dashboard/configurations/warehouse	Warehouse master
Reports	/store/dashboard/reports/...	Read/control
Settings	/store/dashboard/settings	Administration

52. Final operating test

A user is ready to operate the application only if they can answer all of the following without guessing:

- Where does a new need start, and who approves it?
- How do I decide between stock fulfilment, a purchase order and a service order?
- What is the difference between on hand, reserved, available, picked and issued?
- How do I receive a mixed-unit PO without inventing a meaningless total?
- What makes a service complete, and why is there no GRN?

- Where do material, service, supplier, offer, unit and warehouse masters live?
- Why is budget mapping not edited on the material form?
- Which event is the Accounting actual, and who records payment?
- How do I correct a posted stock error without editing history?
- Which screens are legacy, and what work may still be done there?

If any answer is unclear, return to the corresponding workflow chapter before performing the transaction. In Store & Purchase, correct identity and correct sequence are more valuable than a fast but disconnected entry.

Part VI • Photo-guided workflows

This section uses the actual authenticated Store & Purchase interface captured on 6 September 2026. Each plate places numbered markers on the live screen and explains the corresponding action beside it.

How to use the plates Read the short context above a plate, then follow markers 1, 2, 3 and onward. A screenshot is evidence of the screen and its controls, not permission to bypass approvals. The records and counts shown are examples from the captured company state and will change as work progresses.


- Do not copy an example request, supplier, quantity or amount into a new transaction unless it is factually correct for your work.
- A missing or empty section may be a prerequisite state—not a reason to invent data. Follow the caption and the troubleshooting chapter.
- Actions such as Add, Issue, Accept, Post, Cancel and Save change company records. Recheck identity, quantity, unit, location, budget result and supporting document before using them.
- The captured session was used read-only for this guide: forms and dialogs were opened for explanation, but nothing was submitted.

53. Workflow map for the photo section

Work you need to do	Photo sequence
Start the shift and find urgent work	54.1
Review and fulfil an approved request	54.2–54.7
Buy and receive physical goods	55.1–55.3
Buy and accept a service	56.1
Control reservations, issues, counts and corrections	57.1–57.5
Create traceable lot labels	58.1
Maintain materials, products, suppliers, offers, units and warehouses	59.1–59.9
Read operational and valuation reports	60.1–60.4
Use settings and historical registers correctly	61.1–61.2

54.1. Start the shift from Overview

Open Overview first. It condenses the queues that require action and links each card to the relevant filtered workspace.



The screenshot shows the 'Overview' page of the GRAV Store & Purchase system. The page is divided into several sections: 'Needs attention', 'Purchasing', and 'Receiving & stock'. Each section contains cards with 'Clear' and 'Open' buttons. Numbered callouts (1-4) point to specific elements: 1 points to the 'Needs attention' section, 2 points to the 'Requests to review' card in the 'Purchasing' section, 3 points to the 'Receipts to inspect' card in the 'Receiving & stock' section, and 4 points to the 'Open' button on the 'Put-away pending' card.

Start the shift from Overview

- 1 Read Needs attention before opening routine registers.
- 2 Use the Purchasing cards to open the correct filtered queue.
- 3 Use Receiving and stock for inspections, put-away and reservations.
- 4 Use the Open action on the relevant card to enter its filtered queue.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: you know what must be handled first and which register owns it

54.2. Find approved demand in Request desk

Use the stage and type controls to narrow the register, then open the exact request rather than starting disconnected purchasing work.

Review approved demand in Request desk

- 1 Use the stage cards to understand the queue before filtering.
- 2 Filter by workflow stage and request type; search by number or requester.
- 3 Read type, requester, status and fulfilment result on each row.
- 4 Choose View to inspect and classify the exact request.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the correct request is open with its current fulfilment state visible

54.3. Read the request before deciding

Confirm requester, reason, required date, approval state and line identities before choosing how Store will fulfil each line.


Inspect a request before acting

- 1 Confirm request identity, customer and received date.
- 2 Use the tabs to review work orders and required material.
- 3 Read product, variant, quantity and current status.
- 4 Approve only the intended work order; Issue Stock is a separate operation.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: each line has a fact-based fulfilment decision

54.4. Classify required items

Work from the Required items section. Match the requested description to the real material/variant and verify the unit; do not rely on similar names.




Check required material lines

- 1 Open Required Items from the request tabs.
- 2 Use Aggregated totals or Per-product breakdown for the question you need to answer.
- 3 Wait for the requirement calculation to finish before interpreting quantities.
- 4 If calculation remains stuck, refresh the request instead of acting on an incomplete view.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the request lines point to the correct master identities

54.5. Issue available stock

Use this form only for quantity that is physically available and permitted for issue. The unit and destination must describe the real movement.




Record stock leaving Store

- 1 Confirm the Issue Stock title and request number.
- 2 Search and add the exact material and variant being issued.
- 3 Enter a business reason for the stock leaving Store.
- 4 Review the line details, then use Submit Issue once.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the request is fulfilled by a traceable stock-out movement

54.6. Record an internal return

Use Return stock when issued material comes back internally. Select the original context, returned quantity, unit, destination and reason.




Return unused issued material

- 1 Confirm the Return Stock title and original request number.
- 2 Search and add only material physically returning to Store.
- 3 Explain why the material is returning.
- 4 Review the line details, then use Submit Return once.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: usable or non-usable returned material is recorded in the correct location

54.7. Recheck the request outcome

Return to the request after reserving, issuing or sending lines to purchase. Read its fulfilment summary rather than assuming a successful button click completed the need.



Inspect a request before acting

- 1 Confirm request identity, customer and received date.
- 2 Use the tabs to review work orders and required material.
- 3 Read product, variant, quantity and current status.
- 4 Approve only the intended work order; Issue Stock is a separate operation.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the request shows the intended stock, purchase or service result

55.1. Work the purchase-order register

Use Purchase orders to monitor drafts, issued orders, receipts and exceptions. Search by the business identity you are reconciling.

Monitor physical-goods purchase orders

- 1 Use New purchase order only after demand and budget gates are ready.
- 2 Read company-wide status counts separately from filtered rows.
- 3 Filter by status, supplier or search term.
- 4 When orders exist, open one from this register to issue, receive, amend or review history.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the correct order and its next operational action are identified

55.2. Create a purchase order

Create a PO from approved demand where possible. Verify supplier, ordered items, quantities, units, rates, taxes, dates and terms before issue.


Create a purchase-order draft

- 1 Confirm order date and purchasing context.
- 2 Choose the approved supplier and expected-delivery terms.
- 3 Add exact items, quantities, units and rates.
- 4 Review taxes, charges and vendor total.
- 5 Review notes and terms below, then save as Draft; issue only after approval.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: a reviewable draft exists; issue it only after commercial approval

55.3. Inspect and accept a goods receipt

Open the receipt queue when physical goods arrive. Match the PO line, record what arrived by unit, inspect it and put only accepted stock away.




Receive goods against the purchase order

- 1 Use this register for numbered goods receipts created against purchase orders.
- 2 Use search and status filters to find the exact receipt.
- 3 When a receipt row exists, open it to inspect, quarantine, reject or put away stock.
- 4 Use Deliveries only for older order-level records; new receipts belong here.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: accepted, quarantined and rejected quantities are separated and traceable

56.1. Monitor service-order delivery

Service orders control non-stock work. Move from issued to in progress to completion reported; the requesting department—not Store—accepts the result.




Track non-stock service work

- 1 Use status tabs to follow Draft through Accepted or Rework required.
- 2 Search by order, request or supplier.
- 3 A service order never creates a goods receipt or stock movement.
- 4 When completion is reported, the requester—not Store—accepts or asks for rework.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: accepted work is ready for Accounting match without creating stock or a goods receipt

57.1. Reserve and pick stock

Reserve stock against approved demand before picking it. Treat on hand, reserved, available, picked and issued as different states.



Reserve, pick and issue material

- 1 Use stage cards to separate ready, partial, short and completed demand.
- 2 Filter by request, department, warehouse and status.
- 3 Reserve only usable stock; shortages stay visible as backorders.
- 4 When requests appear, open a row to reserve, pick and issue from a real location.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: promised stock is staged and issued once, against the correct request

57.2. Use the issues and returns workspace

Choose the correct mode for a stock-out or internal stock-in. Search and verify the exact material/variant before opening the form.


Use the Issues and returns workspace

- 1 Choose Issue or Credit stock according to the physical event.
- 2 Search for the exact material or variant before opening a record.
- 3 Use the Issues and Returns filters to confirm the movement direction.
- 4 When records exist, open the result and verify the immutable movement history.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the movement direction, identity, unit and reason are correct

57.3. Run a controlled stock count

Start a count only after warehouse structure exists. Count by assigned scope, investigate differences, then post or cancel according to authority.



Start and complete a stock count

- 1 Choose the actual warehouse location being counted.
- 2 Choose Normal or Blind according to control policy.
- 3 Optionally narrow by item or SKU.
- 4 Start only after warehouse setup exists; later review and post differences.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: observations and any approved correction remain auditable

57.4. Trace stock movements

Use the ledger to investigate an item, variant, movement type or reference. A filtered net is not the item's full stock balance.


Investigate stock movement history

- 1 Choose the exact item before interpreting movement history.
- 2 Search by material name or SKU in the item chooser.
- 3 Variant and movement filters appear after an item is selected.
- 4 A filtered net is not the item's complete on-hand balance.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the movement chain and source document explain the quantity

57.5. Resolve stock exceptions

Work negative balances, unassigned accepted stock, placement mismatches and broken evidence chains from the exception register.



Resolve stock exceptions

- 1 Filter by exception type, severity, warehouse or item.
- 2 Open the exception and read its evidence before acting.
- 3 Correct the source event through receipt, transfer, count, return or reversal.
- 4 Use Start stock count when the evidence requires a physical count.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the root cause is corrected without rewriting posted history

58.1. Create lot labels and barcodes

Select the item/variant and state what one label represents. Number of labels is print quantity—it does not multiply stock or receive goods.

Create traceable lot labels

- 1 Select the item and exact variant—or Whole item / no variant.
- 2 Enter quantity per label with its unit.
- 3 Enter number of labels; this does not multiply or adjust stock.
- 4 Review the batch, then create and print once.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: each printed label identifies a real stored quantity without changing inventory

59.1. Use the Materials register

Materials is the master for stock-tracked inputs. Search, filter and open the item; use operational screens for stock quantity changes.

The screenshot shows the 'Materials' register in the GRAV Store & Purchase application. The interface includes a top navigation bar with tabs like Overview, Requests, Purchase, Receive, Inventory, Materials (selected), Reports, Settings, and Legacy & production. Below the navigation bar, there's a 'Materials' header with a sub-header 'Finished inputs. Finished products and their BOM are managed separately.' and an 'Add item' button. A summary section shows 'Total items: 259', 'Low stock: 33', 'Out of stock: 78', and 'Stock status: 20 of 259'. A search bar is present with filters for 'All Categories', 'All Status', and 'All Types'. A 'Low Stock - Reorder Soon' section is also visible. The main part of the screen is a table listing materials with columns: ITEM, CATEGORY, BA UNIT, ON HAND, REORDER LEVELS, VARIANTS, STATUS, LAST UPDATED, and ACTIONS. The table lists items like COBRA FILE, PALLET SUPREME, GARIVA SAREE, KUMKUM SAREE, and NAVYA SAREE. Numbered callouts (1-4) point to specific UI elements: 1 points to the search bar, 2 points to the 'Add item' button, 3 points to the 'Low Stock - Reorder Soon' section, and 4 points to the 'Add item' button.


Use the Materials register

- 1 Search and filter by identity, stock status, category or type.
- 2 Open an item for variants, reorder policy, supplier references and movements.
- 3 Use Stock adjustment for opening or corrected stock—not the master form.
- 4 Add item creates reusable material identity only.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the correct material identity is found without creating a duplicate

59.2. Create a material master record

Create reusable identity and policy—not stock. Complete classification, base unit, budget-classification result, reorder policy and meaningful variants.



The screenshot shows the 'Add item' form in the GRAV Store & Purchase application. The form is divided into several sections: 'Item identity', 'Classification & unit', 'Quick Suggestions', and 'Guide'. Five numbered callouts point to specific fields and sections:

- 1** Points to the 'Item name' field in the 'Item identity' section.
- 2** Points to the 'Product Type' dropdown in the 'Classification & unit' section.
- 3** Points to the 'Base unit of measure' dropdown in the 'Classification & unit' section.
- 4** Points to the 'Guide' section, which contains instructions on how to enter stock.
- 5** Points to the 'Add item' button at the bottom right of the form.

Create a material master record

- 1 Enter a clear item name; the stable internal code is assigned on save.
- 2 Choose product type, category and base unit.
- 3 Confirm the base unit used for every stock quantity on this item.
- 4 Use the on-screen guide: current stock is entered through Stock adjustment, not here.
- 5 Use Add item only after reviewing the remaining sections below.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: a stable material record exists with no invented opening balance

59.3. Read the finished-product catalogue

Finished products and BOMs are production-owned outputs. Store reads them for identity and material demand; it does not merge them into Materials.

Read finished products and BOM context


- 1 Search the production-owned finished-product catalogue.
- 2 Choose the correct product row and then its variant.
- 3 Read BOM material requirements for planning and traceability.
- 4 Use the row's open action to inspect; make engineering changes in Production.

Product	Category	Description	Comments	Literate	Updated
Gardener Shirt PROD-SH-GARDEN-284	Shirts	—	1 variant 2 BOM materials 0 operations	Active	03 Sept 2026
Fancy Hoodie PROD-SH-FANCY-183	Sweatshirts	—	1 variant 2 BOM materials 0 operations	Active	03 Sept 2026
Sourpys Jacket PROD-SH-SOURPY-379	Shirts	—	1 variant 0 BOM materials 0 operations	Active	02 Sept 2026
Formal T-shirt PROD-SH-FORM-5-404	Shirts	—	1 variant 3 BOM materials 4 operations	Active	02 Sept 2026
Jaligier Pant PROD-BOT-JALIGIER-703	Bottoms	—	1 variant 2 BOM materials 0 operations	Active	01 Sept 2026
Sourpys Pant PROD-SH-SOURPY-538	Sportswear	—	1 variant 3 BOM materials 0 operations	Active	01 Sept 2026
Tactical Tactical Pant PROD-BOT-TACTICAL-421	Bottoms	—	1 variant 2 BOM materials 0 operations	Active	01 Sept 2026
Sourpys T-shirt PROD-SH-SOURPY-372	Shirts	—	1 variant 3 BOM materials 0 operations	Active	01 Sept 2026
Woman Fancy Shirt PROD-SH-WOMAN-FANCY-174	Shirts	—	1 variant 0 BOM materials 0 operations	Active	01 Sept 2026

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the correct output/BOM context is understood without duplicating the master

59.4. Maintain supplier identity

Search before adding. Keep one supplier identity with lifecycle, contact and compliance facts rather than creating spelling variants.



The screenshot shows the 'Suppliers' page in the GRAV Store & Purchase interface. The page includes a search bar, filters for status and supplier type, and a table of suppliers. Four numbered callouts point to specific features:

- 1** Search for duplicates before adding a supplier. (Points to the search bar)
- 2** Open the supplier row to review legal, tax and contact information. (Points to the 'Coding Demo Supplier' row)
- 3** Use lifecycle status instead of deleting historical suppliers. (Points to the 'Active' status dropdown)
- 4** Use the row actions to open sourcing and order evidence. (Points to the row action icons)

Maintain supplier identity

- 1 Search for duplicates before adding a supplier.
- 2 Open the supplier row to review legal, tax and contact information.
- 3 Use lifecycle status instead of deleting historical suppliers.
- 4 Use the row actions to open sourcing and order evidence.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: purchasing documents refer to a controlled supplier master

59.5. Review supplier offers

Offers are dated commercial evidence, not permanent master cost. Compare current material, service and freight offers before selecting one.

Compare dated supplier offers


- 1 Separate Material, Outside service and Freight offers.
- 2 Filter by state and currency; search supplier or item identity.
- 3 Compare purchase unit, quoted price, tax basis, MOQ, lead time and validity.
- 4 Open the offer row for its complete commercial evidence.

SUPPLIER	ITEM	SUPPLIER ITEM CODE	PURCHASE UNIT	QUOTED PRICE	TAX BASIS	QST	MOQ	LEAD TIME	QUOTATION REFERENCE	VALID UNTIL	STATE	LAST REVISED
Costing Demo Supplier	Subtotal: 63.9725	Not recorded	Mtr	1100.00	Nr	1	7 days	2024-09-09	2024-09-09	2024-09-09	Current	08 Sept 2024

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the sourcing decision is supported by a current comparable offer

59.6. Capture a new supplier offer

Choose the correct offer type and supplier, then enter the exact item/service, unit basis, currency, validity and commercial terms.



The screenshot shows the 'Add offer' form in the GRAV Store & Purchase interface. The form is divided into several sections: 'Supplier', 'Item', 'Variant', 'Whole item', and 'What the supplier calls it'. Numbered markers 1 through 5 are placed on the form to indicate the steps to record a supplier quotation. Marker 1 points to the 'Supplier' section, marker 2 points to the 'Search supplier...' field, marker 3 points to the 'Search item...' field, marker 4 points to the 'Choose unit' dropdown, and marker 5 points to the 'Next' button.


Record a supplier quotation

- 1 Confirm that Step 1 is Supplier and item.
- 2 Search and select the exact supplier.
- 3 Select the exact item and variant from the master.
- 4 Record the supplier's item code and the purchase unit.
- 5 Continue through price, quantity, validity and review before saving.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: a dated, attributable offer can support purchasing or costing

59.7. Maintain units of measure

Use controlled units and valid conversions. If no conversion exists, correct the master or transaction—never assume one-to-one.




Maintain units and conversions

- 1 Enter the full unit name after confirming it does not already exist.
- 2 Add conversions only when another compatible unit is available.
- 3 Use the examples as guidance; every conversion is independent and must be defensible.
- 4 Review the name and conversions, then use Create unit once.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: quantities retain a valid and explainable measurement basis

59.8. Review warehouse structure

Warehouses and locations must reflect the physical flow used for receiving, inspection, usable stock, quarantine, returns and staging.




Review warehouses and operational locations

- 1 Switch between your company's warehouses and legacy records deliberately.
- 2 Search by warehouse name or code and filter by status.
- 3 When a row exists, open it to review receiving, inspection, usable, quarantine and returns locations.
- 4 Use Add warehouse only when the physical facility is defined.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: transactions can point to the place where stock actually is

59.9. Create warehouse structure

Enter a company-unique code, address and operational contact. Capacity describes the facility; it is not a stock balance.




Create warehouse structure

- 1 Enter a clear name and short company-unique code.
- 2 Record address and operational contact information.
- 3 Capacity describes the facility; it is not stock quantity.
- 4 Review the standard locations that will be created automatically.
- 5 Add only after the physical structure is correct.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the warehouse and its standard operational locations are ready for controlled use

60.1. Read the request report

Set a clear date and status scope before reading the figures. Use the report to find ageing and incomplete fulfilment.



The screenshot shows the 'Material request register' page. At the top, there are navigation tabs: Overview, Requests, Purchase, Receive, Inventory, Masters, Incidents, Settings, and Legacy & production. Below the tabs, the page title is 'Material request register' with a subtitle 'A read-only record of material requests, issues and returns.' There are five summary cards: 'Requests on record' (0), 'Awaiting team lead' (0), 'Approved - with Store' (0), 'Issued or partly issued' (0), and 'Score raised' (0). Below these is a search bar with a placeholder 'Search request number, requester, employee ID or purpose...'. There are three filters: 'Any status', 'Any type', and 'Any priority'. A 'by source' dropdown is also visible. Below the filters, a message states 'No material requests on record' and provides a link to 'Open the request desk'. A 'Refresh' button and an 'Open request desk' button are in the top right corner.

Trace demand in the material request register

- 1 Set status, type, source and priority filters first.
- 2 Read the population-scope sentence before using counts.
- 3 When requests exist, open their lines to follow reservations, POs, receipts or issues.
- 4 Open Request desk to start or continue live workflow.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the result can be explained by its visible filters and source requests

60.2. Read the movement report

Filter by period, material, variant and movement type. Keep unlike units separate and trace suspicious rows to their references.

Use the movement report

- 1 Choose period, transaction type and search scope.
- 2 Read movement totals and value moved as separate measures.
- 3 When rows exist, drill to source documents for unusual movements.
- 4 Do not call the filtered net movement an on-hand balance.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: movement activity is reconciled without presenting mixed units as one total

60.3. Review purchase exceptions

Use this report for overdue orders, receipt/billing mismatches and other purchasing blockers; assign the next action to the owning team.

Work the purchase exception queue

- 1 Filter by search, exception, order status and attention state.
- 2 When an exception exists, open its PO, receipt, service order or voucher evidence.
- 3 Correct the actual condition instead of merely closing the warning.
- 4 Refresh and confirm the exception clears or records a remaining reason.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: commercial and document-chain exceptions have an accountable resolution path

60.4. Read inventory valuation

Choose valuation scope and read missing-cost coverage before relying on totals. This is management valuation, not the posted Accounting ledger.

Inventory valuation

Moving weighted-average value of stock on hand, from recorded movements.

⌂ Refresh

ⓘ Weighted-average value is derived from recorded stock receipts and movements, plus landed costs (freight, insurance, customs, etc.) charged on goods from supplier bills. Recoverable GST and other non-acquisition charges are excluded. This is a management valuation, not final product cost.

From last closing value
₹6,36,523.09
 Base: ₹6,36,523.09 + 1 golden PK
 A base from valued stock - Not a total

Consistently valued items
167
 Items with landed cost

Partly unvalued
5

Indeterminate value
5

Balance mismatches
85

STOCK ON HAND, BY UNIT

Unit	Box	200 Feet	500 Grams	10 Grams	1 Inch	481.6786 Kilogram	4.5 Liter	8.44,134.1 Meter	1 Millimeter	0 Millimeter	544,345.54 Mm	7 Nos
4 PKCNET	37,722 Pcs	-270,483.93 Pcs	2 Rul	-200 Set	0 TRP							

Of which not yet valued: 20 Kilogram - 15 Meter - 61.6 Pcs

Search
 Search on (SKU)

Category
 All categories

Sort
 Item name

Filters
 All Valued Partly unvalued Indeterminate Mismatch

Items

Item	On hand	Qty cost	Known value	Valued
1 Way Metal MCB Board 630V-16T-170x74x74x30x4-823	2 Pcs	₹40	₹80	Valued
10 MM DRILL DIE (32MM BIT) SWP-DIE-10MMDRDIE-331	1 Box	₹100	₹100	Valued

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the value is interpreted with its method, evidence coverage and limitations

61.1. Use Store settings safely

Settings change future operational defaults and policies. Review downstream request, order, receipt and reporting effects before saving.

The screenshot shows the 'Store Settings' page in the GRAV system. The page has a header with navigation links: Overview, Requests, Purchase, Receive, Inventory, Masters, Reports, Settings (active), and Legacy & production. Below the header, the 'Store Settings' section is titled 'The address and contact details printed on Store PDFs'. It includes a warning: 'Applies to Purchase Orders, Purchase Forms and Work Orders (generated PDFs). The brand name and logo are not configurable but a field left blank falls back to the value that was previously built into the form, or an empty form still prints a complete letterhead.' The form is divided into two main sections: 'Address' and 'PDF preview'. The 'Address' section has fields for 'Store name' (e.g., Central Store), 'Address line 1' (Mayfair Lagoon Campus SE, Jayadev Vihar), 'Address line 2' (Regional Research Laboratory, Khorda), 'City/district' (e.g., Khorda), 'State' (Orissa), 'Country' (India), and 'PIN code' (751013). There is also an 'Extra line' field for 'Landmark, gate number, delivery timings...'. The 'PDF preview' section shows a sample of the printed output, including the GRAV logo and the store details. A 'Contact' section at the bottom has a 'Phone' field. Numbered callouts 1 through 4 point to specific elements: 1 points to the warning text, 2 points to the 'Address line 1' field, 3 points to the 'PDF preview' section, and 4 points to the 'Contact' section.


Review Store operating settings

- 1 Read which generated documents these Store details affect.
- 2 Enter the Store address in the order it should print.
- 3 Use PDF preview to verify the printed identity before saving.
- 4 Continue to Contact details below and save only verified information.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: the controlled setting is documented and effective from a known point

61.2. Read legacy purchase forms

The legacy register remains for history and supported old work. It is not the starting point for a new request or purchase.



Use legacy screens only for history

- 1 Search or filter historical records when evidence is required.
- 2 Read the shown-record counts and scope honestly.
- 3 Use View or PDF on the row without creating new work.
- 4 Use the notice link to start all new demand in Request desk.

Actual Store & Purchase interface. Follow the numbered markers in order. Expected outcome: historical records remain readable while new work begins in Request desk