First you need some settings from the configuration page of Unicenta for the database setting.

Database

Driver Library	C:\Program Files\unicentaopos-3.02\.\lib\derby.jar
Driver Class	org.apache.derby.jdbc.EmbeddedDriver
URL	jdbc:derby:C:\Documents and Settings\Administrator\unicentaopos-database;create=true
User	
Password	

Open Squirrel, select the 'Drivers' tab, and double click or right click 'Edit' 'Apache Derby Embedded'

Copy and paste the URL for the database from Unicenta, into the Example URL box in Squirrel.

Select the 'Extra Class Path' click and 'Add' then locate the derby.jar in the Unicentaopos library folder.

Click 'List Drivers' and the 'Class Name' should auto populate.

Your driver screen should look similiar to the one above.

Click 'OK' to save your changes.

If Unicenta is open close it, as you can not have multiple connection to the embedded database.

Now select the 'Aliases' tab, the click add 'Create New Alias' + icon.

Enter a name for the Alias.

From the drop down box for the driver select ' Apache Derby Embedded'. The Url should populate from the database connection
created earlier.

Select 'Auto logon'

Click 'Test'

If all is good you should get

Close the dialog box, click 'OK' to save the entry.

Double click the new alias you have created to open a connection to the database.

Select 'SQL' tab.

enter sql trans statement 'ALTER TABLE PRODUCTS ADD COLUMN ISVPRICE SMALLINT DEFAULT 0 NOT NULL;'

Then click the run (little man) icon. Providing you get no errors the new column should have been added.

To check this click the 'Ojects' tab

Expand 'App'

Expand 'Table'

Highlight 'Products'

Select the 'Columns' tab, and the new column should be at the botton of the list

File   Drivers   Aliases   Plugins   Session   Windows   Help

Connect to: Unicenta   ▼   Active Session: 5 - Unicenta   ▼

✕ 🗋 5 - Unicenta

Objects   SQL

| Imported Keys | Indexes | Privileges | Column Privileg |
| Info | Content | Row Count | Columns |

Unicenta
  APP
    SYNONYM
    SYSTEM TABLE
    TABLE
      APPLICATIONS
      ATTRIBUTE
      ATTRIBUTEINSTANCE
      ATTRIBUTESET
      ATTRIBUTESETINSTANCE
      ATTRIBUTEUSE
      ATTRIBUTEVALUE
      BREAKS
      CATEGORIES
      CLOSEDCASH
      CUSTOMERS
      FLOORS
      LEAVES
      LOCATIONS
      PAYMENTS
      PEOPLE
      PLACES
      PRODUCTS
        TRIGGER
      PRODUCTS_CAT
      PRODUCTS_COM
      RECEIPTS
      RESERVATIONS

COLUMN_...	TYPE_N...	IS_NULLA...	DECIMAL_DIGI...	CO
ID	VARCHAR	NO	<null>	256
REFEREN...	VARCHAR	NO	<null>	102
CODE	VARCHAR	NO	<null>	102
CODETYPE	VARCHAR	YES	<null>	102
NAME	VARCHAR	NO	<null>	102
PRICEBUY	DOUBLE	NO	<null>	52
PRICESELL	DOUBLE	NO	<null>	52
CATEGORY	VARCHAR	NO	<null>	256
TAXCAT	VARCHAR	NO	<null>	256
ATTRIBUTE...	VARCHAR	YES	<null>	256
STOCKCOST	DOUBLE	YES	<null>	52
STOCKVOL...	DOUBLE	YES	<null>	52
IMAGE	BLOB	YES	<null>	214
ISCOM	SMALLINT	NO	0	5
ISSCALE	SMALLINT	NO	0	5
ISKITCHEN	SMALLINT	NO	0	5
PRINTKB	SMALLINT	NO	0	5
SENDSTAT...	SMALLINT	NO	0	5
ISSERVICE	SMALLINT	NO	0	5
ATTRIBUTES	BLOB	YES	<null>	214
DISPLAY	VARCHAR	YES	<null>	256
ISVPRICE	SMALLINT	NO	0	5

/Unicenta/APP/TABLE/PRODUCTS

ErrorCode: 10000

Query 1 of 1, Rows read: 0, Elapsed time (seconds) - Total: 0.078, SQL query: 0.078, Reading results: 0

Logs: Errors 1, Warnings 0, Infos 21   31 of 52 ME