

# SearchKit



Pawel Kowalski & Marco Schmalz  
iterativ.ch

Sept 2016

# SearchKit - Workshop

- Daten vorbereitet: Quelle von musicbrainz.org
- Indexiert in elasticsearch
- Voraussetzung: mapping

Ziel: jeder kann so einen Datenexplorer selber coden

Voraussetzung: daten in elastic

Projekt clonen: <https://github.com/iterativ/elastic-dataexplorer>

# SearchKit - Workshop

- Anatomie der SearchKit Seite
- Verschiedene elemente (screenshots)
- Dokumentation: <http://docs.searchkit.co/stable/>
-

# SearchBox Component




The search box component is where your users type their search queries.

4162 results found

Grid

List

Clear all filters




# Hits Component

Hits component displays results from ElasticSearch. To customize each result, you need to implement a React component and pass into `itemComponent` prop. The component will receive a single `hit` object from the search results, which will include `result._source` which contains the untouched stored fields which were indexed.




The Dark Knight



Pulp Fiction



The Lord of the Rings:  
The Return of the King




Se7en



One Fl  
Cucko

# NoHits Component

`NoHits` component is displayed when the current query yields no results from Elasticsearch. `NoHits` may offer actions to help the user tweak their search to return results. `NoHits` will display an error when Elastic search responds with an error. You can override the display of `NoHits` by passing in a React Component in `component` or `errorComponent` props. See Overriding section for more details.



# Pagination

The pagination component provides ability to go to next and previous page.




[pocalypse Now](#)



[Requiem for a Dream](#)



[Aliens](#)



[Snatch.](#)

Previous Page	1	2	3	4	...	Next Page
---------------	---	---	---	---	-----	-----------

# Numeric Refinement List

Allows the user to refine results based on a numerical elasticsearch attribute. You specify an array of options for the user to select from. Will only allow the user to select one.

<b>Length</b>	
<b>All</b>	4033
up to 20	62
21 to 60	725
60 or more	3080



# List Component examples

**ItemList**

All	4162
Movie	3120
Episode	521
Series	473
Game	48

**CheckboxItemList**

<input checked="" type="checkbox"/> All	4162
<input type="checkbox"/> Movie	3120
<input type="checkbox"/> Episode	521
<input type="checkbox"/> Series	473
<input type="checkbox"/> Game	48

**ItemHistogramList**

All	4162
Movie	3120
Episode	521
Series	473
Game	48

**TagCloud**

All (4162) Episode (521) Game (48) Movie (3120) Series (473)

**Toggle**

All (4162) Movie (3120) Episode (521) Series (473) Game (48)

**Tabs**


All (4162) Movie (3120) Episode (521) Series (473) Game (48)

**Select**

All (4162)

# Range Filter

The range filter lets users filter results within a numerical range. Provides a histogram so show the user where results are found on the range.



# Checkbox Filter

A checkbox filter component which can be used with either simple or more complicated filters to decide on/off behaviour.

<b>Rating</b>	
<input type="checkbox"/> Rated R	1104
<b>Date</b>	
<input type="checkbox"/> Recent	66

## Input Filter

A input box based filter which is similar to SearchBox, but can be used multiple times, general on the left side panel.

### Actors filter



Bruce Willis|



# TagFilter, TagFilterList, TagFilterConfig

A suite of components to provide tag filters within your search results.

Writers: Jonathan Nolan, Christopher Nolan X

[Clear all filters](#)



## The Dark Knight


Released in 2008, rated 9/10

Genres: Action, Crime, Drama

Writers: **Jonathan Nolan, Christopher Nolan**, David S. Goyer, Bob Kane

Actors: Christian Bale, Heath Ledger, Aaron Eckhart, Michael Caine

When Batman, Gordon and Harvey Dent launch an assault on the mob, they let the clown out of the box, the Joker, bent on turning Gotham on itself and bringing any heroes down to his level.



## Doodlebug

Released in 1997, rated 7.1/10

Genres: Short, Fantasy, Mystery

Writers: **Christopher Nolan**

Actors: Jeremy Theobald

In a ratty flat, a man is on his hands and knees, holding a shoe by its toe, trying to kill a bug of some sort that so far has managed to evade him. He keeps up the chase and whacks at it a...

# Selected Filters

This component shows all the filters that have been applied to the current search.

53 results found

Grid

List






Rel

Categories: Episode X

IMDB Rating: 4 - 10 X

Actors: Jennifer Carpenter X

Clear all filters



# Hierarchical Menu

Component which renders a tree like structure. Used for items which have multiple levels of categorization. Used for when documents have only one hierarchical category. For documents with more than one categories, see hierarchical Refinement filter.

## Categories

Movie	3120
<b>Episode</b>	521
Drama	445
Mystery	146
Adventure	145
Fantasy	144
Crime	113
Thriller	77
Comedy	76
Horror	75
Sci-Fi	66
Action	56
Family	43
Romance	29
Animation	21
Documentary	9
<b>Biography</b>	8
History	6

8 results found

Episode: Biography x

[Clear all filters](#)



Shadow Games



The Doors: When You're Strange

# Page Size Selector

A component which allows to change the results per page of the search results.




Select and Toggle examples side by side



# Sorting Selector

This component lets you reorder your results. Each option requires a sortable Elasticsearch field and the order of which you want to sort by.



Select and Toggle example side by side.

# Layout Components

Default set of layout components provided by Searchkit which work with Searchkit's default theme.

**Categories**

Movie3120

Episode521

Series473

Game48

**Actors**

☐ Naveen Andrews56

☐ Jennifer Carpenter56

☐ Michael C. Hall56

☐ Emilie de Ravin53

☐ Jared Padalecki49

☐ Jensen Ackles49

☐ Julie Benz40

☐ Henry Ian Cusick39


☐ Hugh Laurie36

☐ Omar Epps33


[View more](#)

4162 results found in 11ms


[Clear all filters](#)




[The Dark Knight](#)




[Pulp Fiction](#)




[The Lord of the Rings:  
The Return of the King](#)




[Se7en](#)




[One Flew Over the  
Cuckoo's Nest](#)




[Gladiator](#)




[Don't Look Back](#)



[Eternal Sunshine  
of the Spotless Mind](#)



[Apocalypse Now](#)



[Requiem  
for a Dream](#)

# Panel

This is a titled Panel component which can be collapsed, it is the default `containerComponent` used by our filter components

▼ **My Panel**

my content...

# List Components

A Suite of UI Components which render lists in various ways and can be passed to many Searchkit components to change their list appearance.


The image displays a collection of seven different UI components for rendering lists, arranged in a grid-like fashion. Each component is shown with a title and a sample list of items with counts.

- ItemList**: A simple list with items and counts: All (4162), Movie (3120), Episode (521), Series (473), Game (48).
- CheckboxItemList**: A list with checkboxes next to each item: ☒ All (4162), ☐ Movie (3120), ☐ Episode (521), ☐ Series (473), ☐ Game (48).
- ItemHistogramList**: A list where each item is accompanied by a horizontal bar representing its count: All (4162), Movie (3120), Episode (521), Series (473), Game (48).
- TagCloud**: A horizontal list of tags with counts: All (4162), Episode (521), Game (48), Movie (3120), Series (473).
- Toggle**: A set of five buttons, with 'All (4162)' selected and highlighted in blue. Other buttons are 'Movie (3120)', 'Episode (521)', 'Series (473)', and 'Game (48)'.
- Tabs**: A set of five tabs, with 'Movie (3120)' selected and highlighted in blue. Other tabs are 'All (4162)', 'Episode (521)', 'Series (473)', and 'Game (48)'.
- Select**: A dropdown menu with 'All (4162)' selected, indicated by a downward arrow.

Many of SearchKit's components which render lists will support a `listComponent` prop where these components can be referenced

# Range Components

A Suite of UI Components which render ranges in various ways and can be passed to some Searchkit components to change their range appearance.



Currently works for `RangeFilter` using the `rangeComponent` prop