

DivGeo/dg/equtrn
2008-06

Generated by Doxygen 1.5.6

Mon Jul 21 11:22:49 2008

Contents

1	Modules Index	1
1.1	Modules List	1
2	File Index	3
2.1	File List	3
3	Module Documentation	5
3.1	cropequ Module Reference	5
3.1.1	Detailed Description	5
3.1.2	Variable Documentation	6
3.1.2.1	btorc	6
3.1.2.2	err	6
3.1.2.3	i	6
3.1.2.4	iret	6
3.1.2.5	j	6
3.1.2.6	ngpr	6
3.1.2.7	ngpz	6
3.1.2.8	nr	6
3.1.2.9	nrn	6
3.1.2.10	nz	6
3.1.2.11	nzn	7
3.1.2.12	pfm	7
3.1.2.13	psilim	7
3.1.2.14	psimin	7
3.1.2.15	rcntc	7
3.1.2.16	rgr	7
3.1.2.17	rmax	7
3.1.2.18	rmin	7
3.1.2.19	zgr	7

3.1.2.20	zmax	7
3.1.2.21	zmin	7
3.2	culham Module Reference	8
3.2.1	Detailed Description	8
3.2.2	Variable Documentation	8
3.2.2.1	btorc	8
3.2.2.2	chop	8
3.2.2.3	date	9
3.2.2.4	ffg	9
3.2.2.5	fg	9
3.2.2.6	pfm	9
3.2.2.7	pg	9
3.2.2.8	ppg	9
3.2.2.9	psilim	9
3.2.2.10	psimin	9
3.2.2.11	rcntc	9
3.2.2.12	rdim	9
3.2.2.13	redge	9
3.2.2.14	rgr	10
3.2.2.15	rma	10
3.2.2.16	title	10
3.2.2.17	zdim	10
3.2.2.18	zgr	10
3.2.2.19	zma	10
3.2.2.20	zmsmid	10
3.3	dg2dg Module Reference	11
3.3.1	Detailed Description	11
3.3.2	Variable Documentation	11
3.3.2.1	btorc	11
3.3.2.2	i	11
3.3.2.3	iret	11
3.3.2.4	j	11
3.3.2.5	ngpr	12
3.3.2.6	ngpz	12
3.3.2.7	nr	12
3.3.2.8	nz	12

3.3.2.9	pfm	12
3.3.2.10	psilim	12
3.3.2.11	psimin	12
3.3.2.12	rcntc	12
3.3.2.13	rgr	12
3.3.2.14	zgr	12
3.4	dg2ef Module Reference	13
3.4.1	Detailed Description	13
3.4.2	Variable Documentation	13
3.4.2.1	btorc	13
3.4.2.2	date	13
3.4.2.3	ffg	14
3.4.2.4	fg	14
3.4.2.5	pfm	14
3.4.2.6	pg	14
3.4.2.7	ppg	14
3.4.2.8	psilim	14
3.4.2.9	psimin	14
3.4.2.10	rcntc	14
3.4.2.11	rdim	14
3.4.2.12	redge	14
3.4.2.13	rgr	14
3.4.2.14	rma	15
3.4.2.15	title	15
3.4.2.16	zdim	15
3.4.2.17	zgr	15
3.4.2.18	zma	15
3.4.2.19	zmsmid	15
3.5	dg2vr Module Reference	16
3.5.1	Detailed Description	16
3.5.2	Variable Documentation	16
3.5.2.1	btorc	16
3.5.2.2	pfm	16
3.5.2.3	psilim	16
3.5.2.4	rcntc	16
3.5.2.5	rgr	16

3.5.2.6	zgr	17
3.6	dg_arith_dg Module Reference	18
3.6.1	Detailed Description	18
3.6.2	Variable Documentation	18
3.6.2.1	btorc	18
3.6.2.2	filename	18
3.6.2.3	pfm	18
3.6.2.4	psilim	18
3.6.2.5	rcntc	19
3.6.2.6	rgr	19
3.6.2.7	shift	19
3.6.2.8	zgr	19
3.7	dg_minuspsi_dg Module Reference	20
3.7.1	Detailed Description	20
3.7.2	Variable Documentation	20
3.7.2.1	btorc	20
3.7.2.2	filename	20
3.7.2.3	pfm	20
3.7.2.4	psilim	20
3.7.2.5	rcntc	20
3.7.2.6	rgr	21
3.7.2.7	shift	21
3.7.2.8	zgr	21
3.8	dg_proc_dg Module Reference	22
3.8.1	Detailed Description	22
3.8.2	Variable Documentation	22
3.8.2.1	btorc	22
3.8.2.2	chop	22
3.8.2.3	filename	22
3.8.2.4	pfm	22
3.8.2.5	psilim	22
3.8.2.6	rcntc	23
3.8.2.7	rgr	23
3.8.2.8	shift	23
3.8.2.9	zgr	23
3.9	diva2dg Module Reference	24

3.9.1	Detailed Description	24
3.9.2	Variable Documentation	24
3.9.2.1	apf	24
3.9.2.2	Bt	24
3.9.2.3	btorc	24
3.9.2.4	derivative	25
3.9.2.5	filename	25
3.9.2.6	gpr	25
3.9.2.7	gpz	25
3.9.2.8	pc	25
3.9.2.9	pcd	25
3.9.2.10	pfl	25
3.9.2.11	pfm	25
3.9.2.12	pr	25
3.9.2.13	prd	25
3.9.2.14	q	25
3.9.2.15	rcntc	26
3.9.2.16	xpf	26
3.10	ef2dg Module Reference	27
3.10.1	Detailed Description	27
3.10.2	Variable Documentation	27
3.10.2.1	btorc	27
3.10.2.2	date	27
3.10.2.3	ffg	28
3.10.2.4	fg	28
3.10.2.5	pfm	28
3.10.2.6	pg	28
3.10.2.7	ppg	28
3.10.2.8	psilim	28
3.10.2.9	psimin	28
3.10.2.10	rcntc	28
3.10.2.11	rdim	28
3.10.2.12	redge	28
3.10.2.13	rgr	28
3.10.2.14	rma	29
3.10.2.15	title	29

3.10.2.16	zdim	29
3.10.2.17	zgr	29
3.10.2.18	zma	29
3.10.2.19	zmsmid	29
3.11	JETPPF2DG Module Reference	30
3.11.1	Detailed Description	31
3.11.2	Variable Documentation	31
3.11.2.1	arg	31
3.11.2.2	BR	31
3.11.2.3	BT	31
3.11.2.4	btorc	31
3.11.2.5	BZ	32
3.11.2.6	CONV	32
3.11.2.7	DDA	32
3.11.2.8	DPSI	32
3.11.2.9	EPS	32
3.11.2.10	filename	32
3.11.2.11	FP	32
3.11.2.12	FPT	32
3.11.2.13	i	32
3.11.2.14	iarg	32
3.11.2.15	iargc	32
3.11.2.16	IDUM	33
3.11.2.17	IER	33
3.11.2.18	IERRA	33
3.11.2.19	IERROR	33
3.11.2.20	IGO	33
3.11.2.21	IREAD	33
3.11.2.22	iret	33
3.11.2.23	IWRITE	33
3.11.2.24	j	33
3.11.2.25	LFLUSH	33
3.11.2.26	lnblnk	33
3.11.2.27	LUNMSG	34
3.11.2.28	MR	34
3.11.2.29	MSG	34

3.11.2.30 MZ	34
3.11.2.31 NP	34
3.11.2.32 NR	34
3.11.2.33 NSEQ	34
3.11.2.34 NSHOT	34
3.11.2.35 NX	34
3.11.2.36 NY	34
3.11.2.37 NZ	34
3.11.2.38 PPFUID	35
3.11.2.39 PSI	35
3.11.2.40 PSIO	35
3.11.2.41 PSIB	35
3.11.2.42 psilim	35
3.11.2.43 R	35
3.11.2.44 R1	35
3.11.2.45 R2	35
3.11.2.46 RATIOX	35
3.11.2.47 RATIOY	35
3.11.2.48 RBTOR	35
3.11.2.49 rcntc	36
3.11.2.50 TIME	36
3.11.2.51 TSHOT	36
3.11.2.52 TWOPI	36
3.11.2.53 WIDTH	36
3.11.2.54 Z	36
3.11.2.55 Z1	36
3.11.2.56 Z2	36
3.12 jt2dg Module Reference	37
3.12.1 Detailed Description	37
3.12.2 Variable Documentation	37
3.12.2.1 btorc	37
3.12.2.2 date	37
3.12.2.3 ffg	38
3.12.2.4 fg	38
3.12.2.5 pfm	38
3.12.2.6 pg	38

3.12.2.7	ppg	38
3.12.2.8	psilim	38
3.12.2.9	psimin	38
3.12.2.10	rcntc	38
3.12.2.11	rdim	38
3.12.2.12	redge	38
3.12.2.13	rgr	38
3.12.2.14	rma	39
3.12.2.15	title	39
3.12.2.16	zdim	39
3.12.2.17	zgr	39
3.12.2.18	zma	39
3.12.2.19	zmsmid	39
3.13	nk2dg Module Reference	40
3.13.1	Detailed Description	40
3.13.2	Variable Documentation	40
3.13.2.1	btorc	40
3.13.2.2	delr	40
3.13.2.3	delz	40
3.13.2.4	fg	40
3.13.2.5	pfm	41
3.13.2.6	psilim	41
3.13.2.7	rcntc	41
3.13.2.8	rgr	41
3.13.2.9	rmax	41
3.13.2.10	rmin	41
3.13.2.11	zgr	41
3.13.2.12	zmax	41
3.13.2.13	zmin	41
3.14	nkn2dg Module Reference	42
3.14.1	Detailed Description	42
3.14.2	Variable Documentation	42
3.14.2.1	btorc	42
3.14.2.2	delr	42
3.14.2.3	delz	42
3.14.2.4	fg	42

3.14.2.5	pfm	43
3.14.2.6	psilim	43
3.14.2.7	rcntc	43
3.14.2.8	rgr	43
3.14.2.9	rmax	43
3.14.2.10	rmin	43
3.14.2.11	zgr	43
3.14.2.12	zmax	43
3.14.2.13	zmin	43
3.15	pb2dg Module Reference	44
3.15.1	Detailed Description	44
3.15.2	Variable Documentation	44
3.15.2.1	btorc	44
3.15.2.2	ffg	44
3.15.2.3	fg	44
3.15.2.4	pfm	44
3.15.2.5	pg	45
3.15.2.6	pi	45
3.15.2.7	ppg	45
3.15.2.8	psilim	45
3.15.2.9	rcntc	45
3.15.2.10	rgr	45
3.15.2.11	zgr	45
3.16	prinequ Module Reference	46
3.16.1	Detailed Description	46
3.16.2	Variable Documentation	46
3.16.2.1	btorc	46
3.16.2.2	date	46
3.16.2.3	ffg	46
3.16.2.4	fg	47
3.16.2.5	page	47
3.16.2.6	pfm	47
3.16.2.7	pg	47
3.16.2.8	ppg	47
3.16.2.9	psilim	47
3.16.2.10	psimin	47

3.16.2.11 rcntc	47
3.16.2.12 rdim	47
3.16.2.13 redge	47
3.16.2.14 rgr	47
3.16.2.15 rma	48
3.16.2.16 title	48
3.16.2.17 zdim	48
3.16.2.18 zgr	48
3.16.2.19 zma	48
3.16.2.20 zmsmid	48
3.17 pt2dg Module Reference	49
3.17.1 Detailed Description	49
3.17.2 Variable Documentation	49
3.17.2.1 ex	49
3.17.2.2 exi	49
3.17.2.3 hlp_txt	49
3.17.2.4 in_mesh	49
3.17.2.5 in_psi	49
3.17.2.6 out_file	49
3.18 risepsi Module Reference	50
3.18.1 Detailed Description	50
3.18.2 Variable Documentation	50
3.18.2.1 btorc	50
3.18.2.2 pfm	50
3.18.2.3 psilim	50
3.18.2.4 rcntc	50
3.18.2.5 rgr	50
3.18.2.6 shift	51
3.18.2.7 zgr	51
3.19 shotfile2dg Module Reference	52
3.19.1 Detailed Description	52
3.19.2 Variable Documentation	53
3.19.2.1 arg	53
3.19.2.2 br	53
3.19.2.3 bt	53
3.19.2.4 btorc	53

3.19.2.5	bz	53
3.19.2.6	dianam	53
3.19.2.7	expnam	53
3.19.2.8	filename	53
3.19.2.9	fjp	53
3.19.2.10	fpf	54
3.19.2.11	gpr	54
3.19.2.12	gpz	54
3.19.2.13	iarg	54
3.19.2.14	iargc	54
3.19.2.15	lin	54
3.19.2.16	lnblnk	54
3.19.2.17	lpfxdim	54
3.19.2.18	mdim	54
3.19.2.19	nedit	54
3.19.2.20	nshot	54
3.19.2.21	pfm	55
3.19.2.22	pfmd	55
3.19.2.23	pfxx	55
3.19.2.24	psilim	55
3.19.2.25	rcntc	55
3.19.2.26	ri	55
3.19.2.27	rin	55
3.19.2.28	rpfx	55
3.19.2.29	tshot	55
3.19.2.30	zin	55
3.19.2.31	zj	55
3.19.2.32	zpx	56
3.20	sst2dg Module Reference	57
3.20.1	Detailed Description	57
3.20.2	Variable Documentation	57
3.20.2.1	apf	57
3.20.2.2	Bt	57
3.20.2.3	btorc	57
3.20.2.4	derivative	58
3.20.2.5	gpr	58

3.20.2.6	gpz	58
3.20.2.7	pc	58
3.20.2.8	pcd	58
3.20.2.9	pfl	58
3.20.2.10	pfm	58
3.20.2.11	pr	58
3.20.2.12	prd	58
3.20.2.13	q	58
3.20.2.14	rcntc	58
3.20.2.15	xpf	59
3.21	vr2dg Module Reference	60
3.21.1	Detailed Description	60
3.21.2	Variable Documentation	60
3.21.2.1	btorc	60
3.21.2.2	pfm	60
3.21.2.3	psilim	60
3.21.2.4	rcntc	60
3.21.2.5	rgr	60
3.21.2.6	zgr	61
4	File Documentation	63
4.1	src/cropequ.f File Reference	63
4.1.1	Function Documentation	64
4.1.1.1	crop	64
4.2	src/culham.f File Reference	65
4.3	src/dg2dg.f File Reference	66
4.4	src/dg2ef.f File Reference	67
4.5	src/dg2vr.f File Reference	68
4.6	src/dg_arith_dg.f File Reference	69
4.7	src/dg_minuspsi_dg.f File Reference	70
4.8	src/dg_proc_dg.f File Reference	71
4.9	src/diva2dg.f File Reference	72
4.10	src/double.f File Reference	73
4.10.1	Function Documentation	73
4.10.1.1	double	73
4.11	src/ef2dg.f File Reference	74
4.12	src/jetppf2dg.f File Reference	75

4.12.1	Function Documentation	76
4.12.1.1	ERRMSS	76
4.12.1.2	LENSTR	76
4.13	src/jt2dg.f File Reference	77
4.14	src/nk2dg.f File Reference	78
4.15	src/nkn2dg.f File Reference	79
4.16	src/open_files.f File Reference	80
4.16.1	Function Documentation	80
4.16.1.1	open_files	80
4.17	src/pb2dg.f File Reference	81
4.18	src/prinequ.f File Reference	82
4.19	src/pt2dg.f File Reference	83
4.19.1	Function Documentation	83
4.19.1.1	BPOLRZ	83
4.19.1.2	TRINWT	83
4.19.1.3	WPOLRZ	83
4.19.1.4	wreqdg	83
4.20	src/rdefit.f File Reference	85
4.20.1	Function Documentation	85
4.20.1.1	rdefit	85
4.21	src/rdeqdg.f File Reference	86
4.21.1	Function Documentation	86
4.21.1.1	rdeqdg	86
4.22	src/rdeqjh.f File Reference	87
4.22.1	Function Documentation	87
4.22.1.1	rdeqjh	87
4.23	src/rdeqjt.f File Reference	88
4.23.1	Function Documentation	88
4.23.1.1	rdeqdg	88
4.24	src/rdeqlh.f File Reference	89
4.24.1	Function Documentation	89
4.24.1.1	rdeqlh	89
4.25	src/rdeqnk.f File Reference	90
4.25.1	Function Documentation	90
4.25.1.1	rdeqnk	90
4.26	src/rdeqnk2.f File Reference	91

4.26.1	Function Documentation	91
4.26.1.1	rdeqnk2	91
4.27	src/rdeqpb.f File Reference	92
4.27.1	Function Documentation	92
4.27.1.1	rdeqpb	92
4.28	src/rdeqvr.f File Reference	93
4.28.1	Function Documentation	93
4.28.1.1	rdeqvr	93
4.29	src/risepsi.f File Reference	94
4.30	src/shotfile2dg.f File Reference	95
4.30.1	Function Documentation	95
4.30.1.1	lnblnk	95
4.31	src/sst2dg.f File Reference	96
4.32	src/vr2dg.f File Reference	97
4.33	src/wrefit.f File Reference	98
4.33.1	Function Documentation	98
4.33.1.1	wrefit	98
4.34	src/wreqdg.f File Reference	99
4.34.1	Function Documentation	99
4.34.1.1	wreqdg	99
4.35	src/wreqvr.f File Reference	100
4.35.1	Function Documentation	100
4.35.1.1	wreqvr	100

Chapter 1

Modules Index

1.1 Modules List

Here is a list of all modules with brief descriptions:

cropequ (Crop the equilibrium)	5
culham (Translation of efitequilibrium data into dg-compatible format)	8
dg2dg (Refine the equilibrium a factor of 2 in both directions using splines)	11
dg2ef (Translation of dg-compatible equilibrium data into efitequilibrium format)	13
dg2vr (Translation of TdeV equilibrium data into dg-compatible format)	16
dg_arith_dg (Shift of the magnetic flux by a specified increment)	18
dg_minuspsi_dg (Change the sign of the flux)	20
dg_proc_dg (Do arbitrary re-processing of the equilibrium — in this case chop off the first few columns)	22
diva2dg (Translation of Diva equilibrium data into dg-compatible format)	24
ef2dg (Translation of efitequilibrium data into dg-compatible format)	27
JETPPF2DG (Translation of the JET PPF equilibrium data into dg-compatible format)	30
jt2dg (Translation of efitequilibrium data into dg-compatible format)	37
nk2dg (Translation of equilibrium data from Naka to dg-compatible format)	40
nkn2dg (Translation of equilibrium data from Naka to dg-compatible format)	42
pb2dg (Translation of equilibrium data from P. Barabasci into dg-compatible format)	44
prinequ (Printout of dg-compatible equilibrium data in a table)	46
pt2dg (Conversion of equilibrium file produced with PROTEUS into DG format (courtesy Prof. O. de Barbieri))	49
risepsi (Shift of the magnetic flux by a specified increment)	50
shotfile2dg (Translation of the AUG shotfile equilibrium data into dg-compatible format)	52
sst2dg (Translation of efitequilibrium data into dg-compatible format)	57
vr2dg (Translation of TdeV equilibrium data into dg-compatible format)	60

Chapter 2

File Index

2.1 File List

Here is a list of all files with brief descriptions:

src/cropequ.f	63
src/culham.f	65
src/dg2dg.f	66
src/dg2ef.f	67
src/dg2vr.f	68
src/dg_arith_dg.f	69
src/dg_minuspsi_dg.f	70
src/dg_proc_dg.f	71
src/diva2dg.f	72
src/double.f	73
src/ef2dg.f	74
src/jetppf2dg.f	75
src/jt2dg.f	77
src/nk2dg.f	78
src/nkn2dg.f	79
src/open_files.f	80
src/pb2dg.f	81
src/prinequ.f	82
src/pt2dg.f	83
src/rdefit.f	85
src/rdeqdg.f	86
src/rdeqjh.f	87
src/rdeqjt.f	88
src/rdeqlh.f	89
src/rdeqnk.f	90
src/rdeqnk2.f	91
src/rdeqpb.f	92
src/rdeqvr.f	93
src/risepsi.f	94
src/shotfile2dg.f	95
src/sst2dg.f	96
src/vr2dg.f	97
src/wrefit.f	98

src/wreqdg.f	99
src/wreqvr.f	100

Chapter 3

Module Documentation

3.1 cropequ Module Reference

Crop the equilibrium.

Variables

- integer [ngpr](#)
- integer [ngpz](#)
- real *8, dimension([ngpr](#), [ngpz](#)) [pfm](#)
- real *8, dimension([ngpr](#)) [rgr](#)
- real *8, dimension([ngpz](#)) [zgr](#)
- real *8 [rcntc](#)
- real *8 [psimin](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- real *8 [rmin](#)
- real *8 [rmax](#)
- real *8 [zmin](#)
- real *8 [zmax](#)
- integer [i](#)
- integer [j](#)
- integer [nr](#)
- integer [nz](#)
- integer [nrn](#)
- integer [nzn](#)
- integer [iret](#)
- logical [err](#)

3.1.1 Detailed Description

Crop the equilibrium.

arg1: input equilibrium file name

arg2: output equilibrium file name

reads data from standard input

Version:

21.07.2000 16:44

3.1.2 Variable Documentation

3.1.2.1 real*8 cropequ::btorc

Definition at line 19 of file cropequ.f.

3.1.2.2 logical cropequ::err

Definition at line 21 of file cropequ.f.

3.1.2.3 integer cropequ::i

Definition at line 20 of file cropequ.f.

3.1.2.4 integer cropequ::iret

Definition at line 20 of file cropequ.f.

3.1.2.5 integer cropequ::j

Definition at line 20 of file cropequ.f.

3.1.2.6 integer cropequ::ngpr

Definition at line 16 of file cropequ.f.

3.1.2.7 integer cropequ::ngpz

Definition at line 16 of file cropequ.f.

3.1.2.8 integer cropequ::nr

Definition at line 20 of file cropequ.f.

3.1.2.9 integer cropequ::nrn

Definition at line 20 of file cropequ.f.

3.1.2.10 integer cropequ::nz

Definition at line 20 of file cropequ.f.

3.1.2.11 integer cropequ::nzn

Definition at line 20 of file cropequ.f.

3.1.2.12 real*8,dimension(ngpr,ngpz) cropequ::pfm

Definition at line 18 of file cropequ.f.

3.1.2.13 real*8 cropequ::psilim

Definition at line 19 of file cropequ.f.

3.1.2.14 real*8 cropequ::psimin

Definition at line 19 of file cropequ.f.

3.1.2.15 real*8 cropequ::rcntc

Definition at line 19 of file cropequ.f.

3.1.2.16 real*8,dimension(ngpr) cropequ::rgr

Definition at line 18 of file cropequ.f.

3.1.2.17 real*8 cropequ::rmax

Definition at line 19 of file cropequ.f.

3.1.2.18 real*8 cropequ::rmin

Definition at line 19 of file cropequ.f.

3.1.2.19 real*8,dimension(ngpz) cropequ::zgr

Definition at line 18 of file cropequ.f.

3.1.2.20 real*8 cropequ::zmax

Definition at line 19 of file cropequ.f.

3.1.2.21 real*8 cropequ::zmin

Definition at line 19 of file cropequ.f.

3.2 culham Module Reference

Translation of efit equilibrium data into dg-compatible format.

Variables

- real *8, dimension(ngpr) [fg](#)
- real *8, dimension(ngpr) [pg](#)
- real *8, dimension(ngpr) [ffg](#)
- real *8, dimension(ngpr) [ppg](#)
- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rdim](#)
- real *8 [zdim](#)
- real *8 [rcntc](#)
- real *8 [redge](#)
- real *8 [zmsmid](#)
- real *8 [rma](#)
- real *8 [zma](#)
- real *8 [psimin](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- character [title](#)
- character [date](#)
- integer [chop](#)

3.2.1 Detailed Description

Translation of efit equilibrium data into dg-compatible format.

arg1: input equilibrium file name

arg2: output equilibrium file name

This is a special variant of the standard efit-to-dg converter for Culham. A number of columns of the flux matrix are removed, and the resolution is quadrupled in each direction using splines.

Version:

16.11.95 20:04

3.2.2 Variable Documentation

3.2.2.1 real*8 culham::btorc

Definition at line 23 of file culham.f.

3.2.2.2 integer culham::chop

Definition at line 25 of file culham.f.

3.2.2.3 character culham::date

Definition at line 24 of file culham.f.

3.2.2.4 real*8,dimension(ngpr) culham::ffg

Definition at line 21 of file culham.f.

3.2.2.5 real*8,dimension(ngpr) culham::fg

Definition at line 21 of file culham.f.

3.2.2.6 real*8,dimension(ngpr,ngpz) culham::pfm

Definition at line 22 of file culham.f.

3.2.2.7 real*8,dimension(ngpr) culham::pg

Definition at line 21 of file culham.f.

3.2.2.8 real*8,dimension(ngpr) culham::ppg

Definition at line 21 of file culham.f.

3.2.2.9 real*8 culham::psilim

Definition at line 23 of file culham.f.

3.2.2.10 real*8 culham::psimin

Definition at line 23 of file culham.f.

3.2.2.11 real*8 culham::rentc

Definition at line 23 of file culham.f.

3.2.2.12 real*8 culham::rdim

Definition at line 23 of file culham.f.

3.2.2.13 real*8 culham::redge

Definition at line 23 of file culham.f.

3.2.2.14 real*8,dimension(ngpr) culham::rgr

Definition at line 22 of file culham.f.

3.2.2.15 real*8 culham::rma

Definition at line 23 of file culham.f.

3.2.2.16 character culham::title

Definition at line 24 of file culham.f.

3.2.2.17 real*8 culham::zdim

Definition at line 23 of file culham.f.

3.2.2.18 real*8,dimension(ngpz) culham::zgr

Definition at line 22 of file culham.f.

3.2.2.19 real*8 culham::zma

Definition at line 23 of file culham.f.

3.2.2.20 real*8 culham::zmsmid

Definition at line 23 of file culham.f.

3.3 dg2dg Module Reference

Refine the equilibrium a factor of 2 in both directions using splines.

Variables

- integer `ngpr`
- integer `ngpz`
- real *8, dimension(`ngpr`, `ngpz`) `pfm`
- real *8, dimension(`ngpr`) `rgr`
- real *8, dimension(`ngpz`) `zgr`
- real *8 `rcntc`
- real *8 `psimin`
- real *8 `psilim`
- real *8 `btorc`
- integer `nr`
- integer `nz`
- integer `iret`
- integer `i`
- integer `j`

3.3.1 Detailed Description

Refine the equilibrium a factor of 2 in both directions using splines.

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

16.01.2001 16:55

3.3.2 Variable Documentation

3.3.2.1 real*8 dg2dg::btorc

Definition at line 17 of file dg2dg.f.

3.3.2.2 integer dg2dg::i

Definition at line 18 of file dg2dg.f.

3.3.2.3 integer dg2dg::iret

Definition at line 18 of file dg2dg.f.

3.3.2.4 integer dg2dg::j

Definition at line 18 of file dg2dg.f.

3.3.2.5 integer dg2dg::ngpr

Definition at line 14 of file dg2dg.f.

3.3.2.6 integer dg2dg::ngpz

Definition at line 14 of file dg2dg.f.

3.3.2.7 integer dg2dg::nr

Definition at line 18 of file dg2dg.f.

3.3.2.8 integer dg2dg::nz

Definition at line 18 of file dg2dg.f.

3.3.2.9 real*8,dimension(ngpr,ngpz) dg2dg::pfm

Definition at line 16 of file dg2dg.f.

3.3.2.10 real*8 dg2dg::psilim

Definition at line 17 of file dg2dg.f.

3.3.2.11 real*8 dg2dg::psimin

Definition at line 17 of file dg2dg.f.

3.3.2.12 real*8 dg2dg::rcntc

Definition at line 17 of file dg2dg.f.

3.3.2.13 real*8,dimension(ngpr) dg2dg::rgr

Definition at line 16 of file dg2dg.f.

3.3.2.14 real*8,dimension(ngpz) dg2dg::zgr

Definition at line 16 of file dg2dg.f.

3.4 dg2ef Module Reference

Translation of dg-compatible equilibrium data into efit format.

Variables

- real *8, dimension(ngpr) [fg](#)
- real *8, dimension(ngpr) [pg](#)
- real *8, dimension(ngpr) [ffg](#)
- real *8, dimension(ngpr) [ppg](#)
- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rdim](#)
- real *8 [zdim](#)
- real *8 [rcntc](#)
- real *8 [redge](#)
- real *8 [zmsmid](#)
- real *8 [rma](#)
- real *8 [zma](#)
- real *8 [psimin](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- character [title](#)
- character [date](#)

3.4.1 Detailed Description

Translation of dg-compatible equilibrium data into efit format.

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

02.09.99 14:19

3.4.2 Variable Documentation

3.4.2.1 real*8 dg2ef::btorc

Definition at line 19 of file dg2ef.f.

3.4.2.2 character dg2ef::date

Definition at line 20 of file dg2ef.f.

3.4.2.3 real*8,dimension(ngpr) dg2ef::ffg

Definition at line 17 of file dg2ef.f.

3.4.2.4 real*8,dimension(ngpr) dg2ef::fg

Definition at line 17 of file dg2ef.f.

3.4.2.5 real*8,dimension(ngpr,ngpz) dg2ef::pfm

Definition at line 18 of file dg2ef.f.

3.4.2.6 real*8,dimension(ngpr) dg2ef::pg

Definition at line 17 of file dg2ef.f.

3.4.2.7 real*8,dimension(ngpr) dg2ef::ppg

Definition at line 17 of file dg2ef.f.

3.4.2.8 real*8 dg2ef::psilim

Definition at line 19 of file dg2ef.f.

3.4.2.9 real*8 dg2ef::psimin

Definition at line 19 of file dg2ef.f.

3.4.2.10 real*8 dg2ef::rcntc

Definition at line 19 of file dg2ef.f.

3.4.2.11 real*8 dg2ef::rdim

Definition at line 19 of file dg2ef.f.

3.4.2.12 real*8 dg2ef::redge

Definition at line 19 of file dg2ef.f.

3.4.2.13 real*8,dimension(ngpr) dg2ef::rgr

Definition at line 18 of file dg2ef.f.

3.4.2.14 real*8 dg2ef::rma

Definition at line 19 of file dg2ef.f.

3.4.2.15 character dg2ef::title

Definition at line 20 of file dg2ef.f.

3.4.2.16 real*8 dg2ef::zdim

Definition at line 19 of file dg2ef.f.

3.4.2.17 real*8,dimension(ngpz) dg2ef::zgr

Definition at line 18 of file dg2ef.f.

3.4.2.18 real*8 dg2ef::zma

Definition at line 19 of file dg2ef.f.

3.4.2.19 real*8 dg2ef::zmsmid

Definition at line 19 of file dg2ef.f.

3.5 dg2vr Module Reference

Translation of TdeV equilibrium data into dg-compatible format.

Variables

- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rcntc](#)
- real *8 [psilim](#)
- real *8 [btorc](#)

3.5.1 Detailed Description

Translation of TdeV equilibrium data into dg-compatible format.

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

30.01.96 21:59

3.5.2 Variable Documentation

3.5.2.1 real*8 dg2vr::btorc

Definition at line 18 of file dg2vr.f.

3.5.2.2 real*8,dimension(ngpr,ngpz) dg2vr::pfm

Definition at line 17 of file dg2vr.f.

3.5.2.3 real*8 dg2vr::psilim

Definition at line 18 of file dg2vr.f.

3.5.2.4 real*8 dg2vr::rcntc

Definition at line 18 of file dg2vr.f.

3.5.2.5 real*8,dimension(ngpr) dg2vr::rgr

Definition at line 17 of file dg2vr.f.

3.5.2.6 real*8,dimension(ngpz) dg2vr::zgr

Definition at line 17 of file dg2vr.f.

3.6 dg_arith_dg Module Reference

Shift of the magnetic flux by a specified increment.

Variables

- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rcntc](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- real *8 [shift](#)
- character *256 [filename](#)

3.6.1 Detailed Description

Shift of the magnetic flux by a specified increment.

arg1: input equilibrium file name

arg2: output equilibrium file name

In this case, the values of alpha and beta are read in and the flux is transformed as

$$pfm(i,j)=pfm(i,j)+alpha*zgr(j)+beta$$

Version:

30.01.96 21:58

3.6.2 Variable Documentation

3.6.2.1 real*8 dg_arith_dg::btorc

Definition at line 22 of file dg_arith_dg.f.

3.6.2.2 character*256 dg_arith_dg::filename

Definition at line 23 of file dg_arith_dg.f.

3.6.2.3 real*8,dimension(ngpr,ngpz) dg_arith_dg::pfm

Definition at line 21 of file dg_arith_dg.f.

3.6.2.4 real*8 dg_arith_dg::psilim

Definition at line 22 of file dg_arith_dg.f.

3.6.2.5 real*8 dg_arith_dg::rentc

Definition at line 22 of file dg_arith_dg.f.

3.6.2.6 real*8,dimension(ngpr) dg_arith_dg::rgr

Definition at line 21 of file dg_arith_dg.f.

3.6.2.7 real*8 dg_arith_dg::shift

Definition at line 22 of file dg_arith_dg.f.

3.6.2.8 real*8,dimension(ngpz) dg_arith_dg::zgr

Definition at line 21 of file dg_arith_dg.f.

3.7 dg_minuspsi_dg Module Reference

Change the sign of the flux.

Variables

- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rcntc](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- real *8 [shift](#)
- character *256 [filename](#)

3.7.1 Detailed Description

Change the sign of the flux.

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

30.01.96 21:58

3.7.2 Variable Documentation

3.7.2.1 real*8 dg_minuspsi_dg::btorc

Definition at line 18 of file dg_minuspsi_dg.f.

3.7.2.2 character*256 dg_minuspsi_dg::filename

Definition at line 19 of file dg_minuspsi_dg.f.

3.7.2.3 real*8,dimension(ngpr,ngpz) dg_minuspsi_dg::pfm

Definition at line 17 of file dg_minuspsi_dg.f.

3.7.2.4 real*8 dg_minuspsi_dg::psilim

Definition at line 18 of file dg_minuspsi_dg.f.

3.7.2.5 real*8 dg_minuspsi_dg::rcntc

Definition at line 18 of file dg_minuspsi_dg.f.

3.7.2.6 real*8,dimension(ngpr) dg_minuspsi_dg::rgr

Definition at line 17 of file dg_minuspsi_dg.f.

3.7.2.7 real*8 dg_minuspsi_dg::shift

Definition at line 18 of file dg_minuspsi_dg.f.

3.7.2.8 real*8,dimension(ngpz) dg_minuspsi_dg::zgr

Definition at line 17 of file dg_minuspsi_dg.f.

3.8 dg_proc_dg Module Reference

do arbitrary re-processing of the equilibrium — in this case chop off the first few columns

Variables

- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rcntc](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- real *8 [shift](#)
- character *256 [filename](#)
- integer [chop](#)

3.8.1 Detailed Description

do arbitrary re-processing of the equilibrium — in this case chop off the first few columns

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

30.01.96 21:58

3.8.2 Variable Documentation

3.8.2.1 real*8 dg_proc_dg::btorc

Definition at line 19 of file dg_proc_dg.f.

3.8.2.2 integer dg_proc_dg::chop

Definition at line 21 of file dg_proc_dg.f.

3.8.2.3 character*256 dg_proc_dg::filename

Definition at line 20 of file dg_proc_dg.f.

3.8.2.4 real*8,dimension(ngpr,ngpz) dg_proc_dg::pfm

Definition at line 18 of file dg_proc_dg.f.

3.8.2.5 real*8 dg_proc_dg::psilim

Definition at line 19 of file dg_proc_dg.f.

3.8.2.6 real*8 dg_proc_dg::rentc

Definition at line 19 of file dg_proc_dg.f.

3.8.2.7 real*8,dimension(ngpr) dg_proc_dg::rgr

Definition at line 18 of file dg_proc_dg.f.

3.8.2.8 real*8 dg_proc_dg::shift

Definition at line 19 of file dg_proc_dg.f.

3.8.2.9 real*8,dimension(ngpz) dg_proc_dg::zgr

Definition at line 18 of file dg_proc_dg.f.

3.9 diva2dg Module Reference

Translation of Diva equilibrium data into dg-compatible format.

Variables

- real *8, dimension(ngpr) [gpr](#)
- real *8, dimension(ngpz) [gpz](#)
- real *8, dimension(ngpf) [pfl](#)
- real *8, dimension(ngpf) [pc](#)
- real *8, dimension(ngpf) [pcd](#)
- real *8, dimension(ngpf) [pr](#)
- real *8, dimension(ngpf) [prd](#)
- real *8, dimension(ngpf) [q](#)
- real *8, dimension(3) [apf](#)
- real *8, dimension(3) [xpf](#)
- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8 [rcntc](#)
- real *8 [btorc](#)
- real *8 [Bt](#)
- real *8, dimension(6) [derivative](#)
- character *256 [filename](#)

3.9.1 Detailed Description

Translation of Diva equilibrium data into dg-compatible format.

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

16.11.95 20:04

3.9.2 Variable Documentation

3.9.2.1 real*8,dimension(3) diva2dg::apf

Definition at line 18 of file diva2dg.f.

3.9.2.2 real*8 diva2dg::Bt

Definition at line 23 of file diva2dg.f.

3.9.2.3 real*8 diva2dg::btorc

Definition at line 22 of file diva2dg.f.

3.9.2.4 real*8,dimension(6) diva2dg::derivative

Definition at line 23 of file diva2dg.f.

3.9.2.5 character*256 diva2dg::filename

Definition at line 24 of file diva2dg.f.

3.9.2.6 real*8,dimension(ngpr) diva2dg::gpr

Definition at line 18 of file diva2dg.f.

3.9.2.7 real*8,dimension(ngpz) diva2dg::gpz

Definition at line 18 of file diva2dg.f.

3.9.2.8 real*8,dimension(ngpf) diva2dg::pc

Definition at line 18 of file diva2dg.f.

3.9.2.9 real*8,dimension(ngpf) diva2dg::pcd

Definition at line 18 of file diva2dg.f.

3.9.2.10 real*8,dimension(ngpf) diva2dg::pfl

Definition at line 18 of file diva2dg.f.

3.9.2.11 real*8,dimension(ngpr,ngpz) diva2dg::pfm

Definition at line 21 of file diva2dg.f.

3.9.2.12 real*8,dimension(ngpf) diva2dg::pr

Definition at line 18 of file diva2dg.f.

3.9.2.13 real*8,dimension(ngpf) diva2dg::prd

Definition at line 18 of file diva2dg.f.

3.9.2.14 real*8,dimension(ngpf) diva2dg::q

Definition at line 18 of file diva2dg.f.

3.9.2.15 `real*8 diva2dg::rentc`

Definition at line 22 of file diva2dg.f.

3.9.2.16 `real*8,dimension(3) diva2dg::xpf`

Definition at line 18 of file diva2dg.f.

3.10 ef2dg Module Reference

Translation of efit equilibrium data into dg-compatible format.

Variables

- real *8, dimension(ngpr) [fg](#)
- real *8, dimension(ngpr) [pg](#)
- real *8, dimension(ngpr) [ffg](#)
- real *8, dimension(ngpr) [ppg](#)
- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rdim](#)
- real *8 [zdim](#)
- real *8 [rcntc](#)
- real *8 [redge](#)
- real *8 [zmsmid](#)
- real *8 [rma](#)
- real *8 [zma](#)
- real *8 [psimin](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- character [title](#)
- character [date](#)

3.10.1 Detailed Description

Translation of efit equilibrium data into dg-compatible format.

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

16.11.95 20:04

3.10.2 Variable Documentation

3.10.2.1 real*8 ef2dg::btorc

Definition at line 19 of file ef2dg.f.

3.10.2.2 character ef2dg::date

Definition at line 20 of file ef2dg.f.

3.10.2.3 real*8,dimension(ngpr) ef2dg::ffg

Definition at line 17 of file ef2dg.f.

3.10.2.4 real*8,dimension(ngpr) ef2dg::fg

Definition at line 17 of file ef2dg.f.

3.10.2.5 real*8,dimension(ngpr,ngpz) ef2dg::pfm

Definition at line 18 of file ef2dg.f.

3.10.2.6 real*8,dimension(ngpr) ef2dg::pg

Definition at line 17 of file ef2dg.f.

3.10.2.7 real*8,dimension(ngpr) ef2dg::ppg

Definition at line 17 of file ef2dg.f.

3.10.2.8 real*8 ef2dg::psilim

Definition at line 19 of file ef2dg.f.

3.10.2.9 real*8 ef2dg::psimin

Definition at line 19 of file ef2dg.f.

3.10.2.10 real*8 ef2dg::rcntc

Definition at line 19 of file ef2dg.f.

3.10.2.11 real*8 ef2dg::rdim

Definition at line 19 of file ef2dg.f.

3.10.2.12 real*8 ef2dg::redge

Definition at line 19 of file ef2dg.f.

3.10.2.13 real*8,dimension(ngpr) ef2dg::rgr

Definition at line 18 of file ef2dg.f.

3.10.2.14 real*8 ef2dg::rma

Definition at line 19 of file ef2dg.f.

3.10.2.15 character ef2dg::title

Definition at line 20 of file ef2dg.f.

3.10.2.16 real*8 ef2dg::zdim

Definition at line 19 of file ef2dg.f.

3.10.2.17 real*8,dimension(ngpz) ef2dg::zgr

Definition at line 18 of file ef2dg.f.

3.10.2.18 real*8 ef2dg::zma

Definition at line 19 of file ef2dg.f.

3.10.2.19 real*8 ef2dg::zmsmid

Definition at line 19 of file ef2dg.f.

3.11 JETPPF2DG Module Reference

Translation of the JET PPF equilibrium data into dg-compatible format.

Variables

- INTEGER [LUNMSG](#)
- INTEGER [MR](#)
- INTEGER [MZ](#)
- INTEGER [LFLUSH](#)
- INTEGER [IREAD](#)
- INTEGER [IWRITE](#)
- INTEGER [IERRA](#)
- INTEGER [NSHOT](#)
- INTEGER [NSEQ](#)
- INTEGER [NX](#)
- INTEGER [NY](#)
- INTEGER [RATIOX](#)
- INTEGER [RATIOY](#)
- INTEGER [IER](#)
- integer [iarg](#)
- integer [iargc](#)
- integer [lnblnk](#)
- integer [i](#)
- integer [j](#)
- integer [iret](#)
- INTEGER [IGO](#)
- INTEGER [IDUM](#)
- INTEGER [IERROR](#)
- INTEGER [NP](#)
- INTEGER [NR](#)
- INTEGER [NZ](#)
- REAL [TSHOT](#)
- REAL [WIDTH](#)
- REAL *8 [CONV](#)
- REAL *8 [RBTOR](#)
- REAL *8 [TWOPI](#)
- REAL *8 [PSIO](#)
- REAL *8 [PSIB](#)
- REAL *8 [DPSI](#)
- REAL *8 [PSI](#)
- REAL *8 [EPS](#)
- REAL *8 [R1](#)
- REAL *8 [R2](#)
- REAL *8 [R](#)
- REAL *8 [Z1](#)
- REAL *8 [Z2](#)
- REAL *8 [Z](#)
- REAL *8 [TIME](#)

- REAL *8 [FP](#)
- REAL *8 [BR](#)
- REAL *8 [BZ](#)
- REAL *8 [BT](#)
- REAL *8 [FPT](#)
- real *8 [rcntc](#)
- real *8 [btorc](#)
- real *8 [psilim](#)
- CHARACTER [PPFUID](#)
- CHARACTER [DDA](#)
- CHARACTER [MSG](#)
- CHARACTER [arg](#)
- CHARACTER [filename](#)

3.11.1 Detailed Description

Translation of the JET PPF equilibrium data into dg-compatible format.

1st arg == shot number

2nd arg == time

[3rd arg == DDA (EFIT)]

[4th arg == PPFUID (JETPPF)]

[5th arg == edition (0)]

The output filename is derived from the shot, time, experiment, diagnostic and edition

Specific JET library routines are used to access the data

Version:

2008-07-17 16:15

3.11.2 Variable Documentation

3.11.2.1 CHARACTER JETPPF2DG::arg

Definition at line 58 of file jetppf2dg.f.

3.11.2.2 REAL*8 JETPPF2DG::BR

Definition at line 55 of file jetppf2dg.f.

3.11.2.3 REAL*8 JETPPF2DG::BT

Definition at line 55 of file jetppf2dg.f.

3.11.2.4 real*8 JETPPF2DG::btorc

Definition at line 56 of file jetppf2dg.f.

3.11.2.5 REAL*8 JETPPF2DG::BZ

Definition at line 55 of file jetppf2dg.f.

3.11.2.6 REAL*8 JETPPF2DG::CONV

Definition at line 51 of file jetppf2dg.f.

3.11.2.7 CHARACTER JETPPF2DG::DDA

Definition at line 58 of file jetppf2dg.f.

3.11.2.8 REAL*8 JETPPF2DG::DPSI

Definition at line 52 of file jetppf2dg.f.

3.11.2.9 REAL*8 JETPPF2DG::EPS

Definition at line 54 of file jetppf2dg.f.

3.11.2.10 CHARACTER JETPPF2DG::filename

Definition at line 58 of file jetppf2dg.f.

3.11.2.11 REAL*8 JETPPF2DG::FP

Definition at line 55 of file jetppf2dg.f.

3.11.2.12 REAL*8 JETPPF2DG::FPT

Definition at line 55 of file jetppf2dg.f.

3.11.2.13 integer JETPPF2DG::i

Definition at line 46 of file jetppf2dg.f.

3.11.2.14 integer JETPPF2DG::iarg

Definition at line 46 of file jetppf2dg.f.

3.11.2.15 integer JETPPF2DG::iargc

Definition at line 46 of file jetppf2dg.f.

3.11.2.16 INTEGER JETPPF2DG::IDUM

Definition at line 47 of file jetppf2dg.f.

3.11.2.17 INTEGER JETPPF2DG::IER

Definition at line 45 of file jetppf2dg.f.

3.11.2.18 INTEGER JETPPF2DG::IERRA

Definition at line 44 of file jetppf2dg.f.

3.11.2.19 INTEGER JETPPF2DG::IERROR

Definition at line 47 of file jetppf2dg.f.

3.11.2.20 INTEGER JETPPF2DG::IGO

Definition at line 47 of file jetppf2dg.f.

3.11.2.21 INTEGER JETPPF2DG::IREAD

Definition at line 44 of file jetppf2dg.f.

3.11.2.22 integer JETPPF2DG::iret

Definition at line 46 of file jetppf2dg.f.

3.11.2.23 INTEGER JETPPF2DG::IWRITE

Definition at line 44 of file jetppf2dg.f.

3.11.2.24 integer JETPPF2DG::j

Definition at line 46 of file jetppf2dg.f.

3.11.2.25 INTEGER JETPPF2DG::LFLUSH

Definition at line 41 of file jetppf2dg.f.

3.11.2.26 integer JETPPF2DG::lnblnk

Definition at line 46 of file jetppf2dg.f.

3.11.2.27 INTEGER JETPPF2DG::LUNMSG

Definition at line 37 of file jetppf2dg.f.

3.11.2.28 INTEGER JETPPF2DG::MR

Definition at line 39 of file jetppf2dg.f.

3.11.2.29 CHARACTER JETPPF2DG::MSG

Definition at line 58 of file jetppf2dg.f.

3.11.2.30 INTEGER JETPPF2DG::MZ

Definition at line 39 of file jetppf2dg.f.

3.11.2.31 INTEGER JETPPF2DG::NP

Definition at line 47 of file jetppf2dg.f.

3.11.2.32 INTEGER JETPPF2DG::NR

Definition at line 47 of file jetppf2dg.f.

3.11.2.33 INTEGER JETPPF2DG::NSEQ

Definition at line 45 of file jetppf2dg.f.

3.11.2.34 INTEGER JETPPF2DG::NSHOT

Definition at line 45 of file jetppf2dg.f.

3.11.2.35 INTEGER JETPPF2DG::NX

Definition at line 45 of file jetppf2dg.f.

3.11.2.36 INTEGER JETPPF2DG::NY

Definition at line 45 of file jetppf2dg.f.

3.11.2.37 INTEGER JETPPF2DG::NZ

Definition at line 47 of file jetppf2dg.f.

3.11.2.38 CHARACTER JETPPF2DG::PPFUID

Definition at line 58 of file jetppf2dg.f.

3.11.2.39 REAL*8 JETPPF2DG::PSI

Definition at line 52 of file jetppf2dg.f.

3.11.2.40 REAL*8 JETPPF2DG::PSI0

Definition at line 52 of file jetppf2dg.f.

3.11.2.41 REAL*8 JETPPF2DG::PSIB

Definition at line 52 of file jetppf2dg.f.

3.11.2.42 real*8 JETPPF2DG::psilim

Definition at line 56 of file jetppf2dg.f.

3.11.2.43 REAL*8 JETPPF2DG::R

Definition at line 54 of file jetppf2dg.f.

3.11.2.44 REAL*8 JETPPF2DG::R1

Definition at line 54 of file jetppf2dg.f.

3.11.2.45 REAL*8 JETPPF2DG::R2

Definition at line 54 of file jetppf2dg.f.

3.11.2.46 INTEGER JETPPF2DG::RATIOX

Definition at line 45 of file jetppf2dg.f.

3.11.2.47 INTEGER JETPPF2DG::RATIOY

Definition at line 45 of file jetppf2dg.f.

3.11.2.48 REAL*8 JETPPF2DG::RBTOR

Definition at line 51 of file jetppf2dg.f.

3.11.2.49 real*8 JETPPF2DG::rcntc

Definition at line 56 of file jetppf2dg.f.

3.11.2.50 REAL*8 JETPPF2DG::TIME

Definition at line 55 of file jetppf2dg.f.

3.11.2.51 REAL JETPPF2DG::TSHOT

Definition at line 49 of file jetppf2dg.f.

3.11.2.52 REAL*8 JETPPF2DG::TWOPI

Definition at line 52 of file jetppf2dg.f.

3.11.2.53 REAL JETPPF2DG::WIDTH

Definition at line 49 of file jetppf2dg.f.

3.11.2.54 REAL*8 JETPPF2DG::Z

Definition at line 54 of file jetppf2dg.f.

3.11.2.55 REAL*8 JETPPF2DG::Z1

Definition at line 54 of file jetppf2dg.f.

3.11.2.56 REAL*8 JETPPF2DG::Z2

Definition at line 54 of file jetppf2dg.f.

3.12 jt2dg Module Reference

Translation of efit equilibrium data into dg-compatible format.

Variables

- real *8, dimension(ngpr) [fg](#)
- real *8, dimension(ngpr) [pg](#)
- real *8, dimension(ngpr) [ffg](#)
- real *8, dimension(ngpr) [ppg](#)
- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rdim](#)
- real *8 [zdim](#)
- real *8 [rcntc](#)
- real *8 [redge](#)
- real *8 [zmsmid](#)
- real *8 [rma](#)
- real *8 [zma](#)
- real *8 [psimin](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- character [title](#)
- character [date](#)

3.12.1 Detailed Description

Translation of efit equilibrium data into dg-compatible format.

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

09.07.97 17:14

3.12.2 Variable Documentation

3.12.2.1 real*8 jt2dg::btorc

Definition at line 19 of file jt2dg.f.

3.12.2.2 character jt2dg::date

Definition at line 20 of file jt2dg.f.

3.12.2.3 real*8,dimension(ngpr) jt2dg::ffg

Definition at line 17 of file jt2dg.f.

3.12.2.4 real*8,dimension(ngpr) jt2dg::fg

Definition at line 17 of file jt2dg.f.

3.12.2.5 real*8,dimension(ngpr,ngpz) jt2dg::pfm

Definition at line 18 of file jt2dg.f.

3.12.2.6 real*8,dimension(ngpr) jt2dg::pg

Definition at line 17 of file jt2dg.f.

3.12.2.7 real*8,dimension(ngpr) jt2dg::ppg

Definition at line 17 of file jt2dg.f.

3.12.2.8 real*8 jt2dg::psilim

Definition at line 19 of file jt2dg.f.

3.12.2.9 real*8 jt2dg::psimin

Definition at line 19 of file jt2dg.f.

3.12.2.10 real*8 jt2dg::rcntc

Definition at line 19 of file jt2dg.f.

3.12.2.11 real*8 jt2dg::rdim

Definition at line 19 of file jt2dg.f.

3.12.2.12 real*8 jt2dg::redge

Definition at line 19 of file jt2dg.f.

3.12.2.13 real*8,dimension(ngpr) jt2dg::rgr

Definition at line 18 of file jt2dg.f.

3.12.2.14 real*8 jt2dg::rma

Definition at line 19 of file jt2dg.f.

3.12.2.15 character jt2dg::title

Definition at line 20 of file jt2dg.f.

3.12.2.16 real*8 jt2dg::zdim

Definition at line 19 of file jt2dg.f.

3.12.2.17 real*8,dimension(ngpz) jt2dg::zgr

Definition at line 18 of file jt2dg.f.

3.12.2.18 real*8 jt2dg::zma

Definition at line 19 of file jt2dg.f.

3.12.2.19 real*8 jt2dg::zmsmid

Definition at line 19 of file jt2dg.f.

3.13 nk2dg Module Reference

Translation of equilibrium data from Naka to dg-compatible format.

Variables

- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rmin](#)
- real *8 [zmin](#)
- real *8 [rmax](#)
- real *8 [zmax](#)
- real *8 [delr](#)
- real *8 [delz](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- real *8 [rcntc](#)
- real *8 [fg](#)

3.13.1 Detailed Description

Translation of equilibrium data from Naka to dg-compatible format.

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

16.01.96 19:48

3.13.2 Variable Documentation

3.13.2.1 real*8 nk2dg::btorc

Definition at line 18 of file nk2dg.f.

3.13.2.2 real*8 nk2dg::delr

Definition at line 18 of file nk2dg.f.

3.13.2.3 real*8 nk2dg::delz

Definition at line 18 of file nk2dg.f.

3.13.2.4 real*8 nk2dg::fg

Definition at line 18 of file nk2dg.f.

3.13.2.5 real*8,dimension(ngpr,ngpz) nk2dg::pfm

Definition at line 17 of file nk2dg.f.

3.13.2.6 real*8 nk2dg::psilim

Definition at line 18 of file nk2dg.f.

3.13.2.7 real*8 nk2dg::rcntc

Definition at line 18 of file nk2dg.f.

3.13.2.8 real*8,dimension(ngpr) nk2dg::rgr

Definition at line 17 of file nk2dg.f.

3.13.2.9 real*8 nk2dg::rmax

Definition at line 18 of file nk2dg.f.

3.13.2.10 real*8 nk2dg::rmin

Definition at line 18 of file nk2dg.f.

3.13.2.11 real*8,dimension(ngpz) nk2dg::zgr

Definition at line 17 of file nk2dg.f.

3.13.2.12 real*8 nk2dg::zmax

Definition at line 18 of file nk2dg.f.

3.13.2.13 real*8 nk2dg::zmin

Definition at line 18 of file nk2dg.f.

3.14 nkn2dg Module Reference

Translation of equilibrium data from Naka to dg-compatible format.

Variables

- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rmin](#)
- real *8 [zmin](#)
- real *8 [rmax](#)
- real *8 [zmax](#)
- real *8 [delr](#)
- real *8 [delz](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- real *8 [rcntc](#)
- real *8 [fg](#)

3.14.1 Detailed Description

Translation of equilibrium data from Naka to dg-compatible format.

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

2006-09-19

3.14.2 Variable Documentation

3.14.2.1 real*8 nkn2dg::btorc

Definition at line 18 of file nkn2dg.f.

3.14.2.2 real*8 nkn2dg::delr

Definition at line 18 of file nkn2dg.f.

3.14.2.3 real*8 nkn2dg::delz

Definition at line 18 of file nkn2dg.f.

3.14.2.4 real*8 nkn2dg::fg

Definition at line 18 of file nkn2dg.f.

3.14.2.5 real*8,dimension(ngpr,ngpz) nkn2dg::pfm

Definition at line 17 of file nkn2dg.f.

3.14.2.6 real*8 nkn2dg::psilim

Definition at line 18 of file nkn2dg.f.

3.14.2.7 real*8 nkn2dg::rcntc

Definition at line 18 of file nkn2dg.f.

3.14.2.8 real*8,dimension(ngpr) nkn2dg::rgr

Definition at line 17 of file nkn2dg.f.

3.14.2.9 real*8 nkn2dg::rmax

Definition at line 18 of file nkn2dg.f.

3.14.2.10 real*8 nkn2dg::rmin

Definition at line 18 of file nkn2dg.f.

3.14.2.11 real*8,dimension(ngpz) nkn2dg::zgr

Definition at line 17 of file nkn2dg.f.

3.14.2.12 real*8 nkn2dg::zmax

Definition at line 18 of file nkn2dg.f.

3.14.2.13 real*8 nkn2dg::zmin

Definition at line 18 of file nkn2dg.f.

3.15 pb2dg Module Reference

Translation of equilibrium data from P. Barabasci into dg-compatible format.

Variables

- real *8, dimension(ngpr) [fg](#)
- real *8, dimension(ngpr) [pg](#)
- real *8, dimension(ngpr) [ffg](#)
- real *8, dimension(ngpr) [ppg](#)
- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rcntc](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- real *8 [pi](#)

3.15.1 Detailed Description

Translation of equilibrium data from P. Barabasci into dg-compatible format.

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

02.09.99 19:37

3.15.2 Variable Documentation

3.15.2.1 real*8 pb2dg::btorc

Definition at line 20 of file pb2dg.f.

3.15.2.2 real*8,dimension(ngpr) pb2dg::ffg

Definition at line 18 of file pb2dg.f.

3.15.2.3 real*8,dimension(ngpr) pb2dg::fg

Definition at line 18 of file pb2dg.f.

3.15.2.4 real*8,dimension(ngpr,ngpz) pb2dg::pfm

Definition at line 19 of file pb2dg.f.

3.15.2.5 real*8,dimension(ngpr) pb2dg::pg

Definition at line 18 of file pb2dg.f.

3.15.2.6 real*8 pb2dg::pi

Definition at line 20 of file pb2dg.f.

3.15.2.7 real*8,dimension(ngpr) pb2dg::ppg

Definition at line 18 of file pb2dg.f.

3.15.2.8 real*8 pb2dg::psilim

Definition at line 20 of file pb2dg.f.

3.15.2.9 real*8 pb2dg::rcntc

Definition at line 20 of file pb2dg.f.

3.15.2.10 real*8,dimension(ngpr) pb2dg::rgr

Definition at line 19 of file pb2dg.f.

3.15.2.11 real*8,dimension(ngpz) pb2dg::zgr

Definition at line 19 of file pb2dg.f.

3.16 prinequ Module Reference

Printout of dg-compatible equilibrium data in a table.

Variables

- real *8, dimension(ngpr) [fg](#)
- real *8, dimension(ngpr) [pg](#)
- real *8, dimension(ngpr) [ffg](#)
- real *8, dimension(ngpr) [ppg](#)
- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rdim](#)
- real *8 [zdim](#)
- real *8 [rcntc](#)
- real *8 [redge](#)
- real *8 [zmsmid](#)
- real *8 [rma](#)
- real *8 [zma](#)
- real *8 [psimin](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- character [title](#)
- character [date](#)
- character [page](#)

3.16.1 Detailed Description

Printout of dg-compatible equilibrium data in a table.

The file is read from standard input and the result sent to the standard output

Version:

02.09.99 14:21

3.16.2 Variable Documentation

3.16.2.1 real*8 prinequ::btorc

Definition at line 21 of file prinequ.f.

3.16.2.2 character prinequ::date

Definition at line 22 of file prinequ.f.

3.16.2.3 real*8,dimension(ngpr) prinequ::ffg

Definition at line 19 of file prinequ.f.

3.16.2.4 real*8,dimension(ngpr) prinequ::fg

Definition at line 19 of file prinequ.f.

3.16.2.5 character prinequ::page

Definition at line 22 of file prinequ.f.

3.16.2.6 real*8,dimension(ngpr,ngpz) prinequ::pfm

Definition at line 20 of file prinequ.f.

3.16.2.7 real*8,dimension(ngpr) prinequ::pg

Definition at line 19 of file prinequ.f.

3.16.2.8 real*8,dimension(ngpr) prinequ::ppg

Definition at line 19 of file prinequ.f.

3.16.2.9 real*8 prinequ::psilim

Definition at line 21 of file prinequ.f.

3.16.2.10 real*8 prinequ::psimin

Definition at line 21 of file prinequ.f.

3.16.2.11 real*8 prinequ::rcntc

Definition at line 21 of file prinequ.f.

3.16.2.12 real*8 prinequ::rdim

Definition at line 21 of file prinequ.f.

3.16.2.13 real*8 prinequ::redge

Definition at line 21 of file prinequ.f.

3.16.2.14 real*8,dimension(ngpr) prinequ::rgr

Definition at line 20 of file prinequ.f.

3.16.2.15 real*8 prinequ::rma

Definition at line 21 of file prinequ.f.

3.16.2.16 character prinequ::title

Definition at line 22 of file prinequ.f.

3.16.2.17 real*8 prinequ::zdim

Definition at line 21 of file prinequ.f.

3.16.2.18 real*8,dimension(ngpz) prinequ::zgr

Definition at line 20 of file prinequ.f.

3.16.2.19 real*8 prinequ::zma

Definition at line 21 of file prinequ.f.

3.16.2.20 real*8 prinequ::zmsmid

Definition at line 21 of file prinequ.f.

3.17 pt2dg Module Reference

Conversion of equilibrium file produced with PROTEUS into DG format (courtesy Prof. O. de Barbieri).

Variables

- logical `ex`
- logical `exi`
- character *256 `in_mesh`
- character *256 `in_psi`
- character *256 `out_file`
- character *256 `hlp_txt`

3.17.1 Detailed Description

Conversion of equilibrium file produced with PROTEUS into DG format (courtesy Prof. O. de Barbieri).

Version:

02.11.2000 23:25

3.17.2 Variable Documentation

3.17.2.1 logical `pt2dg::ex`

Definition at line 18 of file `pt2dg.f`.

3.17.2.2 logical `pt2dg::exi`

Definition at line 18 of file `pt2dg.f`.

3.17.2.3 character*256 `pt2dg::hlp_txt`

Definition at line 20 of file `pt2dg.f`.

3.17.2.4 character*256 `pt2dg::in_mesh`

Definition at line 20 of file `pt2dg.f`.

3.17.2.5 character*256 `pt2dg::in_psi`

Definition at line 20 of file `pt2dg.f`.

3.17.2.6 character*256 `pt2dg::out_file`

Definition at line 20 of file `pt2dg.f`.

3.18 risepsi Module Reference

Shift of the magnetic flux by a specified increment.

Variables

- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rcntc](#)
- real *8 [psilim](#)
- real *8 [btorc](#)
- real *8 [shift](#)

3.18.1 Detailed Description

Shift of the magnetic flux by a specified increment.

arg1: input equilibrium file name

arg2: output equilibrium file name

shift is read in from standard input

Version:

30.01.96 21:58

3.18.2 Variable Documentation

3.18.2.1 real*8 risepsi::btorc

Definition at line 20 of file risepsi.f.

3.18.2.2 real*8,dimension(ngpr,ngpz) risepsi::pfm

Definition at line 19 of file risepsi.f.

3.18.2.3 real*8 risepsi::psilim

Definition at line 20 of file risepsi.f.

3.18.2.4 real*8 risepsi::rcntc

Definition at line 20 of file risepsi.f.

3.18.2.5 real*8,dimension(ngpr) risepsi::rgr

Definition at line 19 of file risepsi.f.

3.18.2.6 real*8 risepsi::shift

Definition at line 20 of file risepsi.f.

3.18.2.7 real*8,dimension(ngpz) risepsi::zgr

Definition at line 19 of file risepsi.f.

3.19 shotfile2dg Module Reference

Translation of the AUG shotfile equilibrium data into dg-compatible format.

Variables

- real *8, dimension(ngpr) [gpr](#)
- real *8, dimension(ngpz) [gpz](#)
- real *8, dimension(ngpr, ngpz) [pfmd](#)
- real *8 [rcntc](#)
- real *8 [btorc](#)
- real *8 [psilim](#)
- character *256 [arg](#)
- character *256 [filename](#)
- character [expnam](#)
- character [dianam](#)
- integer [nshot](#)
- integer [nedit](#)
- integer [iarg](#)
- integer [iargc](#)
- integer [lnblnk](#)
- real [tshot](#)
- integer [mdim](#)
- integer [lpfxdim](#)
- integer [lin](#)
- real, dimension(0:mdim) [ri](#)
- real, dimension(0:mdim) [zj](#)
- real, dimension(0:mdim, 0:mdim) [pfm](#)
- real, dimension(0:lpfxdim) [pfx](#)
- real, dimension(0:lpfxdim) [rpx](#)
- real, dimension(0:lpfxdim) [zpx](#)
- real, dimension(lin) [rin](#)
- real, dimension(lin) [zin](#)
- real, dimension(lin) [br](#)
- real, dimension(lin) [bz](#)
- real, dimension(lin) [bt](#)
- real, dimension(lin) [fpf](#)
- real, dimension(lin) [fjp](#)

3.19.1 Detailed Description

Translation of the AUG shotfile equilibrium data into dg-compatible format.

1st arg == shot number

2nd arg == time

[3rd arg == diagnostic (EQI)]

[4th arg == experiment (AUGD)]

[5th arg == edition (0)]

The output filename is derived from the shot, time, experiment, diagnostic and edition
Specific AUG library routines are used to access the data

Version:

16.11.95 20:04

3.19.2 Variable Documentation**3.19.2.1 character*256 shotfile2dg::arg**

Definition at line 31 of file shotfile2dg.f.

3.19.2.2 real,dimension(lin) shotfile2dg::br

Definition at line 37 of file shotfile2dg.f.

3.19.2.3 real,dimension(lin) shotfile2dg::bt

Definition at line 37 of file shotfile2dg.f.

3.19.2.4 real*8 shotfile2dg::btorc

Definition at line 30 of file shotfile2dg.f.

3.19.2.5 real,dimension(lin) shotfile2dg::bz

Definition at line 37 of file shotfile2dg.f.

3.19.2.6 character shotfile2dg::dianam

Definition at line 32 of file shotfile2dg.f.

3.19.2.7 character shotfile2dg::expnam

Definition at line 32 of file shotfile2dg.f.

3.19.2.8 character*256 shotfile2dg::filename

Definition at line 31 of file shotfile2dg.f.

3.19.2.9 real,dimension(lin) shotfile2dg::fjp

Definition at line 37 of file shotfile2dg.f.

3.19.2.10 real,dimension(lin) shotfile2dg::fpf

Definition at line 37 of file shotfile2dg.f.

3.19.2.11 real*8,dimension(ngpr) shotfile2dg::gpr

Definition at line 28 of file shotfile2dg.f.

3.19.2.12 real*8,dimension(ngpz) shotfile2dg::gpz

Definition at line 28 of file shotfile2dg.f.

3.19.2.13 integer shotfile2dg::iarg

Definition at line 33 of file shotfile2dg.f.

3.19.2.14 integer shotfile2dg::iargc

Definition at line 33 of file shotfile2dg.f.

3.19.2.15 integer shotfile2dg::lin

Definition at line 35 of file shotfile2dg.f.

3.19.2.16 integer shotfile2dg::lnblnk

Definition at line 33 of file shotfile2dg.f.

3.19.2.17 integer shotfile2dg::lpfxdim

Definition at line 35 of file shotfile2dg.f.

3.19.2.18 integer shotfile2dg::mdim

Definition at line 35 of file shotfile2dg.f.

3.19.2.19 integer shotfile2dg::nedit

Definition at line 33 of file shotfile2dg.f.

3.19.2.20 integer shotfile2dg::nshot

Definition at line 33 of file shotfile2dg.f.

3.19.2.21 real,dimension(0:mdim,0:mdim) shotfile2dg::pfm

Definition at line 37 of file shotfile2dg.f.

3.19.2.22 real*8,dimension(ngpr,ngpz) shotfile2dg::pfmd

Definition at line 29 of file shotfile2dg.f.

3.19.2.23 real,dimension(0:lpfxdim) shotfile2dg::pfx

Definition at line 37 of file shotfile2dg.f.

3.19.2.24 real*8 shotfile2dg::psilim

Definition at line 30 of file shotfile2dg.f.

3.19.2.25 real*8 shotfile2dg::rcntc

Definition at line 30 of file shotfile2dg.f.

3.19.2.26 real,dimension(0:mdim) shotfile2dg::ri

Definition at line 37 of file shotfile2dg.f.

3.19.2.27 real,dimension(lin) shotfile2dg::rin

Definition at line 37 of file shotfile2dg.f.

3.19.2.28 real,dimension(0:lpfxdim) shotfile2dg::rpfx

Definition at line 37 of file shotfile2dg.f.

3.19.2.29 real shotfile2dg::tshot

Definition at line 34 of file shotfile2dg.f.

3.19.2.30 real,dimension(lin) shotfile2dg::zin

Definition at line 37 of file shotfile2dg.f.

3.19.2.31 real,dimension(0:mdim) shotfile2dg::zj

Definition at line 37 of file shotfile2dg.f.

3.19.2.32 real,dimension(0:lpfxdim) shotfile2dg::zpx

Definition at line 37 of file shotfile2dg.f.

3.20 sst2dg Module Reference

Translation of efit equilibrium data into dg-compatible format.

Variables

- real *8, dimension(ngpr) [gpr](#)
- real *8, dimension(ngpz) [gpz](#)
- real *8, dimension(ngpf) [pfl](#)
- real *8, dimension(ngpf) [pc](#)
- real *8, dimension(ngpf) [pcd](#)
- real *8, dimension(ngpf) [pr](#)
- real *8, dimension(ngpf) [prd](#)
- real *8, dimension(ngpf) [q](#)
- real *8, dimension(3) [apf](#)
- real *8, dimension(3) [xpf](#)
- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8 [rcntc](#)
- real *8 [btorc](#)
- real *8 [Bt](#)
- real *8, dimension(6) [derivative](#)

3.20.1 Detailed Description

Translation of efit equilibrium data into dg-compatible format.

arg1: input equilibrium file name

arg2: output equilibrium file name

This is a special variant of the standard efit-to-dg converter for SST where some information is hard-coded!

Version:

16.11.95 20:04

3.20.2 Variable Documentation

3.20.2.1 real*8,dimension(3) sst2dg::apf

Definition at line 21 of file sst2dg.f.

3.20.2.2 real*8 sst2dg::Bt

Definition at line 26 of file sst2dg.f.

3.20.2.3 real*8 sst2dg::btorc

Definition at line 25 of file sst2dg.f.

3.20.2.4 real*8,dimension(6) sst2dg::derivative

Definition at line 26 of file sst2dg.f.

3.20.2.5 real*8,dimension(ngpr) sst2dg::gpr

Definition at line 21 of file sst2dg.f.

3.20.2.6 real*8,dimension(ngpz) sst2dg::gpz

Definition at line 21 of file sst2dg.f.

3.20.2.7 real*8,dimension(ngpf) sst2dg::pc

Definition at line 21 of file sst2dg.f.

3.20.2.8 real*8,dimension(ngpf) sst2dg::pcd

Definition at line 21 of file sst2dg.f.

3.20.2.9 real*8,dimension(ngpf) sst2dg::pfl

Definition at line 21 of file sst2dg.f.

3.20.2.10 real*8,dimension(ngpr,ngpz) sst2dg::pfm

Definition at line 24 of file sst2dg.f.

3.20.2.11 real*8,dimension(ngpf) sst2dg::pr

Definition at line 21 of file sst2dg.f.

3.20.2.12 real*8,dimension(ngpf) sst2dg::prd

Definition at line 21 of file sst2dg.f.

3.20.2.13 real*8,dimension(ngpf) sst2dg::q

Definition at line 21 of file sst2dg.f.

3.20.2.14 real*8 sst2dg::rcntc

Definition at line 25 of file sst2dg.f.

3.20.2.15 `real*8,dimension(3) sst2dg::xpf`

Definition at line 21 of file sst2dg.f.

3.21 vr2dg Module Reference

Translation of TdeV equilibrium data into dg-compatible format.

Variables

- real *8, dimension(ngpr, ngpz) [pfm](#)
- real *8, dimension(ngpr) [rgr](#)
- real *8, dimension(ngpz) [zgr](#)
- real *8 [rcntc](#)
- real *8 [psilim](#)
- real *8 [btorc](#)

3.21.1 Detailed Description

Translation of TdeV equilibrium data into dg-compatible format.

arg1: input equilibrium file name

arg2: output equilibrium file name

Version:

16.11.95 20:04

3.21.2 Variable Documentation

3.21.2.1 real*8 vr2dg::btorc

Definition at line 19 of file vr2dg.f.

3.21.2.2 real*8,dimension(ngpr,ngpz) vr2dg::pfm

Definition at line 18 of file vr2dg.f.

3.21.2.3 real*8 vr2dg::psilim

Definition at line 19 of file vr2dg.f.

3.21.2.4 real*8 vr2dg::rcntc

Definition at line 19 of file vr2dg.f.

3.21.2.5 real*8,dimension(ngpr) vr2dg::rgr

Definition at line 18 of file vr2dg.f.

3.21.2.6 real*8,dimension(ngpz) vr2dg::zgr

Definition at line 18 of file vr2dg.f.

Chapter 4

File Documentation

4.1 src/cropequ.f File Reference

Modules

- module [cropequ](#)

Functions/Subroutines

- subroutine [crop](#) (pfm, ngpr, ngpz, rgr, nr, zgr, nz, nrn, rmin, rmax, nzn, zmin, zmax)

Variables

- integer [cropequ::ngpr](#)
- integer [cropequ::ngpz](#)
- real *8, dimension(ngpr, ngpz) [cropequ::pfm](#)
- real *8, dimension(ngpr) [cropequ::rgr](#)
- real *8, dimension(ngpz) [cropequ::zgr](#)
- real *8 [cropequ::rcntc](#)
- real *8 [cropequ::psimin](#)
- real *8 [cropequ::psilim](#)
- real *8 [cropequ::btorc](#)
- real *8 [cropequ::rmin](#)
- real *8 [cropequ::rmax](#)
- real *8 [cropequ::zmin](#)
- real *8 [cropequ::zmax](#)
- integer [cropequ::i](#)
- integer [cropequ::j](#)
- integer [cropequ::nr](#)
- integer [cropequ::nz](#)
- integer [cropequ::nrn](#)
- integer [cropequ::nzn](#)
- integer [cropequ::iret](#)
- logical [cropequ::err](#)

4.1.1 Function Documentation

4.1.1.1 subroutine crop (real*8,dimension(*ngpr*,*ngpz*) *pfm*, integer *ngpr*, integer *ngpz*,
real*8,dimension(*ngpr*) *rgr*, integer *nr*, real*8,dimension(*ngpz*) *zgr*, integer *nz*, integer
nrn, real*8 *rmin*, real*8 *rmax*, integer *nzn*, real*8 *zmin*, real*8 *zmax*)

Definition at line 82 of file cropequ.f.

4.2 src/culham.f File Reference

Modules

- module [culham](#)

Variables

- real *8, dimension(ngpr) [culham::fg](#)
- real *8, dimension(ngpr) [culham::pg](#)
- real *8, dimension(ngpr) [culham::ffg](#)
- real *8, dimension(ngpr) [culham::ppg](#)
- real *8, dimension(ngpr, ngpz) [culham::pfm](#)
- real *8, dimension(ngpr) [culham::rgr](#)
- real *8, dimension(ngpz) [culham::zgr](#)
- real *8 [culham::rdim](#)
- real *8 [culham::zdim](#)
- real *8 [culham::rcntc](#)
- real *8 [culham::redge](#)
- real *8 [culham::zmsmid](#)
- real *8 [culham::rma](#)
- real *8 [culham::zma](#)
- real *8 [culham::psimin](#)
- real *8 [culham::psilim](#)
- real *8 [culham::btorc](#)
- character [culham::title](#)
- character [culham::date](#)
- integer [culham::chop](#)

4.3 src/dg2dg.f File Reference

Modules

- module [dg2dg](#)

Variables

- integer [dg2dg::ngpr](#)
- integer [dg2dg::ngpz](#)
- real *8, dimension(ngpr, ngpz) [dg2dg::pfm](#)
- real *8, dimension(ngpr) [dg2dg::rgr](#)
- real *8, dimension(ngpz) [dg2dg::zgr](#)
- real *8 [dg2dg::rcntc](#)
- real *8 [dg2dg::psimin](#)
- real *8 [dg2dg::psilim](#)
- real *8 [dg2dg::btorc](#)
- integer [dg2dg::nr](#)
- integer [dg2dg::nz](#)
- integer [dg2dg::iret](#)
- integer [dg2dg::i](#)
- integer [dg2dg::j](#)

4.4 src/dg2ef.f File Reference

Modules

- module [dg2ef](#)

Variables

- real *8, dimension(ngpr) [dg2ef::fg](#)
- real *8, dimension(ngpr) [dg2ef::pg](#)
- real *8, dimension(ngpr) [dg2ef::ffg](#)
- real *8, dimension(ngpr) [dg2ef::ppg](#)
- real *8, dimension(ngpr, ngpz) [dg2ef::pfm](#)
- real *8, dimension(ngpr) [dg2ef::rgr](#)
- real *8, dimension(ngpz) [dg2ef::zgr](#)
- real *8 [dg2ef::rdim](#)
- real *8 [dg2ef::zdim](#)
- real *8 [dg2ef::rcntc](#)
- real *8 [dg2ef::redge](#)
- real *8 [dg2ef::zmsmid](#)
- real *8 [dg2ef::rma](#)
- real *8 [dg2ef::zma](#)
- real *8 [dg2ef::psimin](#)
- real *8 [dg2ef::psilim](#)
- real *8 [dg2ef::btorc](#)
- character [dg2ef::title](#)
- character [dg2ef::date](#)

4.5 src/dg2vr.f File Reference

Modules

- module [dg2vr](#)

Variables

- real *8, dimension(ngpr, ngpz) [dg2vr::pfm](#)
- real *8, dimension(ngpr) [dg2vr::rgr](#)
- real *8, dimension(ngpz) [dg2vr::zgr](#)
- real *8 [dg2vr::rcntc](#)
- real *8 [dg2vr::psilim](#)
- real *8 [dg2vr::btorc](#)

4.6 src/dg_arith_dg.f File Reference

Modules

- module [dg_arith_dg](#)

Variables

- real *8, dimension(ngpr, ngpz) [dg_arith_dg::pfm](#)
- real *8, dimension(ngpr) [dg_arith_dg::rgr](#)
- real *8, dimension(ngpz) [dg_arith_dg::zgr](#)
- real *8 [dg_arith_dg::rcntc](#)
- real *8 [dg_arith_dg::psilim](#)
- real *8 [dg_arith_dg::btorc](#)
- real *8 [dg_arith_dg::shift](#)
- character *256 [dg_arith_dg::filename](#)

4.7 src/dg_minuspsi_dg.f File Reference

Modules

- module [dg_minuspsi_dg](#)

Variables

- real *8, dimension(ngpr, ngpz) [dg_minuspsi_dg::pfm](#)
- real *8, dimension(ngpr) [dg_minuspsi_dg::rgr](#)
- real *8, dimension(ngpz) [dg_minuspsi_dg::zgr](#)
- real *8 [dg_minuspsi_dg::rcntc](#)
- real *8 [dg_minuspsi_dg::psilim](#)
- real *8 [dg_minuspsi_dg::btorc](#)
- real *8 [dg_minuspsi_dg::shift](#)
- character *256 [dg_minuspsi_dg::filename](#)

4.8 src/dg_proc_dg.f File Reference

Modules

- module [dg_proc_dg](#)

Variables

- real *8, dimension(ngpr, ngpz) [dg_proc_dg::pfm](#)
- real *8, dimension(ngpr) [dg_proc_dg::rgr](#)
- real *8, dimension(ngpz) [dg_proc_dg::zgr](#)
- real *8 [dg_proc_dg::rcntc](#)
- real *8 [dg_proc_dg::psilim](#)
- real *8 [dg_proc_dg::btorc](#)
- real *8 [dg_proc_dg::shift](#)
- character *256 [dg_proc_dg::filename](#)
- integer [dg_proc_dg::chop](#)

4.9 src/diva2dg.f File Reference

Modules

- module [diva2dg](#)

Variables

- real *8, dimension(ngpr) [diva2dg::gpr](#)
- real *8, dimension(ngpz) [diva2dg::gpz](#)
- real *8, dimension(ngpf) [diva2dg::pfl](#)
- real *8, dimension(ngpf) [diva2dg::pc](#)
- real *8, dimension(ngpf) [diva2dg::pcd](#)
- real *8, dimension(ngpf) [diva2dg::pr](#)
- real *8, dimension(ngpf) [diva2dg::prd](#)
- real *8, dimension(ngpf) [diva2dg::q](#)
- real *8, dimension(3) [diva2dg::apf](#)
- real *8, dimension(3) [diva2dg::xpf](#)
- real *8, dimension(ngpr, ngpz) [diva2dg::pfm](#)
- real *8 [diva2dg::rcntc](#)
- real *8 [diva2dg::btorc](#)
- real *8 [diva2dg::Bt](#)
- real *8, dimension(6) [diva2dg::derivative](#)
- character *256 [diva2dg::filename](#)

4.10 src/double.f File Reference

Functions/Subroutines

- subroutine `double` (`pfm`, `ngpr`, `ngpz`, `rgr`, `nr`, `zgr`, `nz`)
use splines to refine the equilibrium

4.10.1 Function Documentation

4.10.1.1 subroutine `double` (`real*8,dimension(ngpr,ngpz) pfm`, integer `ngpr`, integer `ngpz`, `real*8,dimension(ngpr) rgr`, integer `nr`, `real*8,dimension(ngpz) zgr`, integer `nz`)

use splines to refine the equilibrium

Definition at line 2 of file double.f.

4.11 src/ef2dg.f File Reference

Modules

- module [ef2dg](#)

Variables

- real *8, dimension(ngpr) [ef2dg::fg](#)
- real *8, dimension(ngpr) [ef2dg::pg](#)
- real *8, dimension(ngpr) [ef2dg::ffg](#)
- real *8, dimension(ngpr) [ef2dg::ppg](#)
- real *8, dimension(ngpr, ngpz) [ef2dg::pfm](#)
- real *8, dimension(ngpr) [ef2dg::rgr](#)
- real *8, dimension(ngpz) [ef2dg::zgr](#)
- real *8 [ef2dg::rdim](#)
- real *8 [ef2dg::zdim](#)
- real *8 [ef2dg::rcntc](#)
- real *8 [ef2dg::redge](#)
- real *8 [ef2dg::zmsmid](#)
- real *8 [ef2dg::rma](#)
- real *8 [ef2dg::zma](#)
- real *8 [ef2dg::psimin](#)
- real *8 [ef2dg::psilim](#)
- real *8 [ef2dg::btorc](#)
- character [ef2dg::title](#)
- character [ef2dg::date](#)

4.12 src/jetppf2dg.f File Reference

Modules

- module [JETPPF2DG](#)

Functions/Subroutines

- subroutine [ERRMSS](#) (LUN, MODULE, IER, MSG1, MSG2, MSG3)
- INTEGER [LENSTR](#) (ASTR)

Variables

- INTEGER [JETPPF2DG::LUNMSG](#)
- INTEGER [JETPPF2DG::MR](#)
- INTEGER [JETPPF2DG::MZ](#)
- INTEGER [JETPPF2DG::LFLUSH](#)
- INTEGER [JETPPF2DG::IREAD](#)
- INTEGER [JETPPF2DG::IWRITE](#)
- INTEGER [JETPPF2DG::IERRA](#)
- INTEGER [JETPPF2DG::NSHOT](#)
- INTEGER [JETPPF2DG::NSEQ](#)
- INTEGER [JETPPF2DG::NX](#)
- INTEGER [JETPPF2DG::NY](#)
- INTEGER [JETPPF2DG::RATIOX](#)
- INTEGER [JETPPF2DG::RATIOY](#)
- INTEGER [JETPPF2DG::IER](#)
- integer [JETPPF2DG::iarg](#)
- integer [JETPPF2DG::iargc](#)
- integer [JETPPF2DG::lnblnk](#)
- integer [JETPPF2DG::i](#)
- integer [JETPPF2DG::j](#)
- integer [JETPPF2DG::iret](#)
- INTEGER [JETPPF2DG::IGO](#)
- INTEGER [JETPPF2DG::IDUM](#)
- INTEGER [JETPPF2DG::IERROR](#)
- INTEGER [JETPPF2DG::NP](#)
- INTEGER [JETPPF2DG::NR](#)
- INTEGER [JETPPF2DG::NZ](#)
- REAL [JETPPF2DG::TSHOT](#)
- REAL [JETPPF2DG::WIDTH](#)
- REAL *8 [JETPPF2DG::CONV](#)
- REAL *8 [JETPPF2DG::RBTOR](#)
- REAL *8 [JETPPF2DG::TWOPI](#)
- REAL *8 [JETPPF2DG::PSI0](#)
- REAL *8 [JETPPF2DG::PSIB](#)
- REAL *8 [JETPPF2DG::DPSI](#)
- REAL *8 [JETPPF2DG::PSI](#)
- REAL *8 [JETPPF2DG::EPS](#)

- REAL *8 JETPPF2DG::R1
- REAL *8 JETPPF2DG::R2
- REAL *8 JETPPF2DG::R
- REAL *8 JETPPF2DG::Z1
- REAL *8 JETPPF2DG::Z2
- REAL *8 JETPPF2DG::Z
- REAL *8 JETPPF2DG::TIME
- REAL *8 JETPPF2DG::FP
- REAL *8 JETPPF2DG::BR
- REAL *8 JETPPF2DG::BZ
- REAL *8 JETPPF2DG::BT
- REAL *8 JETPPF2DG::FPT
- real *8 JETPPF2DG::rcntc
- real *8 JETPPF2DG::btorc
- real *8 JETPPF2DG::psilim
- CHARACTER JETPPF2DG::PPFUID
- CHARACTER JETPPF2DG::DDA
- CHARACTER JETPPF2DG::MSG
- CHARACTER JETPPF2DG::arg
- CHARACTER JETPPF2DG::filename

4.12.1 Function Documentation

4.12.1.1 subroutine ERRMSS (INTEGER *LUN*, CHARACTER*(*) *MODULE*, INTEGER *IER*, CHARACTER*(*) *MSG1*, CHARACTER*(*) *MSG2*, CHARACTER*(*) *MSG3*)

Definition at line 247 of file jetppf2dg.f.

4.12.1.2 INTEGER LENSTR (CHARACTER*(*) *ASTR*)

Definition at line 311 of file jetppf2dg.f.

4.13 src/jt2dg.f File Reference

Modules

- module [jt2dg](#)

Variables

- real *8, dimension(ngpr) [jt2dg::fg](#)
- real *8, dimension(ngpr) [jt2dg::pg](#)
- real *8, dimension(ngpr) [jt2dg::ffg](#)
- real *8, dimension(ngpr) [jt2dg::ppg](#)
- real *8, dimension(ngpr, ngpz) [jt2dg::pfm](#)
- real *8, dimension(ngpr) [jt2dg::rgr](#)
- real *8, dimension(ngpz) [jt2dg::zgr](#)
- real *8 [jt2dg::rdim](#)
- real *8 [jt2dg::zdim](#)
- real *8 [jt2dg::rcntc](#)
- real *8 [jt2dg::redge](#)
- real *8 [jt2dg::zmsmid](#)
- real *8 [jt2dg::rma](#)
- real *8 [jt2dg::zma](#)
- real *8 [jt2dg::psimin](#)
- real *8 [jt2dg::psilim](#)
- real *8 [jt2dg::btorc](#)
- character [jt2dg::title](#)
- character [jt2dg::date](#)

4.14 src/nk2dg.f File Reference

Modules

- module [nk2dg](#)

Variables

- real *8, dimension(ngpr, ngpz) [nk2dg::pfm](#)
- real *8, dimension(ngpr) [nk2dg::rgr](#)
- real *8, dimension(ngpz) [nk2dg::zgr](#)
- real *8 [nk2dg::rmin](#)
- real *8 [nk2dg::zmin](#)
- real *8 [nk2dg::rmax](#)
- real *8 [nk2dg::zmax](#)
- real *8 [nk2dg::delr](#)
- real *8 [nk2dg::delz](#)
- real *8 [nk2dg::psilim](#)
- real *8 [nk2dg::btorc](#)
- real *8 [nk2dg::rcntc](#)
- real *8 [nk2dg::fg](#)

4.15 src/nkn2dg.f File Reference

Modules

- module [nkn2dg](#)

Variables

- real *8, dimension(ngpr, ngpz) [nkn2dg::pfm](#)
- real *8, dimension(ngpr) [nkn2dg::rgr](#)
- real *8, dimension(ngpz) [nkn2dg::zgr](#)
- real *8 [nkn2dg::rmin](#)
- real *8 [nkn2dg::zmin](#)
- real *8 [nkn2dg::rmax](#)
- real *8 [nkn2dg::zmax](#)
- real *8 [nkn2dg::delr](#)
- real *8 [nkn2dg::delz](#)
- real *8 [nkn2dg::psilim](#)
- real *8 [nkn2dg::btorc](#)
- real *8 [nkn2dg::rcntc](#)
- real *8 [nkn2dg::fg](#)

4.16 src/open_files.f File Reference

Functions/Subroutines

- subroutine [open_files](#) (outstring)
utility routine for opening files

4.16.1 Function Documentation

4.16.1.1 subroutine open_files (character*(*) outstring)

utility routine for opening files

argument 1 to the program (via getarg) is attached to file unit 1 argument 2 to the program (via getarg) is attached to file unit 2

Definition at line 5 of file open_files.f.

4.17 src/pb2dg.f File Reference

Modules

- module [pb2dg](#)

Variables

- real *8, dimension(ngpr) [pb2dg::fg](#)
- real *8, dimension(ngpr) [pb2dg::pg](#)
- real *8, dimension(ngpr) [pb2dg::ffg](#)
- real *8, dimension(ngpr) [pb2dg::ppg](#)
- real *8, dimension(ngpr, ngpz) [pb2dg::pfm](#)
- real *8, dimension(ngpr) [pb2dg::rgr](#)
- real *8, dimension(ngpz) [pb2dg::zgr](#)
- real *8 [pb2dg::rcntc](#)
- real *8 [pb2dg::psilim](#)
- real *8 [pb2dg::btorc](#)
- real *8 [pb2dg::pi](#)

4.18 src/prinequ.f File Reference

Modules

- module [prinequ](#)

Variables

- real *8, dimension(ngpr) [prinequ::fg](#)
- real *8, dimension(ngpr) [prinequ::pg](#)
- real *8, dimension(ngpr) [prinequ::ffg](#)
- real *8, dimension(ngpr) [prinequ::ppg](#)
- real *8, dimension(ngpr, ngpz) [prinequ::pfm](#)
- real *8, dimension(ngpr) [prinequ::rgr](#)
- real *8, dimension(ngpz) [prinequ::zgr](#)
- real *8 [prinequ::rdim](#)
- real *8 [prinequ::zdim](#)
- real *8 [prinequ::rcntc](#)
- real *8 [prinequ::redge](#)
- real *8 [prinequ::zmsmid](#)
- real *8 [prinequ::rma](#)
- real *8 [prinequ::zma](#)
- real *8 [prinequ::psimin](#)
- real *8 [prinequ::psilim](#)
- real *8 [prinequ::btorc](#)
- character [prinequ::title](#)
- character [prinequ::date](#)
- character [prinequ::page](#)

4.19 src/pt2dg.f File Reference

```
#include "pt2dg.inc"
```

Modules

- module [pt2dg](#)

Functions/Subroutines

- subroutine [TRINWT](#)
- subroutine [BPOLRZ](#)
- subroutine [WBPOLRZ](#)
- subroutine [wreqdg](#) (lun, ngpr, ngpz, iret, nr, nz, psib, btf, rtf, rgr, zgr, pfm)

Write the equilibrium data in the dg-compatible format.

Variables

- logical [pt2dg::ex](#)
- logical [pt2dg::exi](#)
- character *256 [pt2dg::in_mesh](#)
- character *256 [pt2dg::in_psi](#)
- character *256 [pt2dg::out_file](#)
- character *256 [pt2dg::hlp_txt](#)

4.19.1 Function Documentation

4.19.1.1 subroutine BPOLRZ ()

Definition at line 513 of file pt2dg.f.

4.19.1.2 subroutine TRINWT ()

Definition at line 432 of file pt2dg.f.

4.19.1.3 subroutine WBPOLRZ ()

Definition at line 603 of file pt2dg.f.

4.19.1.4 subroutine wreqdg (integer *lun*, integer *ngpr*, integer *ngpz*, integer *iret*, integer *nr*, integer *nz*, real*8 *psib*, real*8 *btf*, real*8 *rtf*, real*8,dimension(*ngpr*) *rgr*, real*8,dimension(*ngpz*) *zgr*, real*8,dimension(*ngpr*,*ngpz*) *pfm*)

Write the equilibrium data in the dg-compatible format.

Version:

23.06.97 17:23

Definition at line 638 of file pt2dg.f.

4.20 src/rdefit.f File Reference

Functions/Subroutines

- subroutine [rdefit](#) (lun, ngpr, ngpz, iret, title, date, ipestg, nr, nz, rdim, zdim, zmsmid, rcntc, redge, rma, zma, psimin, psilim, btorc, fg, pg, ffg, ppg, pfm, rgr, zgr)

4.20.1 Function Documentation

4.20.1.1 subroutine `rdefit` (lun, ngpr, ngpz, iret, character *title*, character *date*, ipestg, nr, nz, real*8 *rdim*, real*8 *zdim*, real*8 *zmsmid*, real*8 *rcntc*, real*8 *redge*, real*8 *rma*, real*8 *zma*, real*8 *psimin*, real*8 *psilim*, real*8 *btorc*, real*8,dimension(*) *fg*, real*8,dimension(*) *pg*, real*8,dimension(*) *ffg*, real*8,dimension(*) *ppg*, real*8,dimension(ngpr,*) *pfm*, real*8,dimension(*) *rgr*, real*8,dimension(*) *zgr*)

Definition at line 1 of file rdefit.f.

4.21 src/rdeqdg.f File Reference

Functions/Subroutines

- subroutine [rdeqdg](#) (lun, ngpr, ngpz, iret, nr, nz, btf, rtf, rgr, zgr, pfm)

4.21.1 Function Documentation

4.21.1.1 subroutine `rdeqdg` (lun, ngpr, ngpz, iret, nr, nz, real*8 *btf*, real*8 *rtf*,
real*8,dimension(*) *rgr*, real*8,dimension(*) *zgr*, real*8,dimension(ngpr,*) *pfm*)

Definition at line 1 of file rdeqdg.f.

4.22 src/rdeqjh.f File Reference

Functions/Subroutines

- subroutine [rdeqjh](#) (lun, nr, nz, psib, btf, rtf,*)

4.22.1 Function Documentation

4.22.1.1 subroutine rdeqjh (lun, nr, nz, psib, btf, rtf, *)

Definition at line 1 of file rdeqjh.f.

4.23 src/rdeqjt.f File Reference

Functions/Subroutines

- subroutine [rdeqdg](#) (lun, ngpr, ngpz, iret, nr, nz, psib, btf, rtf, rgr, zgr, pfm)

4.23.1 Function Documentation

4.23.1.1 subroutine `rdeqdg` (lun, ngpr, ngpz, iret, nr, nz, real*8 *psib*, real*8 *btf*, real*8 *rtf*, real*8,dimension(*) *rgr*, real*8,dimension(*) *zgr*, real*8,dimension(ngpr,*) *pfm*)

Definition at line 1 of file rdeqjt.f.

4.24 src/rdeqlh.f File Reference

Functions/Subroutines

- subroutine [rdeqlh](#) (lun, nr, nz, btf, rtf,*)

4.24.1 Function Documentation

4.24.1.1 subroutine `rdeqlh` (integer *lun*, integer *nr*, integer *nz*, real *btf*, real *rtf*, *)

Definition at line 1 of file `rdeqlh.f`.

4.25 src/rdeqnk.f File Reference

Functions/Subroutines

- subroutine [rdeqnk](#) (lun, ngpr, ngpz, iret, nr, nz, rmin, zmin, rmax, zmax, delr, delz, psilim, btorc, rcntc, fg, pfm, rgr, zgr)

4.25.1 Function Documentation

4.25.1.1 subroutine `rdeqnk` (lun, ngpr, ngpz, iret, nr, nz, real*8 *rmin*, real*8 *zmin*, real*8 *rmax*, real*8 *zmax*, real*8 *delr*, real*8 *delz*, real*8 *psilim*, real*8 *btorc*, real*8 *rcntc*, real*8 *fg*, real*8,dimension(ngpr,*) *pfm*, real*8,dimension(*) *rgr*, real*8,dimension(*) *zgr*)

Definition at line 1 of file rdeqnk.f.

4.26 src/rdeqnk2.f File Reference

Functions/Subroutines

- subroutine [rdeqnk2](#) (lun, ngpr, ngpz, iret, nr, nz, rmin, zmin, rmax, zmax, delr, delz, psilim, btorc, rcntc, fg, pfm, rgr, zgr)

4.26.1 Function Documentation

4.26.1.1 subroutine `rdeqnk2` (lun, ngpr, ngpz, iret, nr, nz, real*8 *rmin*, real*8 *zmin*, real*8 *rmax*, real*8 *zmax*, real*8 *delr*, real*8 *delz*, real*8 *psilim*, real*8 *btorc*, real*8 *rcntc*, real*8 *fg*, real*8,dimension(ngpr,*) *pfm*, real*8,dimension(*) *rgr*, real*8,dimension(*) *zgr*)

Definition at line 1 of file rdeqnk2.f.

4.27 src/rdeqpb.f File Reference

Functions/Subroutines

- subroutine [rdeqpb](#) (lun, ngpr, ngpz, iret, nr, nz, rbtor, psilim, rgr, zgr, pfm)

4.27.1 Function Documentation

4.27.1.1 subroutine `rdeqpb` (lun, ngpr, ngpz, iret, nr, nz, real*8 *rbtor*, real*8 *psilim*, real*8,dimension(ngpr) *rgr*, real*8,dimension(ngpz) *zgr*, real*8,dimension(ngpr, ngpz) *pfm*)

Definition at line 1 of file `rdeqpb.f`.

4.28 src/rdeqvr.f File Reference

Functions/Subroutines

- subroutine [rdeqvr](#) (*lun*, *ngpr*, *ngpz*, *iret*, *nr*, *nz*, *btf*, *rtf*, *rgr*, *zgr*, *pfm*)

4.28.1 Function Documentation

4.28.1.1 subroutine `rdeqvr` (*integer lun*, *integer ngpr*, *integer ngpz*, *integer iret*, *integer nr*, *integer nz*, *real*8 btf*, *real*8 rtf*, *real*8,dimension(*) rgr*, *real*8,dimension(*) zgr*, *real*8,dimension(ngpr,*) pfm*)

Definition at line 1 of file `rdeqvr.f`.

4.29 src/risepsi.f File Reference

Modules

- module [risepsi](#)

Variables

- real *8, dimension(ngpr, ngpz) [risepsi::pfm](#)
- real *8, dimension(ngpr) [risepsi::rgr](#)
- real *8, dimension(ngpz) [risepsi::zgr](#)
- real *8 [risepsi::rcntc](#)
- real *8 [risepsi::psilim](#)
- real *8 [risepsi::btorc](#)
- real *8 [risepsi::shift](#)

4.30 src/shotfile2dg.f File Reference

Modules

- module [shotfile2dg](#)

Functions/Subroutines

- integer [lnblnk](#) (string)

Variables

- real *8, dimension(ngpr) [shotfile2dg::gpr](#)
- real *8, dimension(ngpz) [shotfile2dg::gpz](#)
- real *8, dimension(ngpr, ngpz) [shotfile2dg::pfmd](#)
- real *8 [shotfile2dg::rcntc](#)
- real *8 [shotfile2dg::btorc](#)
- real *8 [shotfile2dg::psilim](#)
- character *256 [shotfile2dg::arg](#)
- character *256 [shotfile2dg::filename](#)
- character [shotfile2dg::expnam](#)
- character [shotfile2dg::dianam](#)
- integer [shotfile2dg::nshot](#)
- integer [shotfile2dg::nedit](#)
- integer [shotfile2dg::iarg](#)
- integer [shotfile2dg::iargc](#)
- integer [shotfile2dg::lnblnk](#)
- real [shotfile2dg::tshot](#)
- integer [shotfile2dg::mdim](#)
- integer [shotfile2dg::lpfxdim](#)
- integer [shotfile2dg::lin](#)
- real, dimension(0:mdim) [shotfile2dg::ri](#)
- real, dimension(0:mdim) [shotfile2dg::zj](#)
- real, dimension(0:mdim, 0:mdim) [shotfile2dg::pfm](#)
- real, dimension(0:lpfxdim) [shotfile2dg::pfx](#)
- real, dimension(0:lpfxdim) [shotfile2dg::rpf](#)
- real, dimension(0:lpfxdim) [shotfile2dg::zpf](#)
- real, dimension(lin) [shotfile2dg::rin](#)
- real, dimension(lin) [shotfile2dg::zin](#)
- real, dimension(lin) [shotfile2dg::br](#)
- real, dimension(lin) [shotfile2dg::bz](#)
- real, dimension(lin) [shotfile2dg::bt](#)
- real, dimension(lin) [shotfile2dg::fpr](#)
- real, dimension(lin) [shotfile2dg::fjp](#)

4.30.1 Function Documentation

4.30.1.1 integer [lnblnk](#) (character*(*) *string*)

Definition at line 129 of file [shotfile2dg.f](#).

4.31 src/sst2dg.f File Reference

Modules

- module [sst2dg](#)

Variables

- real *8, dimension(ngpr) [sst2dg::gpr](#)
- real *8, dimension(ngpz) [sst2dg::gpz](#)
- real *8, dimension(ngpf) [sst2dg::pfl](#)
- real *8, dimension(ngpf) [sst2dg::pc](#)
- real *8, dimension(ngpf) [sst2dg::pcd](#)
- real *8, dimension(ngpf) [sst2dg::pr](#)
- real *8, dimension(ngpf) [sst2dg::prd](#)
- real *8, dimension(ngpf) [sst2dg::q](#)
- real *8, dimension(3) [sst2dg::apf](#)
- real *8, dimension(3) [sst2dg::xpf](#)
- real *8, dimension(ngpr, ngpz) [sst2dg::pfm](#)
- real *8 [sst2dg::rcntc](#)
- real *8 [sst2dg::btorc](#)
- real *8 [sst2dg::Bt](#)
- real *8, dimension(6) [sst2dg::derivative](#)

4.32 src/vr2dg.f File Reference

Modules

- module [vr2dg](#)

Variables

- real *8, dimension(ngpr, ngpz) [vr2dg::pfm](#)
- real *8, dimension(ngpr) [vr2dg::rgr](#)
- real *8, dimension(ngpz) [vr2dg::zgr](#)
- real *8 [vr2dg::rcntc](#)
- real *8 [vr2dg::psilim](#)
- real *8 [vr2dg::btorc](#)

4.33 src/wrefit.f File Reference

Functions/Subroutines

- subroutine [wrefit](#) (lun, ngpr, iret, title, date, ipestg, nr, nz, rdim, zdim, zmsmid, rcntc, redge, rma, zma, psimin, psilim, btorc, fg, pg, ffg, ppg, pfm)

4.33.1 Function Documentation

4.33.1.1 subroutine wrefit (lun, ngpr, iret, character *title*, character *date*, ipestg, nr, nz, real*8 *rdim*, real*8 *zdim*, real*8 *zmsmid*, real*8 *rcntc*, real*8 *redge*, real*8 *rma*, real*8 *zma*, real*8 *psimin*, real*8 *psilim*, real*8 *btorc*, real*8,dimension(*) *fg*, real*8,dimension(*) *pg*, real*8,dimension(*) *ffg*, real*8,dimension(*) *ppg*, real*8,dimension(ngpr,*) *pfm*)

Definition at line 1 of file wrefit.f.

4.34 src/wreqdg.f File Reference

Functions/Subroutines

- subroutine [wreqdg](#) (*lun*, *ngpr*, *iret*, *nr*, *nz*, *psib*, *btf*, *rtf*, *rgr*, *zgr*, *pfm*)

4.34.1 Function Documentation

4.34.1.1 subroutine `wreqdg` (*integer lun*, *integer ngpr*, *integer iret*, *integer nr*, *integer nz*, *real*8 psib*, *real*8 btf*, *real*8 rtf*, *real*8,dimension(*) rgr*, *real*8,dimension(*) zgr*, *real*8,dimension(ngpr,*) pfm*)

Definition at line 1 of file `wreqdg.f`.

4.35 src/wreqvr.f File Reference

Functions/Subroutines

- subroutine [wreqvr](#) (lun, ngpr, iret, nr, nz, rgr, zgr, pfm)

4.35.1 Function Documentation

4.35.1.1 subroutine `wreqvr` (lun, ngpr, iret, nr, nz, real*8,dimension(ngpr) *rgr*, real*8,dimension(*) *zgr*, real*8,dimension(ngpr,*) *pfm*)

Definition at line 1 of file `wreqvr.f`.

Index

- apf
 - diva2dg, [24](#)
 - sst2dg, [57](#)
- arg
 - JETPPF2DG, [31](#)
 - shotfile2dg, [53](#)
- BPOLRZ
 - pt2dg.f, [83](#)
- BR
 - JETPPF2DG, [31](#)
- br
 - shotfile2dg, [53](#)
- BT
 - JETPPF2DG, [31](#)
- Bt
 - diva2dg, [24](#)
 - sst2dg, [57](#)
- bt
 - shotfile2dg, [53](#)
- btorc
 - cropequ, [6](#)
 - culham, [8](#)
 - dg2dg, [11](#)
 - dg2ef, [13](#)
 - dg2vr, [16](#)
 - dg_arith_dg, [18](#)
 - dg_minuspsi_dg, [20](#)
 - dg_proc_dg, [22](#)
 - diva2dg, [24](#)
 - ef2dg, [27](#)
 - JETPPF2DG, [31](#)
 - jt2dg, [37](#)
 - nk2dg, [40](#)
 - nkn2dg, [42](#)
 - pb2dg, [44](#)
 - prinequ, [46](#)
 - risepsi, [50](#)
 - shotfile2dg, [53](#)
 - sst2dg, [57](#)
 - vr2dg, [60](#)
- BZ
 - JETPPF2DG, [31](#)
- bz
 - shotfile2dg, [53](#)
- chop
 - culham, [8](#)
 - dg_proc_dg, [22](#)
- CONV
 - JETPPF2DG, [32](#)
- crop
 - cropequ.f, [64](#)
- cropequ, [5](#)
 - btorc, [6](#)
 - err, [6](#)
 - i, [6](#)
 - iret, [6](#)
 - j, [6](#)
 - ngpr, [6](#)
 - ngpz, [6](#)
 - nr, [6](#)
 - nrn, [6](#)
 - nz, [6](#)
 - nzn, [6](#)
 - pfm, [7](#)
 - psilim, [7](#)
 - psimin, [7](#)
 - rcntc, [7](#)
 - rgr, [7](#)
 - rmax, [7](#)
 - rmin, [7](#)
 - zgr, [7](#)
 - zmax, [7](#)
 - zmin, [7](#)
- cropequ.f
 - crop, [64](#)
- culham, [8](#)
 - btorc, [8](#)
 - chop, [8](#)
 - date, [8](#)
 - ffg, [9](#)
 - fg, [9](#)
 - pfm, [9](#)
 - pg, [9](#)
 - ppg, [9](#)
 - psilim, [9](#)
 - psimin, [9](#)
 - rcntc, [9](#)
 - rdim, [9](#)
 - redge, [9](#)

- rgr, 9
- rma, 10
- title, 10
- zdim, 10
- zgr, 10
- zma, 10
- zmsmid, 10
- date
 - culham, 8
 - dg2ef, 13
 - ef2dg, 27
 - jt2dg, 37
 - prinequ, 46
- DDA
 - JETPPF2DG, 32
- delr
 - nk2dg, 40
 - nkn2dg, 42
- delz
 - nk2dg, 40
 - nkn2dg, 42
- derivative
 - diva2dg, 24
 - sst2dg, 57
- dg2dg, 11
 - btorc, 11
 - i, 11
 - iret, 11
 - j, 11
 - ngpr, 11
 - ngpz, 12
 - nr, 12
 - nz, 12
 - pfm, 12
 - psilim, 12
 - psimin, 12
 - rcntc, 12
 - rgr, 12
 - zgr, 12
- dg2ef, 13
 - btorc, 13
 - date, 13
 - ffg, 13
 - fg, 14
 - pfm, 14
 - pg, 14
 - ppg, 14
 - psilim, 14
 - psimin, 14
 - rcntc, 14
 - rdim, 14
 - redge, 14
 - rgr, 14
- rma, 14
- title, 15
- zdim, 15
- zgr, 15
- zma, 15
- zmsmid, 15
- dg2vr, 16
 - btorc, 16
 - pfm, 16
 - psilim, 16
 - rcntc, 16
 - rgr, 16
 - zgr, 16
- dg_arith_dg, 18
 - btorc, 18
 - filename, 18
 - pfm, 18
 - psilim, 18
 - rcntc, 18
 - rgr, 19
 - shift, 19
 - zgr, 19
- dg_minuspsi_dg, 20
 - btorc, 20
 - filename, 20
 - pfm, 20
 - psilim, 20
 - rcntc, 20
 - rgr, 20
 - shift, 21
 - zgr, 21
- dg_proc_dg, 22
 - btorc, 22
 - chop, 22
 - filename, 22
 - pfm, 22
 - psilim, 22
 - rcntc, 22
 - rgr, 23
 - shift, 23
 - zgr, 23
- dianam
 - shotfile2dg, 53
- diva2dg, 24
 - apf, 24
 - Bt, 24
 - btorc, 24
 - derivative, 24
 - filename, 25
 - gpr, 25
 - gpz, 25
 - pc, 25
 - pcd, 25
 - pfl, 25

- pfm, [25](#)
 - pr, [25](#)
 - prd, [25](#)
 - q, [25](#)
 - rcntc, [25](#)
 - xpf, [26](#)
- double
 - double.f, [73](#)
- double.f
 - double, [73](#)
- DPSI
 - JETPPF2DG, [32](#)
- ef2dg, [27](#)
 - btorc, [27](#)
 - date, [27](#)
 - ffg, [27](#)
 - fg, [28](#)
 - pfm, [28](#)
 - pg, [28](#)
 - ppg, [28](#)
 - psilim, [28](#)
 - psimin, [28](#)
 - rcntc, [28](#)
 - rdim, [28](#)
 - redge, [28](#)
 - rgr, [28](#)
 - rma, [28](#)
 - title, [29](#)
 - zdim, [29](#)
 - zgr, [29](#)
 - zma, [29](#)
 - zmsmid, [29](#)
- EPS
 - JETPPF2DG, [32](#)
- err
 - cropequ, [6](#)
- ERRMSS
 - jetppf2dg.f, [76](#)
- ex
 - pt2dg, [49](#)
- exi
 - pt2dg, [49](#)
- expnam
 - shotfile2dg, [53](#)
- ffg
 - culham, [9](#)
 - dg2ef, [13](#)
 - ef2dg, [27](#)
 - jt2dg, [37](#)
 - pb2dg, [44](#)
 - prinequ, [46](#)
- fg
 - culham, [9](#)
 - dg2ef, [14](#)
 - ef2dg, [28](#)
 - jt2dg, [38](#)
 - nk2dg, [40](#)
 - nkn2dg, [42](#)
 - pb2dg, [44](#)
 - prinequ, [46](#)
- filename
 - dg_arith_dg, [18](#)
 - dg_minuspsi_dg, [20](#)
 - dg_proc_dg, [22](#)
 - diva2dg, [25](#)
 - JETPPF2DG, [32](#)
 - shotfile2dg, [53](#)
- fjp
 - shotfile2dg, [53](#)
- FP
 - JETPPF2DG, [32](#)
- fpf
 - shotfile2dg, [53](#)
- FPT
 - JETPPF2DG, [32](#)
- gpr
 - diva2dg, [25](#)
 - shotfile2dg, [54](#)
 - sst2dg, [58](#)
- gpz
 - diva2dg, [25](#)
 - shotfile2dg, [54](#)
 - sst2dg, [58](#)
- hlp_txt
 - pt2dg, [49](#)
- i
 - cropequ, [6](#)
 - dg2dg, [11](#)
 - JETPPF2DG, [32](#)
- iarg
 - JETPPF2DG, [32](#)
 - shotfile2dg, [54](#)
- iargc
 - JETPPF2DG, [32](#)
 - shotfile2dg, [54](#)
- IDUM
 - JETPPF2DG, [32](#)
- IER
 - JETPPF2DG, [33](#)
- IERRA
 - JETPPF2DG, [33](#)
- IERROR
 - JETPPF2DG, [33](#)

- IGO
 - JETPPF2DG, 33
- in_mesh
 - pt2dg, 49
- in_psi
 - pt2dg, 49
- IREAD
 - JETPPF2DG, 33
- iret
 - cropequ, 6
 - dg2dg, 11
 - JETPPF2DG, 33
- IWRITE
 - JETPPF2DG, 33
- j
 - cropequ, 6
 - dg2dg, 11
 - JETPPF2DG, 33
- JETPPF2DG, 30
 - arg, 31
 - BR, 31
 - BT, 31
 - btorc, 31
 - BZ, 31
 - CONV, 32
 - DDA, 32
 - DPSI, 32
 - EPS, 32
 - filename, 32
 - FP, 32
 - FPT, 32
 - i, 32
 - iarg, 32
 - iargc, 32
 - IDUM, 32
 - IER, 33
 - IERRA, 33
 - IERROR, 33
 - IGO, 33
 - IREAD, 33
 - iret, 33
 - IWRITE, 33
 - j, 33
 - LFLUSH, 33
 - lnblnk, 33
 - LUNMSG, 33
 - MR, 34
 - MSG, 34
 - MZ, 34
 - NP, 34
 - NR, 34
 - NSEQ, 34
 - NSHOT, 34
 - NX, 34
 - NY, 34
 - NZ, 34
 - PPFUID, 34
 - PSI, 35
 - PSI0, 35
 - PSIB, 35
 - psilim, 35
 - R, 35
 - R1, 35
 - R2, 35
 - RATIOX, 35
 - RATIOY, 35
 - RBTOR, 35
 - rentc, 35
 - TIME, 36
 - TSHOT, 36
 - TWOPI, 36
 - WIDTH, 36
 - Z, 36
 - Z1, 36
 - Z2, 36
- jetppf2dg.f
 - ERRMSS, 76
 - LENSTR, 76
- jt2dg, 37
 - btorc, 37
 - date, 37
 - ffg, 37
 - fg, 38
 - pfm, 38
 - pg, 38
 - ppg, 38
 - psilim, 38
 - psimin, 38
 - rentc, 38
 - rdim, 38
 - redge, 38
 - rgr, 38
 - rma, 38
 - title, 39
 - zdim, 39
 - zgr, 39
 - zma, 39
 - zmsmid, 39
- LENSTR
 - jetppf2dg.f, 76
- LFLUSH
 - JETPPF2DG, 33
- lin
 - shotfile2dg, 54
- lnblnk
 - JETPPF2DG, 33

- shotfile2dg, [54](#)
 - shotfile2dg.f, [95](#)
- lpfxdim
 - shotfile2dg, [54](#)
- LUNMSG
 - JETPPF2DG, [33](#)
- mdim
 - shotfile2dg, [54](#)
- MR
 - JETPPF2DG, [34](#)
- MSG
 - JETPPF2DG, [34](#)
- MZ
 - JETPPF2DG, [34](#)
- nedit
 - shotfile2dg, [54](#)
- ngpr
 - cropequ, [6](#)
 - dg2dg, [11](#)
- ngpz
 - cropequ, [6](#)
 - dg2dg, [12](#)
- nk2dg, [40](#)
 - btorc, [40](#)
 - delr, [40](#)
 - delz, [40](#)
 - fg, [40](#)
 - pfm, [40](#)
 - psilim, [41](#)
 - rcntc, [41](#)
 - rgr, [41](#)
 - rmax, [41](#)
 - rmin, [41](#)
 - zgr, [41](#)
 - zmax, [41](#)
 - zmin, [41](#)
- nkn2dg, [42](#)
 - btorc, [42](#)
 - delr, [42](#)
 - delz, [42](#)
 - fg, [42](#)
 - pfm, [42](#)
 - psilim, [43](#)
 - rcntc, [43](#)
 - rgr, [43](#)
 - rmax, [43](#)
 - rmin, [43](#)
 - zgr, [43](#)
 - zmax, [43](#)
 - zmin, [43](#)
- NP
 - JETPPF2DG, [34](#)
- NR
 - JETPPF2DG, [34](#)
- nr
 - cropequ, [6](#)
 - dg2dg, [12](#)
- nrn
 - cropequ, [6](#)
- NSEQ
 - JETPPF2DG, [34](#)
- NSHOT
 - JETPPF2DG, [34](#)
- nshot
 - shotfile2dg, [54](#)
- NX
 - JETPPF2DG, [34](#)
- NY
 - JETPPF2DG, [34](#)
- NZ
 - JETPPF2DG, [34](#)
- nz
 - cropequ, [6](#)
 - dg2dg, [12](#)
- nzn
 - cropequ, [6](#)
- open_files
 - open_files.f, [80](#)
- open_files.f
 - open_files, [80](#)
- out_file
 - pt2dg, [49](#)
- page
 - prinequ, [47](#)
- pb2dg, [44](#)
 - btorc, [44](#)
 - ffg, [44](#)
 - fg, [44](#)
 - pfm, [44](#)
 - pg, [44](#)
 - pi, [45](#)
 - ppg, [45](#)
 - psilim, [45](#)
 - rcntc, [45](#)
 - rgr, [45](#)
 - zgr, [45](#)
- pc
 - diva2dg, [25](#)
 - sst2dg, [58](#)
- pcd
 - diva2dg, [25](#)
 - sst2dg, [58](#)
- pfl
 - diva2dg, [25](#)

- sst2dg, 58
- pfm
 - cropequ, 7
 - culham, 9
 - dg2dg, 12
 - dg2ef, 14
 - dg2vr, 16
 - dg_arith_dg, 18
 - dg_minuspsi_dg, 20
 - dg_proc_dg, 22
 - diva2dg, 25
 - ef2dg, 28
 - jt2dg, 38
 - nk2dg, 40
 - nkn2dg, 42
 - pb2dg, 44
 - prinequ, 47
 - risepsi, 50
 - shotfile2dg, 54
 - sst2dg, 58
 - vr2dg, 60
- pfmd
 - shotfile2dg, 55
- pfxx
 - shotfile2dg, 55
- pg
 - culham, 9
 - dg2ef, 14
 - ef2dg, 28
 - jt2dg, 38
 - pb2dg, 44
 - prinequ, 47
- pi
 - pb2dg, 45
- PPFUID
 - JETPPF2DG, 34
- ppg
 - culham, 9
 - dg2ef, 14
 - ef2dg, 28
 - jt2dg, 38
 - pb2dg, 45
 - prinequ, 47
- pr
 - diva2dg, 25
 - sst2dg, 58
- prd
 - diva2dg, 25
 - sst2dg, 58
- prinequ, 46
 - btorc, 46
 - date, 46
 - ffg, 46
 - fg, 46
 - page, 47
 - pfm, 47
 - pg, 47
 - ppg, 47
 - psilim, 47
 - psimin, 47
 - rentc, 47
 - rdim, 47
 - redge, 47
 - rgr, 47
 - rma, 47
 - title, 48
 - zdim, 48
 - zgr, 48
 - zma, 48
 - zmsmid, 48
- PSI
 - JETPPF2DG, 35
- PSIO
 - JETPPF2DG, 35
- PSIB
 - JETPPF2DG, 35
- psilim
 - cropequ, 7
 - culham, 9
 - dg2dg, 12
 - dg2ef, 14
 - dg2vr, 16
 - dg_arith_dg, 18
 - dg_minuspsi_dg, 20
 - dg_proc_dg, 22
 - ef2dg, 28
 - JETPPF2DG, 35
 - jt2dg, 38
 - nk2dg, 41
 - nkn2dg, 43
 - pb2dg, 45
 - prinequ, 47
 - risepsi, 50
 - shotfile2dg, 55
 - vr2dg, 60
- psimin
 - cropequ, 7
 - culham, 9
 - dg2dg, 12
 - dg2ef, 14
 - ef2dg, 28
 - jt2dg, 38
 - prinequ, 47
- pt2dg, 49
 - ex, 49
 - exi, 49
 - hlp_txt, 49
 - in_mesh, 49

- in_psi, 49
 - out_file, 49
- pt2dg.f
 - BPOLRZ, 83
 - TRINWT, 83
 - WPOLRZ, 83
 - wreqdg, 83
- q
 - diva2dg, 25
 - sst2dg, 58
- R
 - JETPPF2DG, 35
- R1
 - JETPPF2DG, 35
- R2
 - JETPPF2DG, 35
- RATIOX
 - JETPPF2DG, 35
- RATIOY
 - JETPPF2DG, 35
- RBTOR
 - JETPPF2DG, 35
- rentc
 - cropequ, 7
 - culham, 9
 - dg2dg, 12
 - dg2ef, 14
 - dg2vr, 16
 - dg_arith_dg, 18
 - dg_minuspsi_dg, 20
 - dg_proc_dg, 22
 - diva2dg, 25
 - ef2dg, 28
 - JETPPF2DG, 35
 - jt2dg, 38
 - nk2dg, 41
 - nkn2dg, 43
 - pb2dg, 45
 - prinequ, 47
 - risepsi, 50
 - shotfile2dg, 55
 - sst2dg, 58
 - vr2dg, 60
- rdefit
 - rdefit.f, 85
- rdefit.f
 - rdefit, 85
- rdeqdg
 - rdeqdg.f, 86
 - rdeqjt.f, 88
- rdeqdg.f
 - rdeqdg, 86
- rdeqjh
 - rdeqjh.f, 87
- rdeqjh.f
 - rdeqjh, 87
- rdeqjt.f
 - rdeqdg, 88
- rdeqlh
 - rdeqlh.f, 89
- rdeqlh.f
 - rdeqlh, 89
- rdeqnk
 - rdeqnk.f, 90
- rdeqnk.f
 - rdeqnk, 90
- rdeqnk2
 - rdeqnk2.f, 91
- rdeqnk2.f
 - rdeqnk2, 91
- rdeqpb
 - rdeqpb.f, 92
- rdeqpb.f
 - rdeqpb, 92
- rdeqvr
 - rdeqvr.f, 93
- rdeqvr.f
 - rdeqvr, 93
- rdim
 - culham, 9
 - dg2ef, 14
 - ef2dg, 28
 - jt2dg, 38
 - prinequ, 47
- redge
 - culham, 9
 - dg2ef, 14
 - ef2dg, 28
 - jt2dg, 38
 - prinequ, 47
- rgr
 - cropequ, 7
 - culham, 9
 - dg2dg, 12
 - dg2ef, 14
 - dg2vr, 16
 - dg_arith_dg, 19
 - dg_minuspsi_dg, 20
 - dg_proc_dg, 23
 - ef2dg, 28
 - jt2dg, 38
 - nk2dg, 41
 - nkn2dg, 43
 - pb2dg, 45
 - prinequ, 47
 - risepsi, 50

- vr2dg, 60
- ri
 - shotfile2dg, 55
- rin
 - shotfile2dg, 55
- risepsi, 50
 - btorc, 50
 - pfm, 50
 - psilim, 50
 - rcntc, 50
 - rgr, 50
 - shift, 50
 - zgr, 51
- rma
 - culham, 10
 - dg2ef, 14
 - ef2dg, 28
 - jt2dg, 38
 - prinequ, 47
- rmax
 - cropequ, 7
 - nk2dg, 41
 - nkn2dg, 43
- rmin
 - cropequ, 7
 - nk2dg, 41
 - nkn2dg, 43
- rpfx
 - shotfile2dg, 55
- shift
 - dg_arith_dg, 19
 - dg_minuspsi_dg, 21
 - dg_proc_dg, 23
 - risepsi, 50
- shotfile2dg, 52
 - arg, 53
 - br, 53
 - bt, 53
 - btorc, 53
 - bz, 53
 - dianam, 53
 - expnam, 53
 - filename, 53
 - fjp, 53
 - fpf, 53
 - gpr, 54
 - gpz, 54
 - iarg, 54
 - iargc, 54
 - lin, 54
 - lnblnk, 54
 - lpfxdim, 54
 - mdim, 54
 - nedit, 54
 - nshot, 54
 - pfm, 54
 - pfmd, 55
 - pfxx, 55
 - psilim, 55
 - rcntc, 55
 - ri, 55
 - rin, 55
 - rpfx, 55
 - tshot, 55
 - zin, 55
 - zj, 55
 - zpf, 55
- shotfile2dg.f
 - lnblnk, 95
- src/cropequ.f, 63
- src/culham.f, 65
- src/dg2dg.f, 66
- src/dg2ef.f, 67
- src/dg2vr.f, 68
- src/dg_arith_dg.f, 69
- src/dg_minuspsi_dg.f, 70
- src/dg_proc_dg.f, 71
- src/diva2dg.f, 72
- src/double.f, 73
- src/ef2dg.f, 74
- src/jetppf2dg.f, 75
- src/jt2dg.f, 77
- src/nk2dg.f, 78
- src/nkn2dg.f, 79
- src/open_files.f, 80
- src/pb2dg.f, 81
- src/prinequ.f, 82
- src/pt2dg.f, 83
- src/rdefit.f, 85
- src/rdeqdg.f, 86
- src/rdeqjh.f, 87
- src/rdeqjt.f, 88
- src/rdeqlh.f, 89
- src/rdeqnk.f, 90
- src/rdeqnk2.f, 91
- src/rdeqpb.f, 92
- src/rdeqvr.f, 93
- src/risepsi.f, 94
- src/shotfile2dg.f, 95
- src/sst2dg.f, 96
- src/vr2dg.f, 97
- src/wrefit.f, 98
- src/wreqdg.f, 99
- src/wreqvr.f, 100
- sst2dg, 57
 - apf, 57
 - Bt, 57

- btorc, [57](#)
 - derivative, [57](#)
 - gpr, [58](#)
 - gpz, [58](#)
 - pc, [58](#)
 - pcd, [58](#)
 - pfl, [58](#)
 - pfm, [58](#)
 - pr, [58](#)
 - prd, [58](#)
 - q, [58](#)
 - rcntc, [58](#)
 - xpf, [58](#)
- TIME
 - JETPPF2DG, [36](#)
- title
 - culham, [10](#)
 - dg2ef, [15](#)
 - ef2dg, [29](#)
 - jt2dg, [39](#)
 - prinequ, [48](#)
- TRINWT
 - pt2dg.f, [83](#)
- TSHOT
 - JETPPF2DG, [36](#)
- tshot
 - shotfile2dg, [55](#)
- TWOPI
 - JETPPF2DG, [36](#)
- vr2dg, [60](#)
 - btorc, [60](#)
 - pfm, [60](#)
 - psilim, [60](#)
 - rcntc, [60](#)
 - rgr, [60](#)
 - zgr, [60](#)
- WBPOLRZ
 - pt2dg.f, [83](#)
- WIDTH
 - JETPPF2DG, [36](#)
- wrefit
 - wrefit.f, [98](#)
- wrefit.f
 - wrefit, [98](#)
- wreqdg
 - pt2dg.f, [83](#)
 - wreqdg.f, [99](#)
- wreqdg.f
 - wreqdg, [99](#)
- wreqvr
 - wreqvr.f, [100](#)
- wreqvr.f
 - wreqvr, [100](#)
- xpf
 - diva2dg, [26](#)
 - sst2dg, [58](#)
- Z
 - JETPPF2DG, [36](#)
- Z1
 - JETPPF2DG, [36](#)
- Z2
 - JETPPF2DG, [36](#)
- zdim
 - culham, [10](#)
 - dg2ef, [15](#)
 - ef2dg, [29](#)
 - jt2dg, [39](#)
 - prinequ, [48](#)
- zgr
 - cropequ, [7](#)
 - culham, [10](#)
 - dg2dg, [12](#)
 - dg2ef, [15](#)
 - dg2vr, [16](#)
 - dg_arith_dg, [19](#)
 - dg_minuspsi_dg, [21](#)
 - dg_proc_dg, [23](#)
 - ef2dg, [29](#)
 - jt2dg, [39](#)
 - nk2dg, [41](#)
 - nkn2dg, [43](#)
 - pb2dg, [45](#)
 - prinequ, [48](#)
 - risepsi, [51](#)
 - vr2dg, [60](#)
- zin
 - shotfile2dg, [55](#)
- zj
 - shotfile2dg, [55](#)
- zma
 - culham, [10](#)
 - dg2ef, [15](#)
 - ef2dg, [29](#)
 - jt2dg, [39](#)
 - prinequ, [48](#)
- zmax
 - cropequ, [7](#)
 - nk2dg, [41](#)
 - nkn2dg, [43](#)
- zmin
 - cropequ, [7](#)
 - nk2dg, [41](#)
 - nkn2dg, [43](#)

zmsmid
 culham, [10](#)
 dg2ef, [15](#)
 ef2dg, [29](#)
 jt2dg, [39](#)
 prinequ, [48](#)
zpx
 shotfile2dg, [55](#)