

Impressions from SOLPS5.0

M. Wischmeier

CRPP, Association EURATOM-Confederation Suisse, EPFL, Lausanne, Switzerland

- **First thought: Don't touch the input files when it works**
- **Second thought: You have to change the files if you want to make progress**
- **Third thought: Ask for help!**
- **You will only make slow progress**
 - need to understand “What is what ?” :
 - main problem for me as the code is huge and I am not a programmer!

Impressions (II)

- BUT: CODE developpers are very helpful
- BUT: Less questions the more the code is documented - mentioning the pitfalls!
- How I see the code:
- Usefull to analyse regimes
- Capabel of determining key atomic physics processes
- Useful for simulating general experimental behaviour
- Not useful for:
- simulating a specific shot in detail
- seems never to match inner target, midplane and outer target at the same time
- has problems - even at low density attached conditions - to match exactly experimental data



Impressions (III)

- **Greatest hazard:**
- What are the radial “diffusion” coefficients????
- What are the boundary conditions?
- The “North boundary conditions” - mostly just a decay length because it works....(?)
- **At JET:**
- often not enough diagnostics relevant for SOL and divertor operating at the same time
- A pity: use 2D-code, but often just two anchor points for comparison with experiment available
- What about the JET Langmuir probes?
- **GENERAL:**
- Who is doing what with the code...???? Information exchange!!
- Look at my web page for “FAQ” collection: crppwww.epfl.ch/~wischmeier