

KEY	TYPE	VALUE
ViewArea	name	(Optional; PDF 1.4) The area of a page to be displ The value is the key desi object (see “Page Objec Boundaries”). If the spec object, its default value i Default value: CropBox.

Note: This entry is intend
interpret or manipulate
10.10.1, “Page Boundarie

ViewClip	name	(Optional; PDF 1.4) The tents of a page are to b screen. The value is the the page object (see “Pa “Page Boundaries”). If th page object, its default v 145. Default value: CropBox.
----------	------	--

Note: This entry is intended primarily for use by prepress applications that
interpret or manipulate the page boundaries as described in Section
10.10.1, “Page Boundaries.” Most PDF consumer applications disregard it.

PrintArea	name	(Optional; PDF 1.4) The name of the page boundary representing the area of a page to be rendered when printing the document. The value is the key designating the relevant page boundary in the page object (see “Page Objects” on page 144 and Section 10.10.1, “Page Boundaries”). If the specified page boundary is not defined in the page object, its default value is used, as specified in Table 3.27 on page 145. Default value: CropBox.
-----------	------	---

Note: This entry is intended primarily for use by prepress applications that
interpret or manipulate the page boundaries as described in Section
10.10.1, “Page Boundaries.” Most PDF consumer applications disregard it.