



When no ned to investigate auto regression run

When no need to investigate auto regression run




Valnianka Andrei Senior Test Automation Engineer in EPAM Systems Gomel, Belarus



INTEGRATION TESTS

A few words about the testing pyramid

ICE CREAM CONE ANTIPATTERN



Briefly about current TAF



1.2 checks



Launch duration ~ 2 hours



Average time for results investigation ~ 20 working hours



Launch frequency: on a weekly basis

@Before launch



@After launch





Case#1
"incredible case"



Case#2 "StaleResultCase"

Additional metrics:

- Investigation team capacity
- Investigation window
- Average time for one fail investigation



Case#3 fast fix and re-run

- Ul changes or auto bug can be fixed fast
- fix + relaunch +
 new run
 investigation < old
 run investigation



No image available

Case#4 death on takeoff

Some common bug appears in many tests in the start of testing flow Risks

- The real view is hidden by this bug
- Not clear bug
 report for business



Case#5 hidden functionality

Total regression results looks good, but none of the tests for some functionality have been passed completely

Risks

- businesscommitmentsAvoiding:
- re-launch tests for this functionality
- manual checking
- highlighting in report

Time for regression was decreased on 3-4 hours per week

customer made a decision to expand automation on other streams





QUESTIONS

Andrei_Valnianka@epam.com