Python Gmail Email Program OOP

Contents

Python Gmail Email Program OOP	1
Setting up a Gmail Account for Email	1
Create an Application Password	1
Tutorial 1 - Send Email with Python	3
Assignment 1 - Python CLI Email Program	
Requirements	
Assignment Submission	

Time required: 30 minutes

Let's learn how to send email using Python and Gmail. Being able to send an email from Python opens up all sorts of possibilities.

Setting up a Gmail Account for Email


If you don't have a Gmail account, you will want to create one.

Let's enable your Gmail account to receive connections from external programs, like Python.


- 1. Open your browser and access your Gmail account.
- 2. On the login screen \rightarrow enter your Gmail username and password.
- After the login → access the following URL:
 https://myaccount.google.com/signinoptions/two-step-verification
- 4. Enable the two-step verification on this account.

Create an Application Password

- 1. Access the following URL: https://security.google.com/settings/security/apppasswords
- 2. Select Gmail application and the type of device: Other.



- 3. Name the device: Python
- 4. Click on the Generate button and take note of the randomly generated password.



- 5. Access the following URL:
- 6. https://accounts.google.com/DisplayUnlockCaptcha
- 7. Click on the **Continue** button to enable external access to your Google account.

Allow access to your Google account

As a security precaution, Google may require you to complete this additional step when signing into a new device or application.

To allow access, click the Continue button below.

Note: Since your account uses 2-Step Verification, you may need to create an application-specific password to sign in with your application.

Continue

You have finished the required steps for the Gmail integration.

Tutorial 1 - Send Email with Python

Create a Python program named: gmail_credentials.py

```
1 #!/usr/bin/env python3
3
     Name: gmail credentials.py
     Author:
      Created:
      Purpose: Credentials to send email through Python using Gmail
6
7 | """
8
9 SMTP_SERVER = "smtp.gmail.com"
10 # Secure SMTP port
11 PORT = 587
12
13 #----- REPLACE WITH YOUR INFORMATION -----#
15 LOGIN = "youremailaddress@gmail.com"
16 APP_PASSWORD = ""
17
```

Create a Python program named: **send_gmail.py**

```
1 #!/usr/bin/env python3
2
  \mathbf{n} \mathbf{n} \mathbf{n}
3
    Name: send gmail oop.py
    Author:
     Created:
6
     Purpose: Send email with Python and Gmail
7 ....
8 # Library to manage communcation with an SMTP server
9 import smtplib
10 # Library to create an email message
11 from email.message import EmailMessage
12 # Import credentials and SMTP server settings
13 import gmail credentials
14
15
16 class Gmail:
17
     def init (self):
18
     19
20
      #----# REPLACE WITH YOUR INFORMATION -----#
21
         self.email from = "William Loring <wnccrobotics@gmail.com>"
22
         # A list containing one or more email addresses
23
         self.email dst = [
24
             "loringw@wncc.edu",
25
             "williamloring@hotmail.com"
26
         1
27
      28
29 #----- CREATE EMAIL MESSAGE -----
30
      def create message(self):
         ....
31
32
            Create email message
33
34
         self.subject = "Email from Python Email Program"
35
         self.content = """
36
         This test message is sent from Python Bill.
37
38
         # Create EmailMessage object
39
         self.message = EmailMessage()
40
         self.message["From"] = self.email from
41
         self.message["To"] = self.email dst
42
         self.message["Subject"] = self.subject
43
         self.message.set content(self.content)
```

```
#-----#
30
      def create message(self):
31
32
             Create email message
33
34
         self.subject = "Email from Python Email Program"
35
         self.content = """
36
         This test message is sent from Python Bill.
37
38
         # Create EmailMessage object
39
         self.message = EmailMessage()
40
         self.message["From"] = self.email from
41
         self.message["To"] = self.email dst
42
         self.message["Subject"] = self.subject
43
         self.message.set content(self.content)
44
45 #----- SEND EMAIL MESSAGE ------
46
      def send email(self):
47
         trv:
48
             # Use with context manager to create an smtp server object
49
             with smtplib.SMTP(
50
                 gmail credentials.SMTP SERVER,
51
                 gmail credentials.PORT
52
             ) as smtp server:
53
                 # Show all communication with the server
54
                 # This line can be commented out in production
55
                 smtp server.set debuglevel(True)
56
                 # Say enhanced hello to the smtp server
57
                 smtp server.ehlo()
58
                 # Request a TLS connection with the SMTP server
59
                 smtp server.starttls()
60
                 # Login to the SMTP server
61
                 smtp server.login(
62
                    gmail credentials.LOGIN,
63
                    gmail credentials.PASSWORD
64
65
                 # Ask smtp server to send message
66
                 smtp server.send message(
67
                    self.message
68
                 )
             69
             print("* Email message successfully sent.
70
             71
72
         except Exception as e:
73
             print(25*"**")
74
             print(f"Message not sent.")
75
             print(e)
             print(25*"**")
76
77
78
79 # Create program object, start program
80 gmail = Gmail()
81 gmail.create message()
82 gmail.send email()
```

The example run contains all the chatter back and forth between your Python program and the mail server. The debug level is set to True so we can see how much background communication occurs sending a simple email message. The debug level line can be commented out.

Example run:

```
reply: retcode (250); Msg: b'2.1.0 OK ep25-20020a056870a99900b0011f390fdb0asm361
9396oab.12 - gsmtp'
send: 'rcpt TO:<loringw@wncc.edu>\r\n'
reply: b'250 2.1.5 OK ep25-20020a056870a99900b0011f390fdb0asm3619396oab.12 - gsm
tp\r\n'
reply: retcode (250); Msg: b'2.1.5 OK ep25-20020a056870a99900b0011f390fdb0asm361
9396oab.12 - gsmtp'
send: 'rcpt TO:<williamloring@hotmail.com>\r\n'
reply: b'250 2.1.5 OK ep25-20020a056870a99900b0011f390fdb0asm3619396oab.12 - gsm
tp\r\n'
reply: retcode (250); Msg: b'2.1.5 OK ep25-20020a056870a99900b001lf390fdb0asm361
9396oab.12 - gsmtp'
send: 'data\r\n'
reply: b'354 Go ahead ep25-20020a056870a99900b0011f390fdb0asm3619396oab.12 - gs
mtp\r\n'
reply: retcode (354); Msg: b'Go ahead ep25-20020a056870a99900b0011f390fdb0asm361
9396oab.12 - gsmtp'
data: (354, b'Go ahead ep25-20020a056870a99900b0011f390fdb0asm3619396oab.12 - gs
mtp')
send: b'From: William Loring <williamaloring@gmail.com>\r\nContent-Type: text/pl
ain; charset="utf-8"\r\nContent-Transfer-Encoding: 7bit\r\nMIME-Version: 1.0\r\n
Subject: Email from Python Email Program\r\nTo: loringw@wncc.edu, williamloring@
hotmail.com\r\n\r\nThis test message is sent from Python Bill.\r\n.\r\n'
reply: b'250 2.0.0 OK 1662293307 ep25-20020a056870a99900b001lf390fdb0asm3619396
oab.12 - gsmtp\r\n'
reply: retcode (250); Msg: b'2.0.0 OK 1662293307 ep25-20020a056870a99900b001lf3
90fdb0asm3619396oab.12 - gsmtp'
data: (250, b'2.0.0 OK 1662293307 ep25-20020a056870a99900b0011f390fdb0asm361939
60ab.12 - gsmtp')
send: 'QUIT\r\n'
reply: b'221 2.0.0 closing connection ep25-20020a056870a99900b0011f390fdb0asm361
9396oab.12 - gsmtp\r\n'
reply: retcode (221); Msg: b'2.0.0 closing connection ep25-20020a056870a99900b00
11f390fdb0asm3619396oab.12 - gsmtp'
**************
    Email message successfully sent.
*****************
```

Test your program.

Assignment 1 - Python CLI Email Program

Way back in prehistoric times, we used CLI (command line interface) email programs like pine. Everything was on Unix systems, not a GUI in sight.

Let's build our own blast from the past email program.

Requirements

- 1. Add a creative program title
- 2. Add input for
 - a. Destination email
 - b. Subject
 - c. Message
- 3. Allow user to send another message

Example run:

```
Yet Another Ancient Email Client
A CLI Email client from yesterday

By William Loring

Destination email address: loringw@wncc.edu
Subject: A Test Message to Me
Enter message (One line only):
Hello Bill, how are you?
Sending Email message . . .

* Email message successfully sent. *

Send another email (Y/N): y
Destination email address: williamloring@hotmail.com
Subject: Another Test?
Enter message (One line only):
Here I am again!
Sending Email message . . .

* Email message successfully sent. *

Send another email (Y/N): n
```

Yes, you have successfully created a money making app, a CLI email program in Python!

Assignment Submission

Send the instructor an email at loringw@wncc.edu

- Insert a screenshot of the program run
- Attach the completed program files
- Submit the assignment in Blackboard.