Python Gmail Email Program

Contents

Python Gmail Email Program	1
Setting up a Gmail Account for Email	• • -
Create an Application Password	1
Tutorial 1 - Send Email with Python	
Assignment 1 - Python CLI Email Program	
Requirements	6
Assignment Submission	

Time required: 30 minutes

Let's learn how to send email using Python and Gmail. Being able to send an email from Python opens up all sorts of possibilities.

Setting up a Gmail Account for Email


If you don't have a Gmail account, you will want to create one.

Let's enable your Gmail account to receive connections from external programs, like Python.


- 1. Open your browser and access your Gmail account.
- 2. On the login screen \rightarrow enter your Gmail username and password.
- After the login → access the following URL:
 https://myaccount.google.com/signinoptions/two-step-verification
- 4. Enable the two-step verification on this account.

Create an Application Password

- 1. Access the following URL: https://security.google.com/settings/security/apppasswords
- 2. Select Gmail application and the type of device: **Other**.



- 3. Name the device: Python
- 4. Click on the Generate button and take note of the randomly generated password.



- 5. Access the following URL:
- 6. https://accounts.google.com/DisplayUnlockCaptcha
- 7. Click on the **Continue** button to enable external access to your Google account.

Allow access to your Google account

As a security precaution, Google may require you to complete this additional step when signing into a new device or application.

To allow access, click the Continue button below.

Note: Since your account uses 2-Step Verification, you may need to create an application-specific password to sign in with your application.

Continue

You have finished the required steps for the Gmail integration.

Tutorial 1 - Send Email with Python

Create a Python program named: gmail_credentials.py

```
1 #!/usr/bin/env python3
3
     Name: gmail credentials.py
     Author:
      Created:
      Purpose: Credentials to send email through Python using Gmail
6
7 | """
8
9 SMTP_SERVER = "smtp.gmail.com"
10 # Secure SMTP port
11 PORT = 587
12
13 #----- REPLACE WITH YOUR INFORMATION -----#
15 LOGIN = "youremailaddress@gmail.com"
16 APP_PASSWORD = ""
17
```

Create a Python program named: send_gmail.py

```
1 #!/usr/bin/env python3
2
  \mathbf{n} \mathbf{n} \mathbf{n}
3
    Name: send gmail.py
4
    Author:
    Created:
6
    Purpose: Send email with Python and Gmail
7 | """
8 # Library to manage communcation with an SMTP server
9 import smtplib
10 # Library to create an email message
11 from email.message import EmailMessage
12 # Create secure context for tls encryption
13 import ssl
14 # Import gmail credentials and SMTP server settings
15 import gmail credentials
16
18 #----- REPLACE WITH YOUR INFORMATION -----#
19 email from = "William Loring <williamaloring@gmail.com>"
20 # A list containing one or more email addresses
21 email dst = [
22
    "loringw@wncc.edu",
23
    "williamloring@hotmail.com"
24 ]
25 content = """
26 This test message is sent from Python Bill.
27 """
28 subject = "Email from Python Email Program"
30
31 #-----#
32 message = EmailMessage()
33 message["From"] = email from
34 message.set content(content)
35 message["Subject"] = subject
36 message["To"] = email dst
```

```
31 #-----#
32 message = EmailMessage()
33 message["From"] = email from
34 message.set content(content)
35 message["Subject"] = subject
36 message["To"] = email dst
37
38 #-----#
39 try:
      # Use with context manager to create an smtp server object
40
41
     with smtplib.SMTP(
42
         gmail credentials.SMTP SERVER,
43
          gmail credentials.PORT
44
      ) as smtp server:
45
         # Show all communication with the server
46
          # This line can be commented out
47
          smtp server.set debuglevel(True)
48
          # Say enhanced hello to the smtp server
49
          smtp server.ehlo()
50
          # Create a secure SSL context (connection object)
51
          context = ssl.create default context()
52
          # Request a TLS connection with the SMTP server
53
          smtp server.starttls()
54
          # Login to the SMTP server
55
          smtp server.login(
56
             gmail credentials.LOGIN,
57
             gmail credentials.PASSWORD
58
59
          # Ask smtp server to send out message
60
          smtp server.send message(
61
             message
62
          )
63
     print()
     print(25*"**")
64
65
      print(" Email message successfully sent.")
66
     print(25*"**")
67
     print()
68 except Exception as e:
69
      print(25*"**")
70
     print(f"Message not sent.")
71
      print(e)
72
      print(25*"**")
```

The example run contains all the chatter back and forth between your Python program and the mail server. The debug level is set to True so we can see how much background communication occurs sending a simple email message. The debug level line can be commented out.

Example run:

```
reply: retcode (250); Msg: b'2.1.0 OK ep25-20020a056870a99900b0011f390fdb0asm361
9396oab.12 - gsmtp'
send: 'rcpt TO:<loringw@wncc.edu>\r\n'
reply: b'250 2.1.5 OK ep25-20020a056870a99900b001lf390fdb0asm3619396oab.12 - gsm
tp\r\n'
reply: retcode (250); Msg: b'2.1.5 OK ep25-20020a056870a99900b0011f390fdb0asm361
9396oab.12 - gsmtp'
send: 'rcpt TO:<williamloring@hotmail.com>\r\n'
reply: b'250 2.1.5 OK ep25-20020a056870a99900b001lf390fdb0asm3619396oab.12 - gsm
tp\r\n'
reply: retcode (250); Msg: b'2.1.5 OK ep25-20020a056870a99900b0011f390fdb0asm361
9396oab.12 - gsmtp'
send: 'data\r\n'
reply: b'354 Go ahead ep25-20020a056870a99900b001lf390fdb0asm3619396oab.12 - gs
mtp\r\n'
reply: retcode (354); Msg: b'Go ahead ep25-20020a056870a99900b0011f390fdb0asm361
9396oab.12 - gsmtp'
data: (354, b'Go ahead ep25-20020a056870a99900b001lf390fdb0asm3619396oab.12 - gs
send: b'From: William Loring <williamaloring@gmail.com>\r\nContent-Type: text/pl
ain; charset="utf-8"\r\nContent-Transfer-Encoding: 7bit\r\nMIME-Version: 1.0\r\n
Subject: Email from Python Email Program\r\nTo: loringw@wncc.edu, williamloring@
hotmail.com\r\n\r\nThis test message is sent from Python Bill.\r\n.\r\n'
reply: b'250 2.0.0 OK 1662293307 ep25-20020a056870a99900b0011f390fdb0asm3619396
oab.12 - gsmtp\r\n'
reply: retcode (250); Msg: b'2.0.0 OK 1662293307 ep25-20020a056870a99900b0011f3
90fdb0asm3619396oab.12 - gsmtp'
data: (250, b'2.0.0 OK 1662293307 ep25-20020a056870a99900b0011f390fdb0asm361939
60ab.12 - gsmtp')
send: 'QUIT\r\n'
reply: b'221 2.0.0 closing connection ep25-20020a056870a99900b001lf390fdb0asm361
9396oab.12 - gsmtp\r\n'
reply: retcode (221); Msg: b'2.0.0 closing connection ep25-20020a056870a99900b00
11f390fdb0asm3619396oab.12 - gsmtp'
************************************
    Email message successfully sent.
********************
```

Test your program.

Assignment 1 - Python CLI Email Program

Way back in prehistoric times, we used CLI (command line interface) email programs like pine. Everything was on Unix systems, not a GUI in sight.

Let's build our own blast from the past email program.

Requirements

1. Add a creative program title

Revised: 10/8/2022

- 2. Add input for
 - a. Destination email
 - b. Subject
 - c. Message
- 3. Allow user to send another message

Example run:

```
An Ancient Email Client
      A CLI Email client from yesterday
Destination email address: loringw@wncc.edu
Subject: Another CLI Email Client
Enter message (One line only):
This is a one line message.
   Sending Email message . . .
  Email message successfully sent.
Send another email (Y/N): y
Destination email address: loringw@wncc.edu
Subject: A second test
Enter message (One line only):
This is the last message of the day.
   Sending Email message . . .
  Email message successfully sent.
Send another email (Y/N): n
```

Yes, you have successfully created a money making app, a CLI email program in Python!

Assignment Submission

- Send the instructor an email at loringw@wncc.edu
- Insert a screenshot of the program run
- Attach the completed program files
- Submit the assignment in Blackboard.