C++ Pig Latin

Contents

| C++ Pig Latin | 1 |
|--------------------------------|---|
| Pseudocode | |
| Here's What I Want You to Do | |
| | |
| Here's Why I Want You to Do It | |
| Minimum Requirements | 2 |
| Sample TODO Pseudocode | 2 |
| Begins with Vowel | 2 |
| Begins with Consonant | |
| Assignment Submission | 5 |

Time required: 120 minutes

Please read the directions carefully before beginning the assignment.

- Comment your code as shown in the tutorials and other code examples.
- Follow all directions carefully and accurately.
- Think of the directions as minimum requirements.

Pseudocode

1. Write TODO or pseudocode for the exercise

Here's What I Want You to Do

Write an application that accepts a word from a user and converts it to Pig Latin.

Here's Why I Want You to Do It

Demonstrate understanding of:

Constants, Input, Decisions, Strings, Characters, Loops

Page 1 of 4 Revised: 4/1/2025

Minimum Requirements

Create a C++ program named pig_latin.cpp

Write an application that accepts a word from a user and converts it to Pig Latin.

- Word may begin with a vowel
- Word may begin with a consonant
- Word may not have a vowel. Without a vowel, the word cannot be converted to Pig Latin. Leave it as is and print the result.

This web site converts English to Pig Latin.

https://daryld.com/pig-latin/

| English to Pig Latin | | |
|----------------------|-----------|--|
| Input | Pig Latin | |
| welcome | elcomeway | |
| abe | abeway | |
| yellow | elloyay | |
| food | oodfay | |
| island | islandway | |

Sample TODO Pseudocode

You may want to use the String methods subString(), charAt(), and indexOf().

```
# TODO: Is the first character of the word a vowel?
# Remove the vowel, add way to the end of the word

# TODO: The first character of the word is not a vowel
# Loop through string until we don't find a vowel
# substring the word from the vowel until the end of the word
# substring the word from the beginning until the first consonant
```

Begins with Vowel

For words that begin with a vowel, add "way" at the end.

```
is = isway
apple =appleway
```

Page 2 of 4 Revised: 4/1/2025

```
under = underway
octopus = octopusway
```

Begins with Consonant

If a word starts with a consonant, the Pig Latin version removes all consonants from the beginning of the word and places them at the end, followed by ay.

For example, cricket becomes icketcray, young becomes oungyay

```
cat = atcay
dog = ogday
simply = implysay
noise = oisenay
```

For words that begin with double or multiple consonants, take the group of consonants off the front of the word and add them to the end, adding "ay" at the very end of the word.

Here are some examples.

```
scratch = atchscray
thick = ickthay
flight = ightflay
grime = imegray
```

Example run:

Your program can be a GUI or CLI.

```
Enter-a word to be converted to Pig Latin: spring ingspray
```

Enter a word to be converted to Pig Latin: alabama alabamaway

Assignment Submission

- 1. Attach the pseudocode or use TODO.
- 2. Attach the program files.

Page 3 of 4 Revised: 4/1/2025

3. Attach screenshots showing the successful operation of the program.

4. Submit in Blackboard.

Page 4 of 4 Revised: 4/1/2025