

Strategic Framework for the Data Exploration Project: Analyzing Australia's Energy Transition and Grid Modernization (2023-2026)

Institutional Context and the Evolution of the Australian Data Ecosystem

The contemporary landscape of data analytics in Australia is currently defined by a comprehensive modernization of infrastructure and a shift toward open-access transparency. At the center of this transformation is the Australian Bureau of Statistics (ABS), which is currently executing Phase 2 of its "Big Data, Timely Insights" (BDTI) program.¹ This initiative is designed to rebuild core statistical tools within cloud-based environments, allowing for more granular and frequent measures of economic indicators, such as the monthly Consumer Price Index (CPI). For researchers and students engaged in the Data Exploration Project (DEP), this signifies that the data currently available for analysis is not only more recent but also carries a higher degree of multidimensionality than in previous decades.¹

Underpinning this ecosystem is the Australian Government Data Governance Framework, introduced in late 2025 to ensure the secure and ethical management of public data assets.² This framework is critical for any project involving the integration of disparate datasets, as it establishes the standards for data stewardship, privacy, and quality. The government's commitment to facilitating safer data sharing is further evidenced by the ongoing review of the Data Availability and Transparency Act 2022 (DAT Act), which seeks to align legislative safeguards with emerging technologies like artificial intelligence and advanced spatial modeling.² For the purposes of a data exploration project, these developments provide a wealth of "appropriate data" that has the breadth and depth required to invite interesting exploration, moving beyond simple tabular records to include spatial, relational, and time-series complexities.²

The strategic selection of a topic for the Data Exploration Project (DEP) and the subsequent Data Visualisation Project (DVP) must navigate a strict set of academic constraints. The choice must allow for detailed analysis while avoiding "common" topics that have been over-researched, such as COVID-19, Netflix usage, Airbnb trends, or basic car accident statistics.³ Instead, the curriculum encourages the exploration of topical issues that have recently appeared in news cycles and have tangible impacts on the lives of Australians. The transition to renewable energy emerges as the most suitable candidate for such an analysis, given the record-breaking \$12.7 billion in clean energy investments recorded in 2024 and the

profound geostrategic implications for the Australian economy.⁴

Topic Rationale: The Dynamic Transition of the Australian Energy Landscape

The choice of "Australia's Energy Transition" as the core topic for this research report is predicated on its alignment with the Monash University Data Exploration Project standards. A successful topic must be supported by a downloadable database and allow for the discovery of insights through appropriate visualization practices.³ The energy sector provides an abundance of high-velocity data through the Australian Energy Market Operator (AEMO) and the Clean Energy Regulator (CER), both of which provide datasets that are updated quarterly or even monthly, satisfying the requirement for data collected within the last two to three years.⁵

This topic is inherently complex, involving a mixture of fuel types, spatial grid locations, and temporal patterns of generation and consumption. In 2024, renewable energy provided approximately 40% of Australia's total electricity generation, a slight increase from 39.4% in 2023.⁸ However, this overall growth masks significant regional variations and technological headwinds. For instance, while rooftop solar has surpassed 4 million installations and accounts for 12.4% of total electricity generation, the rollout of large-scale utility projects has been more "mixed," with 2024 seeing only 2 GW of new capacity added—well below the 6 GW per year target required to replace retiring coal assets.⁴ This discrepancy between small-scale success and large-scale delays provides a fertile ground for open-ended questions that do not have simple, single-value answers.

Comparative Analysis of Potential Research Themes (2024-2026)

The following table evaluates several topical Australian issues against the criteria provided in the project brief to justify the selection of the renewable energy transition.

Theme	Topicality	Complexity	Data Accessibility	Compliance
Cybersecurity	High; 83% increase in notifications. ⁹	Very High; involves state actors and crime syndicates.	Moderate; often aggregated in PDF reports. ⁹	High; avoids "common" list.
Mental Health	High; 1 in 5 Australians	High; relational data across	High; detailed ZIP files	High; rich for visualization.

	affected. ¹⁰	age/sex/expenditure.	available. ¹¹	
Renewable Energy	Extremely High; \$9B in 2024 commitments. ⁸	Very High; spatial, temporal, and fuel-based.	Very High; monthly CSV/XLSX updates. ⁵	High; provides "breadth and depth."
Public Transport	High; focus on disability and net zero. ¹³	High; includes PTAL levels and connectivity.	Moderate; some data behind logins. ¹⁴	High; good for spatial mapping.
Housing Stress	Very High; 44.5% of mortgage holders stressed. ¹⁵	Moderate; includes cost of living and GDP links.	High; CSV downloads for various stress levels. ¹⁶	Moderate; must avoid "house sales."

The renewable energy sector is prioritized because it offers the most robust "spatial-temporal" intersection. AEMO's datasets provide specific coordinates for existing and proposed generation plants, which can be visualized alongside the geographic boundaries of Renewable Energy Zones (REZ) and the National Electricity Market (NEM) regions.⁶ This allows for a much more sophisticated visual analysis than the purely categorical or temporal data found in other domains.

Strategic Formulation of Research Questions

The success of a Data Exploration Project relies on the quality of the questions asked. According to the project guidelines, "good" questions are general, open-ended, and allow for multiple interpretations of terms like "where" or "performance".³ They must avoid being too easy (e.g., simple correlations) or too difficult (e.g., causal proofs that are impossible from the data).³

Research Question 1: Spatial Dynamics of the Project Pipeline

To what extent does the spatial distribution of 'Probable' versus 'Committed' renewable energy projects align with the strategic Renewable Energy Zones (REZ) identified in the 2024 Integrated System Plan?

This question is designed to explore the geographic intent of the energy transition. By categorization of projects into 'Probable' (announced financing) and 'Committed' (construction started), the analysis can reveal which states or specific regional zones are moving more

efficiently through the pipeline.⁵ The term "align" allows for a visual investigation of clustering using coordinate data, potentially identifying "bottleneck" regions where many projects are proposed but few are committed due to grid congestion or slow planning assessments.⁸

Research Question 2: Temporal Evolution of the Generation Mix

How has the relative composition of wind, utility-scale solar, and rooftop solar generation capacity evolved across the National Electricity Market (NEM) regions between 2023 and 2026?

This question targets the temporal trends in fuel diversity. While 2024 saw a 500% increase in financial commitments for large-scale generation, actual connections were dominated by rooftop solar installations.⁴ By analyzing quarterly data from AEMO and the CER, this question permits an exploration of whether the "generation mix" is becoming more balanced or if certain regions (e.g., South Australia vs. Queensland) are becoming hyper-dependent on a single renewable type.⁶ This avoids a simple "top N" list and instead looks at structural shifts in the energy landscape.

Research Question 3: Socio-Economic Relational Impacts

What is the relationship between state-level economic indicators (e.g., State GDP and the Living Cost Index) and the localized density of distributed energy resources like rooftop solar and battery storage?

This question provides the "relational complexity" requested in the project brief.³ It seeks to determine if the "solar boom" (which reached 4 million installations in 2024) is driven by economic prosperity or if households in "highly excluded" socio-economic categories are adopting solar as a mitigation strategy against rising electricity costs.⁴ It allows for the integration of AEMO's DER Register data with ABS economic releases, creating a multi-layered analysis of how energy technology intersects with the lived experience of Australians during a period of high inflation.¹

Comprehensive Data Source Analysis and Evaluation

For a project to receive a high grade, the data sources must be described in detail, including their size, type, and temporal coverage.³ The following sources have been identified as the primary assets for this exploration.

Data Source A: AEMO NEM Generation Information

- **Source Authority:** Australian Energy Market Operator (AEMO).
- **Temporal Coverage:** Updated quarterly; historical data from 2020 through to 10-year forecasts (2035).
- **Data Type:** Tabular (XLSX/CSV) with spatial components.

- **Size:** Approximately 950 KB per quarterly file; roughly 1,200 rows and 40 columns.⁶
- **Attributes:**
 - **Categorical:** Region (NSW, VIC, QLD, SA, TAS), Fuel Type (Wind, Solar, Battery, Coal), Station Name, Status (Existing, Committed, Proposed, Withdrawn).
 - **Numerical:** Nameplate Capacity (MW), Storage Capacity (MWh), Summer/Winter peaking capacity.
 - **Spatial:** Connection Point, Latitude/Longitude (via supplementary KCI files).⁶
- **Justification:** This is the "gold standard" for energy exploration. It provides the necessary depth to answer Questions 1 and 2 and is objectively downloadable for Part 2.⁶

Data Source B: Clean Energy Regulator (CER) Supply Data

- **Source Authority:** Clean Energy Regulator (CER).
- **Temporal Coverage:** Monthly updates from 2016 to the present; most recent data from January 2026.⁵
- **Data Type:** Tabular (CSV).
- **Size:** Individual files range from 2 KB to 30 KB; collectively covers over 2,500 projects.⁵
- **Attributes:**
 - **Categorical:** Project Pipeline Status (Probable, Committed, Accredited), Proponent, Fuel Type.
 - **Numerical:** Certificate (LGC) creation volume, MW Capacity.
- **Justification:** This source provides the "financial commitment" layer that AEMO lacks. By combining Data Source A and B, the project can explore the "gap" between financial commitment and grid connection, which is a major topical issue in the 2024/2025 energy reports.⁸

Data Source C: AEMO Distributed Energy Resources (DER) Register

- **Source Authority:** AEMO.
- **Temporal Coverage:** Quarterly snapshots (March, June, September, December) up to December 2025.²¹
- **Data Type:** Tabular (CSV).
- **Size:** Approximately 300-400 KB per file; aggregated by Postcode for the entire National Electricity Market.²¹
- **Attributes:**
 - **Categorical:** Classification (Business/Residential), State.
 - **Numerical:** Number of connections, Total capacity (kW), Battery storage capacity.
- **Justification:** Essential for Question 3. It allows for a comparison of "small-scale" versus "large-scale" trends and can be joined with ABS socio-economic data at the state or postcode level.²¹

Technical Considerations: Data Wrangling and

Complexity

The project requires a demonstration of "significant complexity" in wrangling and cleaning.³ The energy datasets, while authoritative, present several technical challenges that will demonstrate a high level of skill.

Spatial and Temporal Integration Challenges

One of the primary challenges in this project is the misalignment of spatial resolutions. AEMO's generation data refers to specific "Connection Points" or geographic coordinates, whereas the DER data is aggregated by "Postcode".⁶ Furthermore, economic indicators from the ABS are typically provided at the "Statistical Area" (SA2 or SA4) or "Local Government Area" (LGA) level.²³ To answer Question 3, a spatial join will be required to map postcodes to economic regions, likely using the Australian Statistical Geography Standard (ASGS) Edition 3 digital boundary files.²⁴

Data Asset	Spatial Level	Temporal Frequency	Formatting Requirement
NEM Generation ⁶	Point (Lat/Long)	Quarterly	Conversion of "Connection Point" to Lat/Long.
DER Register ²¹	Postcode	Quarterly	Aggregation to State or SA2 level.
CER Pipeline ⁵	National/State	Monthly	Resampling to Quarterly for alignment.
ABS State Accounts ¹	State/Region	Annual/Quarterly	Joining with energy metrics via State code.

The temporal wrangling involves aligning the monthly CER updates with the quarterly AEMO updates. Since energy markets often experience seasonal fluctuations (e.g., solar peaks in summer, wind in winter), a simple average may not be sufficient. The exploration process will need to account for "Generation Conditions" and "Operational Factors" like repairs or curtailment, which are noted as significant variables in the 2025 carbon market reports.¹⁸

Data Quality and "Checking" Procedures

Even though these datasets originate from government bodies, a "comprehensive checking process" is expected.³ For example, AEMO notes that in the DER Register, all postcodes with fewer than 10 connections are removed to satisfy privacy requirements.²¹ This creates a "missing data" problem that must be handled transparently. Similarly, the ABS has re-referenced its Living Cost Indexes (LCI) as of the September 2025 quarter, setting the link period where the index equals 100.00.²⁵ A student would need to normalize previous historical data to this new reference period to ensure valid comparisons.

Insights from the 2024-2026 Australian Energy Context

To demonstrate "nuanced understanding," the report must incorporate the current state of the energy transition as reflected in recent official reports. The period between 2023 and 2026 is characterized by a "record clean energy supply," with renewable generation reaching an all-time high of 39.2 GWh for small-scale and 60.7 GWh for large-scale in 2025.¹⁸

The Solar Revolution: A Bottom-Up Success Story

Australia has reached a significant milestone in 2024, with over 4 million rooftop solar systems installed.⁴ This is not merely a quantitative achievement but a structural shift in how power is generated. Rooftop solar now provides 12.4% of all electricity generation, and its installed capacity of over 25 GW exceeds the combined capacity of all black and brown coal power stations in the country.⁸ However, this success introduces grid stability challenges, particularly the "minimum demand" issue, which requires advanced visualization of load profiles to understand.²⁷

Large-Scale Headwinds and the Capacity Investment Scheme (CIS)

In contrast to the solar boom, utility-scale wind and solar have faced significant "headwinds." These include slow planning and environmental assessment processes, higher equipment costs, and labor shortages.⁴ This has led to a situation where, despite record financial commitments (\$9 billion for generation and \$12.7 billion total in 2024), actual grid connections fell in 2024 compared to 2023.⁴ The Australian government has responded with the expansion of the Capacity Investment Scheme (CIS), which aims to support 23 GW of generation and 9 GW of storage by 2030.⁸ Data on the results of the first four CIS tenders will be a crucial variable in analyzing future "Probable" capacity.¹⁸

Energy Storage: The Missing Piece of the Puzzle

The transition is increasingly defined by the "storage race." 2024 and 2025 saw a pivot toward large-scale batteries and pumped hydro. For instance, in the second half of 2024, 28.4% of all

rooftop solar installations included an accompanying battery.⁸ At the utility level, AEMO is now tracking "large-scale storage project development" separately to account for its critical role in grid firming.¹⁸ The project should explore whether storage is being deployed in proximity to generation hubs or in proximity to load centers (cities), a question that can only be answered through detailed spatial mapping.¹⁷

Visualisation Strategy: Idioms and Narrative Flow

For the Data Visualisation Project (DVP), which is the second major assignment, the exploration must lead to a "narrative interactive visualisation format".³ The energy transition topic offers several high-impact visualization idioms.

Spatial Mapping: Choropleths and Proportional Symbols

A primary visualization would be a proportional symbol map of Australia, where the size of each symbol represents the capacity (MW) of a power station and the color represents the fuel type.⁶ This could be overlaid on a choropleth map showing "Renewable Energy Zones" or "Regional Transmission Congestion".¹⁷ Such a visualization would directly answer Question 1 by showing how much "Committed" capacity is actually located within strategic zones.

Temporal Analysis: Streamgraphs and Multi-Series Lines

To answer Question 2, a streamgraph (or "stacked area chart") would be highly effective. It would show the total generation capacity of Australia over time, with different "layers" representing wind, utility solar, rooftop solar, and coal. This would vividly illustrate the "Great Transition"—the thinning of the coal layer as it is replaced by a thickening and more diverse set of renewable layers.¹⁸

Relational Complexity: Linked Views and Interactive Filtering

To address Question 3, the DVP should use linked views. Clicking on a state in a map would update a scatter plot showing the relationship between that state's GDP and its solar adoption rate. This interactivity is a key requirement of the DVP.³ It allows the user to discover, for example, that while New South Wales has the highest total generation (27,126 GWh in 2024), smaller states like South Australia have a much higher *relative* penetration of renewables.⁸

Table of Proposed Visualization Mappings

Research Question	Primary Visual Variable	Suggested Idiom	Insight Target

Q1: Spatial Alignment	Position (Lat/Long), Size (MW).	Proportional Symbol Map.	Identify "generation clusters" vs. empty zones.
Q2: Temporal Mix	Time (X-axis), Area (Volume).	Streamgraph.	Visualize the decline of coal vs. the rise of multi-fuel.
Q3: Socio-Economic	Correlation (X/Y), Color (State).	Scatter Plot with Trend Line.	Decouple "wealth" from "solar adoption" trends.
Grid Stability	Frequency (Time), Load (MW).	Line Chart with Shaded Uncertainty.	Highlight the "duck curve" and storage impact.

Evaluation of Secondary Data Clusters: Biodiversity and Logistics

To add "added depth and difficulty" for extra marks, the project can incorporate secondary data clusters that provide context for the energy transition.³

The Environmental Footprint: EcoAssets and Forest Data

Large-scale renewable projects often raise concerns about land use and biodiversity impact. The "EcoAssets" project, a collaboration between the Atlas of Living Australia (ALA), IMOS, and TERN, provides aggregated species occurrence data up to 2023.²⁹ By intersecting the spatial coordinates of proposed solar and wind farms with biodiversity "hotspots" or "forest-dwelling species" datasets from 2024, the project could explore the "Environmental Impacts of Renewable Energy Projects" mentioned in recent news.⁴ This would be a highly original addition, as it moves the analysis from purely economic to a "Triple Bottom Line" perspective.

Infrastructure and Supply Chain Risks

The Department of Industry, Science and Resources is developing an "Industry and Supply Chain Intelligence Platform" to map risks in complex supply chains.² Since the 2024 energy

reports cite "tighter markets for equipment" as a headwind for wind projects, data on transport and infrastructure (e.g., from the BITRE 2024 Yearbook) could be used to correlate project delays with logistical bottlenecks.⁸ This would provide a "causal" flavor to the exploration, even if direct causation cannot be strictly proven from the data alone.³

Conclusion: Synthesis of the Exploration Strategy

The proposed project on "Australia's Energy Transition" successfully satisfies every requirement of the FIT5147 Data Exploration Project Part 1.³ It avoids the pitfalls of common topics by focusing on the unique and evolving "mixed" outcomes of the 2024–2026 period.⁸ It utilizes authoritative, downloadable, and recently collected data from AEMO, the CER, and the ABS.⁵ Furthermore, the questions posed are open-ended and designed to reveal complex spatial and temporal relationships rather than simple single-value answers.³

By integrating spatial data (generation sites), temporal data (quarterly pipeline updates), and relational socio-economic data (state GDP and solar density), this project invites the "interesting and detailed analysis" required for a high-scoring report.³ The complexity of the wrangling process—joining postcodes to statistical areas and aligning monthly vs. quarterly frequencies—will provide the necessary evidence of technical skill for Part 2.³ Ultimately, this exploration will provide meaningful insights into whether Australia's "Great Transition" is proceeding at a rate consistent with its 2030 net-zero obligations, or if structural bottlenecks in large-scale infrastructure are creating a persistent gap that only small-scale, "bottom-up" solar is currently filling.⁴

The narrative developed through this exploration will not only answer the original research questions but also provide a professional-grade story for the subsequent interactive visualization project, helping stakeholders understand the multifaceted reality of the Australian energy grid in 2026. This approach ensures a consistent, high-quality output that demonstrates both technical competence and domain expertise in the field of Australian data science.

Data Source Summary Table for Submission

Data Source	URL/Access	Format	Record Count	Attributes
AEMO Generation Info	aemo.com.au	XLSX	~1,200	MW, Fuel, Status, Region, Closure Year.
CER LRET Pipeline	cer.gov.au	CSV	~2,500	Pipeline Status, LGCs,

				Proponent.
AEMO DER Register	aemo.com.au	CSV	Postcode-level	Installation count, kW Capacity, Battery.
ABS State Accounts	abs.gov.au	XLSX/CSV	State-level	GDP, Population, Living Cost Index.
ALA EcoAssets	ecoassets.org.au	CSV	Aggregated	Species occurrences (1900–2023), IBRA regions.

This final structure ensures that the student has a diverse set of "appropriate data" (Breadth and Depth) and "topical" subjects (Recently Collected) to impress tutors and secure a high distinction in both the DEP and the DVP.³

Works cited

1. 2024–25 Australian Bureau of Statistics Corporate Plan, accessed on March 9, 2026, <https://previewapi.transparency.gov.au/delivery/assets/80a82ed1-3e33-027b-b7e0-6493f97f18f8/2e9625a2-20e8-4231-900c-b6ac62c6d96c/2024-25%20Australian%20Bureau%20of%20Statistics%20Corporate%20Plan.pdf>
2. 2025 Implementation Plan - Data and Digital, accessed on March 9, 2026, <https://www.dataanddigital.gov.au/implementation-plan/2025/data>
3. FIT5147_S1_2026_DataExplorationProject.pdf
4. Clean Energy Australia 2025 report, accessed on March 9, 2026, <https://cleanenergycouncil.org.au/news-resources/clean-energy-australia-report-2025>
5. Large-scale renewable energy data | Clean Energy Regulator, accessed on March 9, 2026, <https://cer.gov.au/markets/reports-and-data/large-scale-renewable-energy-data>
6. Generation information - AEMO, accessed on March 9, 2026, <https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/nem-forecasting-and-planning/forecasting-and-planning-data/generation-information>
7. Connections Scorecard - AEMO, accessed on March 9, 2026, <https://www.aemo.com.au/energy-systems/electricity/national-electricity-market>

- [-nem/participate-in-the-market/network-connections/connections-scorecard](#)
8. Clean Energy Australia Report 2025, accessed on March 9, 2026,
<https://cleanenergycouncil.org.au/getmedia/f40cd064-1427-4b87-afb0-7e89f4e1b3b4/clean-energy-australia-report-2025.pdf>
 9. Annual Cyber Threat Report 2024-2025 | Cyber.gov.au, accessed on March 9, 2026,
<https://www.cyber.gov.au/about-us/view-all-content/reports-and-statistics/annual-cyber-threat-report-2024-2025>
 10. Prevalence and impact of mental illness - Mental health - AIHW, accessed on March 9, 2026,
<https://www.aihw.gov.au/mental-health/overview/prevalence-and-impact-of-mental-illness>
 11. Expenditure - Mental health - AIHW, accessed on March 9, 2026,
<https://www.aihw.gov.au/mental-health/topic-areas/expenditure>
 12. Data tables - Mental health - AIHW, accessed on March 9, 2026,
<https://www.aihw.gov.au/mental-health/resources/data-tables>
 13. Technologies & improving public transport accessibility/inclusivity - iMOVE Australia, accessed on March 9, 2026,
<https://imoveaustralia.com/project/project-outcomes/technologies-improving-public-transport-accessibility-inclusivity/>
 14. PTAL (Public Transport Accessibility Level) - TfNSW Open Data Hub and Developer Portal, accessed on March 9, 2026,
<https://opendata.transport.nsw.gov.au/dataset/ptal-public-transport-accessibility-level>
 15. Housing affordability - Australian Institute of Health and Welfare, accessed on March 9, 2026,
<https://www.aihw.gov.au/reports/australias-welfare/housing-affordability>
 16. Dataset - data.sa.gov.au, accessed on March 9, 2026,
https://data.sa.gov.au/data/dataset/?res_format=CSV&tags=stress
 17. Enhanced Locational Information (ELI) - AEMO, accessed on March 9, 2026,
<https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/nem-forecasting-and-planning/forecasting-and-planning-data/enhanced-locational-information>
 18. Large-scale renewable electricity | Clean Energy Regulator, accessed on March 9, 2026,
<https://cer.gov.au/markets/reports-and-data/quarterly-carbon-market-reports/quarterly-carbon-market-report-december-quarter-2025/large-scale-renewable-electricity>
 19. Living costs increase across all household types | Australian Bureau of Statistics, accessed on March 9, 2026,
<https://www.abs.gov.au/media-centre/media-releases/living-costs-increase-across-all-household-types>
 20. Measuring Australia's Digital Divide - Australian Digital Inclusion Index, accessed on March 9, 2026,
https://digitalinclusionindex.org.au/wp-content/uploads/2025/09/ADII_2021_Sum

[mary-report_V1.pdf](#)

21. DER Data downloads - AEMO, accessed on March 9, 2026,
<https://www.aemo.com.au/energy-systems/electricity/der-register/data-der/data-downloads>
22. images/images/layers/api/layers/Network Map Renewables November 2025 (Points).csv, accessed on March 9, 2026,
[https://renewables.networkmap.energy/images/images/layers/api/layers/Network%20Map%20Renewables%20November%202025%20\(Points\).csv](https://renewables.networkmap.energy/images/images/layers/api/layers/Network%20Map%20Renewables%20November%202025%20(Points).csv)
23. ABS Health and disability themed data items published in 2024 by Local Government Areas (LGA), 2021. - Digital Atlas of Australia, accessed on March 9, 2026, <https://digital.atlas.gov.au/search?tags=assistance>
24. Digital boundary files - Australian Bureau of Statistics, accessed on March 9, 2026, <https://www.abs.gov.au/statistics/standards/australian-statistical-geography-standard-asgs-edition-3/jul2021-jun2026/access-and-downloads/digital-boundary-files>
25. Selected Living Cost Indexes, Australia, December 2025 | Australian Bureau of Statistics, accessed on March 9, 2026,
<https://www.abs.gov.au/statistics/economy/price-indexes-and-inflation/selected-living-cost-indexes-australia/latest-release>
26. Australian Energy Statistics - Update Report 2025, accessed on March 9, 2026,
https://www.energy.gov.au/sites/default/files/2025-08/australian_energy_update_2025.pdf
27. Generation and Load - AEMO, accessed on March 9, 2026,
<https://www.aemo.com.au/energy-systems/electricity/national-electricity-market-nem/data-nem/market-management-system-mms-data/generation-and-load>
28. Technical Regulator Annual Report 2022-23 - Energy & Mining, accessed on March 9, 2026,
<https://www.energymining.sa.gov.au/about/open-government/annual-reports/technical-regulator-annual-report-2022-23>
29. EcoAssets 2024 update is now available, accessed on March 9, 2026,
<https://ecoassets.org.au/ecoassets-2024-update/>
30. Forest-dwelling species and threatened forest ecological communities of Australia dataset (2024) metadata - agriculture.gov.au, accessed on March 9, 2026,
https://www.agriculture.gov.au/sites/default/files/documents/Forest_species_and_communities_dataset_2024_metadata.pdf
31. Indicator 1.2a: Forest-dwelling species for which ecological information is available (2024), accessed on March 9, 2026,
https://www.agriculture.gov.au/sites/default/files/documents/Indicator_1_2a_forest_dwelling_species_2024.pdf
32. Australian Infrastructure and Transport Statistics—Yearbook 2024—January 2025, accessed on March 9, 2026,
<https://www.bitre.gov.au/sites/default/files/documents/australian-infrastructure-and-transport-statistics--yearbook-2024--january-2025.pdf>