

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester III)
Scala for Data Science

Practical – III

Roll No.: F021	Name: LODHI IQRA
Class: SYBsc IT	Subject: scala for data science
Date of Assignment: 07/07/2026	Date/Time of Submission: 07/07/2026

AIM: Sort a dataset by a specific column and extract the top 5 rows.

CODE:

```
build.sbt  IQRA.scala x
1  object IQRA {
2  def main(args: Array[String]) : Unit = {
3      case class Person(name: String, age: Int, salary: Int)
4
5      val p: List[Person] = List.apply(
6          Person.apply(name = "IQRA", age = 30, salary = 50000),
7          Person.apply(name = "DHARMI", age = 25, salary = 48000),
8          Person.apply(name = "DIVYESH", age = 35, salary = 70000),
9          Person.apply(name = "SMIT", age = 30, salary = 60000),
10         Person.apply(name = "JYOTI", age = 30, salary = 55000),
11         Person.apply(name = "SHUBHAM", age = 30, salary = 45000)
12     )
13
14     val s: List[Person] = p.sortBy(-(_ : Person).salary)(Int)
15     val top: List[Person] = s.take(5)
16     top.foreach(println)
17     println("IQRA S021")
18 }
19
20 }
```

IQRA > main(args: Array[String])

If addition sign is taken then:

```

1  object IQRA {
2      def main(args: Array[String]) : Unit = {
3          case class Person(name: String, age: Int, salary: Int)
4
5          val p: List[Person] = List.apply(
6              Person.apply(name = "IQRA", age = 30, salary = 50000),
7              Person.apply(name = "DHARMI", age = 25, salary = 48000),
8              Person.apply(name = "DIVYESH", age = 35, salary = 70000),
9              Person.apply(name = "SMIT", age = 30, salary = 60000),
10             Person.apply(name = "JYOTI", age = 30, salary = 55000),
11             Person.apply(name = "SHUBHAM", age = 30, salary = 45000)
12         )
13
14         val s: List[Person] = p.sortBy(+(_ : Person).salary)(Int)
15         val top: List[Person] = s.take(6)
16         top.foreach(println)
17         println("IQRA S021")
18     }
19
20 }

```

IQRA > main(args: Array[String])

OUTPUT:

```

"C:\Program Files\Java\jdk1.8.0_181\bin\java.exe" ...
Person(DIVYESH,35,70000)
Person(SMIT,30,60000)
Person(JYOTI,30,55000)
Person(IQRA,30,50000)
Person(DHARMI,25,48000)
IQRA S021

Process finished with exit code 0

```

```
"C:\Program Files\Java\jdk1.8.0_1
```

```
Person(SHUBHAM,30,45000)
```

```
Person(DHARMI,25,48000)
```

```
Person(IQRA,30,50000)
```

```
Person(JYOTI,30,55000)
```

```
Person(SMIT,30,60000)
```

```
Person(DIVYESH,35,70000)
```

```
IQRA S021
```