


Cloud Trails

1.What is Cloud Trails ? configure a S3 bucket for cloudtrails.

1. Cloud trail is an aws service used to store activity logs and api call history .
2. The retention period of logs is 90 days
3. We can configure cloud trails to store the logs permanently using S3 bucket.
4. To efficiently use/handle millions and billions of logs , we can integrate Athena analytics service to analysis the logs .




The screenshot shows the AWS CloudTrail console's 'Event history' page. The left sidebar contains navigation links: CloudTrail, Dashboard, Data event coverage, Event history (selected), Insights, Trails, Lake (with sub-links: Dashboards, Query, Event data stores, Integrations), Settings, Pricing, Documentation, and Forums. The main content area is titled 'Event history (50+)' and includes a description: 'Event History shows you the last 90 days of management events.' Below this is a 'Lookup attributes' section with a dropdown set to 'Read-only' and a search bar containing 'false'. A 'Filter by date and time' button and a 'Clear filter' button are also present. The table below lists events with columns: Event name, Event time, User name, Event source, Resource type, and Resource name. The first five events are 'RetireGrant' events performed by the root user on the kms.amazonaws.com resource. The sixth event is 'ReleaseAddress' performed by SLRManagement on the ec2.amazonaws.com resource. The seventh event is 'DeleteNetworkInterface' performed by SLRManagement on the ec2.amazonaws.com resource. The eighth event is 'DisassociateAddress' performed by SLRManagement on the ec2.amazonaws.com resource. The ninth event is 'DeleteDBInstance' performed by root on the rds.amazonaws.com resource. The tenth event is 'CreateNetworkInterface' performed by root on the ec2.amazonaws.com resource.

Event name	Event time	User name	Event source	Resource type	Resource name
RetireGrant	August 01, 2026, 22:54:27 (UTC...)	-	kms.amazonaws.com	AWS::KMS-Key	arn:aws:kms:us-east-1:...
RetireGrant	August 01, 2026, 22:54:27 (UTC...)	-	kms.amazonaws.com	AWS::KMS-Key	arn:aws:kms:us-east-1:...
RetireGrant	August 01, 2026, 22:52:46 (UTC...)	-	kms.amazonaws.com	AWS::KMS-Key	arn:aws:kms:us-east-1:...
ReleaseAddress	August 01, 2026, 22:52:24 (UTC...)	SLRManagement	ec2.amazonaws.com	AWS::EC2-EIP	eipalloc-07345e302f8...
DeleteNetworkInterf...	August 01, 2026, 22:52:23 (UTC...)	SLRManagement	ec2.amazonaws.com	AWS::EC2-NetworkInt...	eni-0dfd4802f8c09186...
DisassociateAddress	August 01, 2026, 22:52:22 (UTC...)	SLRManagement	ec2.amazonaws.com	AWS::EC2-EIPAssociation	eipassoc-0518da21b9f...
DeleteDBInstance	August 01, 2026, 22:50:59 (UTC...)	root	rds.amazonaws.com	AWS::RDS-DBInstance...	replica-of-database-1...
CreateNetworkInterf...	August 01, 2026, 22:49:41 (UTC...)	root	ec2.amazonaws.com	AWS::EC2-VPC, AWS::E...	vpc-045aa353692240...


Configure a S3 bucket for cloudtrails.

Open Cloud Trails > trails >Create trails.




The screenshot shows the 'Create trail' wizard in the AWS CloudTrail console. The left sidebar shows the steps: Step 2: Choose log events (selected), Step 3: optional: Configure event aggregation, Step 4: Review and create. The main content area is titled 'General details' and includes a description: 'A trail created in the console is a multi-region trail. Learn more.' Below this is the 'Trail name' section with a text input field containing 'Daily-activity-logs'. The 'Storage location' section has two radio buttons: 'Create new S3 bucket' (selected) and 'Use existing S3 bucket'. The 'Trail log bucket and folder' section has a text input field containing 'aws-cloudtrail-logs-198302589656-dd97cad7'. The 'Log file SSE-KMS encryption' section has a checked checkbox for 'Enabled'. The 'Customer managed AWS KMS key' section has two radio buttons: 'New' (selected) and 'Existing'. The 'AWS KMS alias' section has a text input field containing 'activity-logs'.

Select all required options



Now go to S3 bucket to check if the log bucket created or not



We can see the logs stored into S3 bucket.

