

- d. A developer makes a mistake which causes a bug that may be seen as a defect when the software is executed
-

#4. Why is it important to avoid the principle of tests wearing out?

- a. Dynamic testing is less reliable in finding bugs
- b. Running the same tests repeatedly will consistently find new failures
- c. Tests should not be context dependent
- d. Running the same tests repeatedly will reduce the chance of finding new failures

#5. When following a standard test process, when should the test control activity take place?

- a. Developers are not good testers
 - b. Developers are not quality focused
 - c. Developers are not objective about their own code
 - d. Developers do not have time to test their own code
-

- b. Regression testing
 - c. Data migration testing
 - d. Patch testing
-

#16. What is the primary reason to get early and frequent feedback from stakeholders regarding a product being developed?

- a. To make them feel involved
 - ☒ b. To ensure that their vision for the product will be realized
 - c. To create more meetings
 - d. To use the stakeholders as testers
-

- a. By taking the number of branches you have tested and dividing that by the total number of executable statements in the module
 - ☒ b. By taking the number of branches you have tested and dividing that by the total number of branches in the module
 - c. By taking the number of branches you have tested and dividing that by the total lines of code in the module
 - d. By taking the number of branches you have tested and dividing that by the total number of test cases you have executed for the module
-

- a. Test Approach
 - b. Acceptance Criteria
 - c. Entry Criteria
 - d. Exit Criteria
-

How many test cases are needed to provide 100% state transition coverage?

- a. 1
 - b. 2
 - c. 4
 - d. 5
-

#31. You are working in a team of testers who are all writing test cases. You have noticed that there is a significant inconsistency with the length and amount of detail in the different test cases. Where should the criteria for test case writing be documented?

- a. The test plan
 - b. The test approach
 - c. The test case template
 - d. The project plan
-

- a. Configuration management
 - b. Debugging
 - ☒ c. Test and defect management
 - d. Risk analysis
-

- c. 2, 5, 6, 4, 1, 3
 - d. 6, 1, 3, 2, 4, 5
-

#38. You have been testing software that will be used to track credit card purchases. You have found a defect that causes the system to crash, but only if a person has made and voided 10 purchases in a row. What is the proper priority and severity rating for this defect?

- a. Priority high, severity high
- b. Priority high, severity low
- c. Priority low, severity low
- ☒ d. Priority low, severity high

B is correct. This is an example of the Whole Team approach where the team members leverage their skills, regardless of roles, to accomplish the goals of the team.

D is correct. As tests are run repeatedly, the tests become less effective.

A is not correct because dynamic testing should be used and helps to alleviate tests wearing out.

B is not correct. The same tests do wear out.

C is not correct because testing should be context dependent.

D is incorrect because test control is when you take actions to correct any issues observed during monitoring.

C is correct. This is the biggest problem because developers have biases toward the accuracy and implementation of their own code. Testers and developers think differently and testers can be more objective as they are not invested in the code.

A and B are not necessarily true – some developers are good testers and have a good quality focus.

D is not correct because unit testing is part of their job and time should be made in the schedule for at least unit testing.

FL-2.2.1 (K2) Distinguish the different test levels

#11. During which level(s) of testing should non-functional tests be executed?

- a. Unit and integration only
- b. System testing only
- c. Integration, system and acceptance only
- d. **Unit, integration, system and acceptance only**

D is correct. Non-functional tests can and should be executed at all levels of testing.

d. For CI/CD testing activity, metrics should be recorded and posted to a metrics dashboard for all stakeholders

A is correct. For any lifecycle model, this is a correct statement.

B is not correct because some testing activities may not produce documentation, such as reviews.

C is not correct because test cases are not always written, particularly in an Agile lifecycle (which is an iterative lifecycle) where only exploratory testing might be used.

D is not correct because not all testing activities produce metrics (such as test case creation, reviews, etc.) and, even if they did, not all stakeholders would be interested in those metrics.

A is correct, per syllabus. Static analysis with a static analyzer can be used to find defects such as uninitialized variables that could be difficult to catch with dynamic testing.

B is incorrect because defects will still need to be documented regardless of how early they are found.

C is incorrect because this is dynamic analysis.

D is incorrect because static analysis usually requires the use of tools.

tester the opportunity to learn about the software while testing.

A and C are incorrect because these are the wrong numbers of tests.

D would be correct if this weren't defined as a simple if statement because a complex if statement could include more than two outcomes.

A is correct. Error guessing is a technique used to anticipate where developers are likely to make errors and to create tests to cover those areas.

B, C and D are not correct.

main error is not a proper error.

Conditions:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Valid cash	T	T	T	F											
Valid credit card					T	T	T	T	F						
Valid debit card										T	T	T	T	T	F
Valid pin										T	F	T	T	T	
Bank accepts					T	F	T	T		T		F	T	T	
Valid Selection	T	F	T		T		F	T	T				F	T	
Item in Stock	T		F		T			F	T					F	
Results:															
Reject Cash				X											
Reject Card						X			X		X	X			X
Error Message		X	X	X			X	X					X	X	
Return Cash		X	X												
Refund Card							X	X					X	X	
Sell Item	X				X					X					

- a. Planning
- b. Implementation
- c. **Execution**
- d. Reporting

C is correct. Test execution metrics are gathered during the Test Execution activity. These metrics are used in reporting.

#33. Which of the following is a project risk?

- a. A module that performs incorrect calculations due to a defect in a formula
- b. A failed performance test
- c. An issue with the interface between the system under test and a peripheral device
- d. **A problem with the development manager which is resulting in his rejecting all defect reports**

D is a project risk. The other three are product risks.

A is correct. Configuration management is missing if the code is not being properly versioned and tracked.

3			
4	45 mins	High	1
5	30 mins	High	2
6	10 mins	Medium	4
	15 mins	Low	2

- a. 2, 4, 5, 6, 1, 3
- b. 4, 3, 2, 5, 6, 1
- c. 2, 5, 6, 4, 1, 3
- d. 6, 1, 3, 2, 4, 5

A is correct because it addresses the highest risk and fastest tests first. It runs a fast medium test before a slow and more dependent high-risk test because this will give feedback to the developers more quickly.

D is an example of a test design tool.

#4. Which of the following is a true statement about exhaustive testing?

- a. It is a form of stress testing
 - b. It is not feasible except in the case of trivial software
 - c. It is commonly done with test automation
 - d. It is normally the responsibility of the developer during unit testing
-

have created only one positive path test for the story. You know there are more areas that should be tested for this story, including negative scenarios.

Which of the following generic skills do they appear to be lacking?

- a. Communication
 - b. Curiosity
 - c. Confidence
 - d. Creativity
-

- a. Unit testing
 - b. System testing
 - c. Confirmation testing
 - d. Regression testing
-

#16. You are frequently asked to participate in reviews of requirements. Unfortunately, you usually receive the document to be reviewed the night before the review meeting will be held. This is resulting in your not doing a thorough review and having to work significant overtime to get the review done. What review success factor is missing from this process?

- a. Management support for the overall review process
 - b. Reviewing only small chunks at a time
 - c. Training for the proper performance in the meetings
 - d. Allowing adequate time to conduct the review
-

#20. How is statement coverage determined?

- a. Number of test decision points divided by the number of test cases
 - b. Number of branches tested divided by the total number of executable statements
 - c. Number of possible test case outcomes divided by the total number of function points
 - d. Number of executable statements tested divided by the total number of executable statements
-

#24. You are writing some acceptance criteria for a story. You have decided to make a list of all the likely inputs to the code and the expected outputs based on those inputs. What format are you using?

- a. IPO chart
 - b. Acceptance-based
 - c. Rules-oriented
 - d. Behavior-driven
-

Add items	X	X					
Fries			X		X		

b.

Test #	1	2	3	4	5	6	7	8
Conditions								
Add items	T	T	T	T	F	F	F	F
Delete items	T	T	F	F	T	T	F	F
Add fries	T	F	T	F	T	F	T	F
Results								
Basic burger							X	X
Deleted items	X	X			X	X		
Added items	X	X	X	X				
Fries	X		X		X		X	

1. Login (invalid) > Login
2. Login > Search
3. Search > Search
4. Search > Shopping Cart
5. Shopping Cart > Search
6. Shopping Cart > Checkout
7. Checkout > Search
8. Checkout > Logout

For a state transition diagram, how many transitions should be shown?

- a. 4
- b. 6
- c. 8
- d. 16

#30. Level of risk is determined by which of the following?

- a. Likelihood and impact
 - b. Priority and risk rating
 - c. Probability and practicality
 - d. Risk identification and mitigation
-

- a. Formal test summary report
 - b. Testing team task board
 - c. Email to the team congratulating them on their success
 - d. Burn down chart
-

d. 40 ± 2

#39. What is the primary purpose of a test execution tool?

- a. It runs automated test scripts to test the test object
 - b. It automatically records defects in the defect tracking system
 - c. It analyzes code to determine if there are any coding standard violations
 - d. It tracks test cases, defects and requirements traceability
-

d. Waterfall

A is correct. The whole team approach would support the developers helping with the testing tasks rather than waiting for the testers to complete all the testing.

A, B and D may contribute to the test plan, but the overall responsibility belongs to the test manager.

A is not correct because there is no indication that they are not communicating effectively.

B is not correct, although if they were more curious, they might have done more investigation.

C is not correct because it doesn't appear that confidence is a factor, rather that they just aren't approaching the test creation with much creativity.

cases. Those are then used as the requirements to develop the code.

FL-2.2.2 (K2) Distinguish the different test types

#11. Usability testing is an example of which type of testing?

- a. Functional
- b. **Non-functional**
- c. Structural
- d. Change-related

B is correct. Usability is one of the non-functional test types according to ISO 25010.

- b. Who is to blame for the shortcomings of the project
- c. How much money was spent that could have been saved
- d. Why changes were not made earlier in the project

A is correct. It's great to gather the information, but in order for change to really be made, it has to be planned for implementation in future sprints/releases/projects.

B is not correct because retrospectives are not about blaming.

C is not part of a retrospective, although this information may be gathered by the project manager.

D is also tending toward blaming but is something that should be considered as it may impact the ability to implement future changes.

#13. Which of the following techniques is a form of static testing?

- a. Error guessing
- b. Automated regression testing
- c. Providing inputs and examining the resulting outputs
- d. **Code review**

D is correct, per syllabus.

A, B and C are all forms of dynamic testing.

D is correct. Dynamic testing is done while the software is actually running whereas static testing depends on examining the software while it is not running.

A is not correct because both types of testing can be done by both developers and testers.

B is not correct because manual and automated tests can be used for dynamic testing.

C is not correct because static testing can occur at any time although it is usually done before dynamic testing.

A, C and D are all black-box and use the specifications or requirements for the test design.

FL-4.4.1 (K2) Explain error guessing

#22. If you are using error guessing to target your testing, which type of testing are you doing?

- a. Specification-based
- b. Structure-based
- c. **Experience-based**
- d. Reference-based

C is correct. This is an experience-based technique.

A is not correct because, although you are tracking the inputs and outputs, you are not tracking the processing.

B is not correct because this is not a recognized format.

D is not correct because the given/when/then format is referred to as scenario-oriented.

C is correct. 2 per valid weight range plus one for a negative weight and one for a weight exceeding 100 lbs (-1, 0, 10, 11, 25, 26, 50, 51, 100, 101).

Delete items	T	T	F	F	T	T	F	F
Add fries	T	F	T	F	T	F	T	F
Results								
Basic burger							X	X
Deleted items	X	X			X	X		
Added items	X	X	X	X				
Fries	X		X		X		X	

Shopping Cart > Login (invalid transition)
Shopping Cart > Search
Shopping Cart > Shopping Cart (invalid transition)
Shopping Cart > Checkout
Checkout > Login (invalid transition)
Checkout > Search
Checkout > Shopping Cart (invalid transition)
Checkout > Logout

C is correct. The test that is missing is to try to see if you can allocate someone to a floor that is already fully booked. This is a negative test and should result in an error.

A is covered by testing with one occupant.

B and D are covered.

C is not correct because this is a "should" and also probably is not realistic.

FL-5.1.7 (K2) Summarize the testing quadrants and their relationships with test levels and test types #32. You are working on a project and have determined that exploratory testing is the best test technique to apply. Which testing quadrant are you using?

- a. Q1
- b. Q2
- c. **Q3**
- d. Q4

C is correct. Exploratory testing belongs to quadrant 3.

d. It tracks test cases, defects and requirements traceability

A is correct. This is the primary purpose of the test execution tools.

B may be something the tool can do, but this is not the primary purpose.

C is a static analysis tool and D is a test management tool.

Question #25 (1 Point)	17
Question #26 (1 Point)	17
Question #27 (1 Point)	17
Question #28 (1 Point)	18
Question #29 (1 Point)	18
Question #30 (1 Point)	18
Question #31 (1 Point)	19
Question #32 (1 Point)	19
Question #33 (1 Point)	19
Question #34 (1 Point)	20
Question #35 (1 Point)	20
Question #36 (1 Point)	21
Question #37 (1 Point)	21
Question #38 (1 Point)	21
Question #39 (1 Point)	22
Question #40 (1 Point)	22
Appendix: Additional Questions	23
Question #A1 (1 Point)	23
Question #A2 (1 Point)	23

gain deeper knowledge in the related fields.

- c) Defects cluster together
- d) Exhaustive testing is impossible

Answers, including justification, are contained in a separate document.

Select ONE option.

¹ In this sample exam the questions are sorted by the LO they target; this cannot be expected of a live exam.

Which TWO of the following tasks belong MAINLY to a testing role?

- a) Configure test environments
- b) Maintain the product backlog
- c) Design solutions to new requirements
- d) Create the test plan
- e) Analyze the test basis

Select TWO options.

- c) Only in iterative and incremental development models
- d) In sequential, incremental, and iterative development models

Select ONE option.

- d) Retrospectives embrace five values including courage and respect, which are crucial to maintain continuous improvement in the organization

Select ONE option.

- a) Only 4, 7, 8, 9
- b) Only 5, 7
- c) Only 4, 6, 8, 9
- d) Only 5, 6

Select ONE option.

- a) Informal review
- b) Walkthrough
- c) Technical review
- d) Inspection

Select ONE option.

Question #18 (1 Point)

Which of these statements is NOT a factor that contributes to successful reviews?

- a) Participants should dedicate adequate time for the review
- b) Splitting large work products into small parts to make the required effort less intense
- c) Participants should avoid behaviors that might indicate boredom, exasperation, or hostility to other participants
- d) Failures found should be acknowledged, appreciated, and handled objectively

Select ONE option.

Version 1.7

Page 13 of 31

Release April 1, 2025


© International Software Testing Qualifications Board

Version 1.7

Page 14 of 31

Release April 1, 2025

© International Software Testing Qualifications Board



What is the MINIMAL number of test cases to achieve valid transitions coverage?

- a) 4
- b) 2
- c) 7
- d) 3

Select ONE option.

Select ONE option.

Question #27 (1 Point)

In your project there has been a delay in the release of a brand-new application and test execution started late, but you have very detailed domain knowledge and good analytical skills. The full list of requirements has not yet been shared with the team, but management is asking for some test results to be presented.

Which test technique fits BEST in this situation?

- a) Checklist-based testing
- b) Error guessing
- c) Exploratory testing
- d) Branch testing

Select ONE option.

Version 1.7

Page 17 of 31

Release April 1, 2025

© International Software Testing Qualifications Board

- b) Test if the content owner can log in and make updates to the content
- c) Test if the editor can schedule the edited content for publication
- d) Test if the editor can reassign to another editor to make updates

Select ONE option.

Question #30 (1 Point)

How do testers add value to iteration and release planning?

- a) Testers determine the priority of the user stories to be developed
- b) Testers focus only on the functional aspects of the system to be tested
- c) Testers participate in the detailed risk identification and risk assessment of user stories
- d) Testers guarantee the release of high-quality software through early test design during the release planning

Select ONE option.

Version 1.7

Page 18 of 31

Release April 1, 2025

© International Software Testing Qualifications Board

Test case number	Test condition covered	Priority	Logical dependency
TC 001	Select type of food	3	none
TC 002	Select restaurant	2	TC 001
TC 003	Get direction	1	TC 002
TC 004	Call restaurant	2	TC 002
TC 005	Make reservation	3	TC 002

Which of the following test cases should be executed as the third one?

- a) TC 003
- b) TC 005
- c) TC 002
- d) TC 001

Select ONE option.

What measure is proposed to be taken in response to this analyzed risk?

- a) Risk acceptance
- b) Contingency plan
- c) Risk mitigation
- d) Risk transfer

Select ONE option.

attached contains fatal error notification. Based on the test case TC-1303, the application should accept the provided input and create the user. Please fix with high priority, this feature is related to REQ-0012, which is a critical new business requirement.

What critical information is MISSING from this test report that would have been useful for the developers?

- a) Expected result and actual result
- b) References and defect status
- c) Test environment and test item
- d) Priority and severity

Select ONE option.

Which of the following correctly describes an incorrectly coded upper bound?

- a) The root cause
- b) A failure
- c) An error
- d) A defect

Select ONE option.

Question #A6 (1 Point)

Which of the following BEST explains a benefit of independence of testing?

- a) The use of an independent test team allows project management to assign responsibility for the quality of the final deliverable to the test team
- b) If a test team external to the organization can be afforded, then there are distinct benefits in terms of this external team not being so easily swayed by the delivery concerns of project management and the need to meet strict delivery deadlines
- c) An independent test team can work separately from the developers, need not be distracted with project requirement changes, and can restrict communication with the developers to defect reporting through the defect management system
- d) When specifications contain ambiguities and inconsistencies, assumptions are made on their interpretation, and an independent tester can be useful in questioning those assumptions and the interpretation made by the developer

Select ONE option.

"The order must be processed in less than 10 seconds in 95% of the cases".

You created a set of test cases in which a number of random orders were made, the processing time measured, and the test results were checked against the requirements.

What test type did you perform?

- a) Functional, because the test cases cover the user's business requirement for the system
- b) Non-functional, because they measure the system's performance
- c) Functional, because the test cases interact with the user interface
- d) White-box, because we need to know the internal structure of the program to measure the order processing time

Select ONE option.

- ii. Discrepancies from a coding standard are easier to find with this testing
- iii. It identifies failures caused by defects when the software is run
- iv. Its test objective is to identify defects as early as possible
- v. Missing coverage for critical security requirements is easier to find and fix

- a) i, iv, v are true for static testing
- b) i, iii, iv are true for static testing
- c) ii, iii are true for static testing
- d) ii, iv, v are true for static testing

Select ONE option.

What is the MINIMAL set of test inputs that achieves 100% of the desired coverage?

- a) 11, 12, 13
- b) 10, 12, 14
- c) 10, 11, 12, 13, 14
- d) 10, 11, 13, 14

Select ONE option.

- c) User stories are created by business representatives and verified by developers and testers
- d) User stories are created in a way that they are independent, negotiable, valuable, estimable, small, and testable

Select ONE option.

- c) No further action is needed. Consensus has been reached
- d) Remove the new feature from the current release because consensus has not been reached

Select ONE option.

Which of them are project risks?

- a) i, iv are project risks
- b) iv, v are project risks
- c) i, iii are project risks
- d) ii, v are project risks

Select ONE option.

- c) Test progress
- d) New risks within the test cycle

Select ONE option.

Version 1.7

© International Software Testing Qualifications Board

Page 31 of 31

Release April 1, 2025

Version 1.7

© International Software Testing Qualifications Board

Release April 1, 2025

Acknowledgements

This document was produced by a core team from ISTQB®: Laura Albert, Wim de Couter, Arnika Hryszko, Gary Mogyorodi, (technical reviewer), Meile Posthuma, Gandhinee Rajkomar, Stuart Reid, Jean-François Riverin, Adam Roman, Lucjan Stapp, Stephanie Ulrich, Yaron Tsubery and Eshakra Zakaria.

The core team thanks the reviewers: Amanda Alderman, Alexander Alexandrov, Jürgen Beniermann, Rex Black, Young jae.Choi, Nicola De Rosa, Klaudia Dussa-Zieger, Klaus Erlenbach, Joëlle Genois, Tamás Gergely, Dot Graham, Matthew Gregg, Gabriele Haller, Chinthaka Indikadahena, John Kurowski, Ine Lutterman, Isabelle Martin, Patricia McQuaid, Dénes Medzihradszky, Blair Mo, Gary Mogyorodi, Jörn Münzel, Markus Niehammer, Ingvar Nordström, Fran O'Hara, Raul Onisor, Dénes Orosz, Arnd Pehl, Horst Pohlmann, Nishan Portoyan, Ale Rebon Portillo, Stuart Reid, Ralf Reissing, Liang Ren, Jean-Francois Riverin, Lloyd Roden, Tomas Rosenqvist, Murian Song, Szilard Szell, Giancarlo Tomasig, Joanne Tremblay, François Vaillancourt, Daniel van der Zwan, André Verschelling and Paul Weymouth for their suggestions and input.

27.....	21
28.....	21
29.....	21
30.....	22
31.....	22
32.....	22
33.....	23
34.....	23
35.....	23
36.....	24
37.....	24
38.....	25
39.....	25
40.....	26
Appendix: Answer Key for Additional Sample Questions.....	27
Appendix: Answers to Additional Sample Questions.....	28
A1.....	28
A2.....	29
A3.....	29

* The first 40 questions and their answers are arranged according to the exam structure and rules and therefore simulate a sample exam. The block "Answers to Additional Sample Questions" contains the answers to additional questions that are not part of the sample exam but may help the learner to gain a deeper knowledge in the related fields.

- *Questions are contained in a separate document*

		b) c) d)	is not correct is not correct is correct. This rule holds for all SDLC models		
--	--	----------------	---	--	--

		X: any single test with strategy X achieves 100% statement coverage, but covers one input value		
--	--	--	--	--

		developer and the time involved to perform the development. It is not error guessing		
--	--	--	--	--

		file history, but is not covered by the acceptance criteria d) Is not correct. Acceptance criteria state about reassigning from an editor to the content owner, not to another editor		
--	--	--	--	--

		b) Is not correct c) Is not correct d) Is correct		
--	--	---	--	--

		b) Is not correct			
		c) Is not correct			
		d) Is correct			

© International Software Testing Qualifications Board

		d) only satisfies 50% branch coverage d) is correct. Each decision outcome corresponds to a conditional branch, so 100% branch coverage implies 100% coverage of the decision outcomes		
--	--	---	--	--

		d) is correct. The paragraph contains information on test levels and exit criteria, which are part of the test approach		
--	--	---	--	--

The ISTQB® Examination Working Group is responsible for this document.

This document is maintained by a core team from ISTQB® consisting of the Syllabus Working Group and Exam Working Group.

Acknowledgements

This document was produced by a core team from ISTQB®: Stuart Reid and Adam Roman

The core team thanks the Exam Working Group review team, the Syllabus Working Group and Member Boards for their suggestions and input.

Question #25 (1 Point)	15
Question #26 (1 Point)	15
Question #27 (1 Point)	15
Question #28 (1 Point)	16
Question #29 (1 Point)	16
Question #30 (1 Point)	17
Question #31 (1 Point)	17
Question #32 (1 Point)	18
Question #33 (1 Point)	18
Question #34 (1 Point)	19
Question #35 (1 Point)	19
Question #36 (1 Point)	19
Question #37 (1 Point)	20
Question #38 (1 Point)	20
Question #39 (1 Point)	21
Question #40 (1 Point)	21

¹ In this sample exam the questions are sorted by the LO they target; this cannot be expected of a live exam.

- c) Starting testing as early as possible with reviews and other static testing approaches
- d) Using equivalence partitioning and boundary value analysis to generate test cases

Select ONE option.

Question #4 (1 Point)

Which test activity involves working with test data requirements, test conditions, test environment requirements and test cases?

- a) Test design
- b) Test execution
- c) Test analysis
- d) Test implementation

Select ONE option.

- d) The tester was very careful not to make mistakes when they methodically generated test cases prior to starting their exploratory testing session

Select ONE option.

Question #8 (1 Point)

Which of the following is an advantage of the whole-team approach?

- a) It allows team members to take on any role at any time
- b) It only needs a single team to support the complete development project
- c) It embeds business representatives alongside developers in the same team
- d) It generates a team synergy that benefits the entire project

Select ONE option.

Which of the following statements about DevOps is CORRECT?

- a) To speed up releases, continuous integration is used to encourage developers to submit code quickly without the need to complete component testing
- b) To be able to update and release systems on a more frequent basis, many automated regression tests are required to reduce the risk of regression
- c) To treat both developers and operations equally, the testers will allocate more effort to release testing by operations using a shift-right approach
- d) To create increased synergy between testers, developers and operations, the testing must become fully automated with no manual testing

Select ONE option.

Select ONE option.

Question #16 (1 Point)

Which of the following is a benefit of early and frequent stakeholder feedback?

- a) Managers are aware of which developers are less productive
- b) It allows project managers to prioritize their stakeholder interactions
- c) It facilitates early communication of potential quality issues
- d) End users better understand why the delivery of the work product is delayed

Select ONE option.

- C. Decides what is to be reviewed and provides resources, such as staff and time for the review
- D. Takes overall responsibility for the review such as organizing when and where the review will take place

Which of the following BEST matches the roles and responsibilities?

- a) 1A, 2B, 3D, 4C
- b) 1A, 2C, 3B, 4D
- c) 1B, 2D, 3A, 4C
- d) 1B, 2D, 3C, 4A

Select ONE option.

- d) 10, 29, 30, 31

Select ONE option.

Select ONE option.

- a) The test suite composed of tests T1 and T2 achieves 100% statement coverage
- b) There exists at least one statement that must have been executed by both T1 and T2
- c) At least 5% of the statements in the code that was tested are non-executable
- d) The test suite composed of tests T1 and T2 achieves full branch coverage

Select ONE option.

- d) The error messages are written in language that the user can understand

Select ONE option.

- c) Input: the customer clicks "Sort ascending" button on the order history screen
Expected result: the system shows the order history sorted by order number in ascending order
- d) Input: an unregistered customer registers as a new customer with a valid e-mail address that does not already exist in the customer database
Expected result: the system accepts the registration and creates the account

Select ONE option.

- a) \$40,000
b) \$80,000
c) \$81,250
d) \$82,500

Select ONE option.

- a) Usability testing
- b) Functional testing
- c) User acceptance testing
- d) Component integration testing

Select ONE option.

You are a member of a test team located in North America, developing a product for a client located in Europe. The team is agile and follows the DevOps approach and uses a continuous integration/continuous delivery pipeline.

Which of the following is the LEAST effective way to communicate test progress to the customer?

- a) Face-to-face
- b) Dashboards
- c) Email
- d) Video conferencing

Select ONE option.

- b) The system seems to disregard duplicates while sorting. Reference: TC3, TC4, TC5.
- c) The system fails to sort negative numbers. Reference: TC4, TC5.
- d) TC3, TC4 and TC5 have defects (duplicate input data) and should be corrected.

Select ONE option.

This document is maintained by a core team from ISTQB® consisting of the Syllabus Working Group and Exam Working Group.

Acknowledgements

This document was produced by a core team from the ISTQB®: Stuart Reid and Adam Roman

The core team thanks the Exam Working Group review team, the Syllabus Working Group and Member Boards for their suggestions and input.

25.....	29
26.....	30
27.....	31
28.....	31
29.....	31
30.....	32
31.....	32
32.....	33
33.....	33
34.....	34
35.....	34
36.....	35
37.....	35
38.....	36
39.....	36
40.....	37

		analysis to generate test cases is one way to address the principle as these test techniques provide a systematic way to derive a finite subset of all possible test cases		
--	--	--	--	--

		d) Is correct. Regression testing ensures that changes do not have negative effects on unchanged software. Confirmation testing verifies that a defect has been fixed – and so is concerned with changed code		
--	--	---	--	--

		a) Is not correct b) Is not correct c) Is correct d) Is not correct		
--	--	--	--	--

		d) Is correct. The test case is related to the registration process, which is not discussed in the user story. The user story is about viewing previous orders		
--	--	--	--	--

The ISTQB® Examination Working Group is responsible for this document.

This document is maintained by a core team from ISTQB® consisting of the Syllabus Working Group and Exam Working Group.

Acknowledgements

This document was produced by a core team from ISTQB®: Stuart Reid and Adam Roman

The core team thanks the Exam Working Group review team, the Syllabus Working Group and Member Boards for their suggestions and input.

Question #25 (1 Point)	15
Question #26 (1 Point)	16
Question #27 (1 Point)	16
Question #28 (1 Point)	16
Question #29 (1 Point)	17
Question #30 (1 Point)	17
Question #31 (1 Point)	18
Question #32 (1 Point)	19
Question #33 (1 Point)	19
Question #34 (1 Point)	19
Question #35 (1 Point)	20
Question #36 (1 Point)	20
Question #37 (1 Point)	20
Question #38 (1 Point)	21
Question #39 (1 Point)	21
Question #40 (1 Point)	21

¹ In this sample exam the questions are sorted by the LO they target; this cannot be expected of a live exam.

Question #4 (1 Point)

Which of the following test activities are MOST likely to involve the application of boundary value analysis and equivalence partitioning?

- a) Test implementation
- b) Test design
- c) Test execution
- d) Test monitoring
- e) Test analysis

Select TWO options.

- d) The test management role is primarily responsible for test analysis and test design, while the testing role is primarily responsible for test implementation and test execution

Select ONE option.

Question #7 (1 Point)

Which of the following is an advantage of the whole-team approach?

- a) Teams with no testers
- b) Improved team dynamics
- c) Specialist team members
- d) Larger team sizes

Select ONE option.

- c) System Test-Driven Development
- d) Acceptance Test-Driven Development

Select ONE option.

- c) System integration testing
- d) Acceptance testing

Select ONE option.

Question #14 (1 Point)

The navigation system software has been updated due to it suggesting routes that break traffic laws, such as driving the wrong way down one-way streets. Which of the following BEST describes the testing that will be performed?

- a) Only confirmation testing
- b) Confirmation testing then regression testing
- c) Only regression testing
- d) Regression testing then confirmation testing

Select ONE option.

Select ONE option.

Question #19 (1 Point)

What is the MAIN difference between black-box test techniques and experience-based test techniques?

- a) The test object
- b) The test level at which the test technique is used
- c) The test basis
- d) The software development lifecycle (SDLC) in which the test technique can be used

Select ONE option.

Which of the following sets of test inputs achieves the greatest coverage?

- a) 100, 150, 200, 201
- b) 99, 100, 200, 201
- c) 98, 99, 100, 101
- d) 101, 150, 199, 200

Select ONE option.

- a) White-box coverage measures can help testers evaluate black-box tests in terms of the code coverage achieved by these black-box tests
- b) White-box coverage analysis can help testers identify unreachable fragments of the source code
- c) Branch testing subsumes black-box test techniques, so achieving full branch coverage guarantees achieving full coverage of any black-box technique
- d) White-box test techniques can provide coverage items for black-box techniques

Select ONE option.

Which of the following provides the BEST example of a scenario-oriented acceptance criterion?

- a) The application must allow users to delete their account and all associated data upon request
- b) When a customer adds an item to their cart and proceeds to checkout, they should be prompted to log in or create an account if they haven't already done so
- c) IF (contain(product(23).Name, cart.products())) THEN return FALSE
- d) The website must comply with the ICT Accessibility 508 Standards and ensure that all content is accessible to users with disabilities

Select ONE option.

Select ONE option.

- c) 6.3 person-days
- d) 9.4 person-days

Select ONE option.

- d) That tests may depend on other tests

Select ONE option.

Question #34 (1 Point)

What is the relationship between the testing quadrants, test levels and test types?

- a) Testing quadrants represent particular combinations of test levels and test types, defining their location in the software development lifecycle
- b) Testing quadrants describe the degree of granularity of individual test types performed at each test level
- c) Testing quadrants assign the test types that can be performed to the test levels
- d) Testing quadrants group test levels and test types by several criteria such as targeting specific stakeholders

Select ONE option.

d) Test management tools

Select ONE option.

Question #40 (1 Point)

Which of the following is MOST likely to be a benefit of test automation?

- a) The capability of generating test cases without access to the test basis
- b) The achievement of increased coverage through more objective assessment
- c) The increase in test execution times available with higher processing power
- d) The prevention of human errors through greater consistency and repeatability

Select ONE option.

This document is maintained by a core team from ISTQB® consisting of the Syllabus Working Group and Exam Working Group.

Acknowledgements

This document was produced by a core team from the ISTQB®: Stuart Reid and Adam Roman

The core team thanks the Exam Working Group review team, the Syllabus Working Group and Member Boards for their suggestions and input.

25.....	28
26.....	29
27.....	30
28.....	31
29.....	31
30.....	32
31.....	32
32.....	33
33.....	33
34.....	34
35.....	34
36.....	35
37.....	35
38.....	36
39.....	36
40.....	37

		unaltered code is unlikely to uncover novel defects and therefore, modifying tests may be essential. This will not validate that the system meets users' needs and expectations		
--	--	---	--	--

		can choose the strategy to recruit more independent testers from within the team. However, there is more reason to believe that testers from outside the team are likely to be more isolated from the developers and so are more likely to be blamed for delays in product release		
--	--	--	--	--

		U	is not correct. Training testers to perform tests early in the SDLC would support a shift left approach by emphasizing the importance of starting testing earlier in the SDLC. However, automating more test activities to be performed later in the SDLC is not part of shift-left		
--	--	---	---	--	--

Version 1.6 Page 22 of 37 March 25, 2025

© International Software Testing Qualifications Board

		and R3 have different actions, so this shows a contradiction between R2 and R3.		
--	--	---	--	--

		b) Is not correct c) Is correct d) Is not correct		
--	--	---	--	--

		related to AC3 d) Is correct. This is the way we can check if a Special user can access floors which are accessible to a Regular user		
--	--	---	--	--

		b) is not correct			
		c) is correct			
		d) is not correct			

		d) criteria is not correct. Test pyramid model does not show any relations between different tests		
--	--	--	--	--

--	--	--	--	--

The ISTQB® Examination Working Group is responsible for this document.

This document is maintained by a core team from ISTQB® consisting of the Syllabus Working Group and Exam Working Group.

Acknowledgements

This document was produced by a core team from ISTQB®: Stuart Reid and Adam Roman

The core team thanks the Exam Working Group review team, the Syllabus Working Group and Member Boards for their suggestions and input.

Question #25 (1 Point)	14
Question #26 (1 Point)	15
Question #27 (1 Point)	15
Question #28 (1 Point)	15
Question #29 (1 Point)	16
Question #30 (1 Point)	16
Question #31 (1 Point)	17
Question #32 (1 Point)	17
Question #33 (1 Point)	18
Question #34 (1 Point)	18
Question #35 (1 Point)	18
Question #36 (1 Point)	18
Question #37 (1 Point)	19
Question #38 (1 Point)	19
Question #39 (1 Point)	20
Question #40 (1 Point)	20

¹ In this sample exam the questions are sorted by the LO they target; this cannot be expected of a live exam.

'principles of testing' is being addressed through the variation of test cases?

- a) Tests wear out
- b) Absence-of-defects fallacy
- c) Early testing saves time and money
- d) Defects cluster together

Select ONE option.

- b) iii, v
- c) i, ii, v
- d) i, iii, iv

Select ONE option.

Question #6 (1 Point)

Which of the following is MOST likely to describe a task performed by someone in a test management role?

- a) Evaluate the test basis and the test object
- b) Define test environment requirements
- c) Assess testability of the test object
- d) Create the test completion report

Select ONE option.

- c) Testers should start test design as soon as drafts of the relevant work products become available
- d) Every dynamic testing activity has a corresponding static testing activity

Select ONE option.

Question #10 (1 Point)

Which of the following is an example of a test-first approach to development?

- a) Behavior-Driven Development
- b) Test Level Driven Development
- c) Function-Driven Development
- d) Performance-Driven Development

Select ONE option.

Select ONE option.

Question #14 (1 Point)

Which of the following is MOST likely to be a trigger that leads to maintenance testing of a currency exchange system?

- a) The developers reported that changing the currency exchange system was difficult and the testers decided to check if this was true
- b) The refund option of the currency exchange system was removed as it did not always repay the correct amount to customers
- c) The agile team has started developing a user story that adds a new customer loyalty feature to the currency exchange system
- d) The language support option of the currency exchange system was used to enable both English and local language currency transactions

Select ONE option.

- and efficient review
5. Participants are provided with access to the item being reviewed

Which of the following is the CORRECT sequence in the review process of the activities that correspond to the descriptions?

- a) 4 – 3 – 5 – 2 – 1
- b) 4 – 5 – 3 – 1 – 2
- c) 5 – 4 – 1 – 3 – 2
- d) 5 – 4 – 3 – 2 – 1

Select ONE option.

Using two-value boundary value analysis, which of the following sets of test inputs provides the highest level of boundary value coverage?

- a) -1, 3
- b) 0, 2
- c) -1, 0, 2, 3
- d) -2, 0, 2, 4

Select ONE option.

- execution of S
- d) After removing one test case from S, the remaining two test cases will still achieve 100% statement coverage

Select ONE option.

Question #25 (1 Point)

Why does white-box testing facilitate defect detection even when the software specification is vague, outdated or incomplete?

- a) Test cases are designed based on the structure of the test object rather than the specification
- b) For each white-box test technique the coverage can be well-defined and easily measured
- c) White-box test techniques are very well designed to detect omissions in the requirements
- d) White-box test techniques can be used in both static testing and dynamic testing

Select ONE option.

Question #30 (1 Point)

Which of the following BEST define EXIT criteria in a testing project?

- a) Budget is approved
- b) Budget runs out
- c) Test basis is available
- d) Test cases achieved at least 80% statement coverage
- e) All test analysts are ISTQB certified at the Foundation Level

Select TWO options.

which test case should be executed as the LAST one?

- a) TC1
- b) TC2
- c) TC3
- d) TC4

Select ONE options.

c) Too long response time

Select TWO options.

Question #36 (1 Point)

Which of the following is NOT a valid purpose for a test report?

- a) Tracking test progress and identifying areas that require further attention
- b) Providing information on the tests executed, their results, and defects found
- c) Providing information about each defect, such as the steps to reproduce it
- d) Providing information on testing planned for the next period

Select ONE options.

Attachments: [empty list]

Which of the following is MOST likely to help the developer reproduce the failure quickly?

- a) Adding information about which users and which books the failure affects to the "Description" section
- b) Filling in the missing value for the "Priority" field
- c) Adding memory dumps and database snapshots taken after each step described in the "Steps to Reproduce" section to the "Attachments" section.
- d) Repeating the same test case for different environments and writing defect reports for each of them separately

Select ONE options.

This document is maintained by a core team from ISTQB® consisting of the Syllabus Working Group and Exam Working Group.

Acknowledgements

This document was produced by a core team from the ISTQB®: Stuart Reid and Adam Roman

The core team thanks the Exam Working Group review team, the Syllabus Working Group and Member Boards for their suggestions and input.

25.....	26
26.....	26
27.....	27
28.....	27
29.....	28
30.....	28
31.....	29
32.....	29
33.....	30
34.....	30
35.....	31
36.....	31
37.....	32
38.....	33
39.....	34
40.....	35

		d) Is not correct. The poor design of the user interface, which does not suitably address disabled users, is a design defect caused by the designer error. Thus the design of the user interface includes a design defect not a designer error		
--	--	--	--	--

		b) Is correct. The list entries showing benefits are ii and v c) Is not correct d) Is not correct		
--	--	---	--	--

		d) Is not correct. Performance-Driven Development is not a correct example of a test-first approach to development		
--	--	--	--	--

		a) is correct b) is not correct c) is correct d) is not correct		
--	--	--	--	--

		d) Is not correct. Risk-based test techniques are not a recognized type of test technique		
--	--	---	--	--

		d) Is not correct. This is an example of anticipating a failure, perhaps based on experience of previous systems in this application domain		
--	--	---	--	--

© International Software Testing Qualifications Board

