





Title		
Size	Number	Revision
A		
Date:	6-17-2026	Sheet of
File:	C:\Users\...\programmer.SchDoc	Drawn By:

https://documentation.espressif.com/esp32-wroom-32e_esp32-wroom-32ue_datasheet_en.pdf
https://documentation.espressif.com/esp32-wrover-e_esp32-wrover-e_datasheet_en.pdf
[LCSC link](#)

Pin	IO	Function
1	1	NC
2	2	NC
3	3	3V3
4	4	EN
5	5	SENSOR_VP
6	6	SENSOR_VN
7	7	IO34
8	8	IO35
9	9	IO32
10	10	IO33
11	11	IO25
12	12	IO26
13	13	IO27
14	14	IO12
15	15	GND_2
16	16	GND_4
17	17	GND_5
18	18	NC_1
19	19	NC_2
20	20	NC_3
21	21	NC_4
22	22	NC_5
23	23	NC_6
24	24	IO2
25	25	ROOT
26	26	SIM_EN
27	27	SIM_RX
28	28	SIM_TX
29	29	BUZZER
30	30	DBG_TX
31	31	DBG_RX
32	32	I2C_1_SDA
33	33	I2C_1_CLK
34	34	NC
35	35	NC
36	36	NC
37	37	NC
38	38	NC
39	39	NC
40	40	NC
41	41	NC
42	42	NC
43	43	NC
44	44	NC
45	45	NC
46	46	NC
47	47	NC












Table 4: Default Configuration of Strapping Pins

Strapping Pin	Default Configuration	Bit Value
GPIO0	Pull-up	1
GPIO2	Pull-down	0
MTDI	Pull-down	0
MTDO	Pull-up	1
GPIO5	Pull-up	1


GPIO0	Pull-up	1
GPIO2	Pull-down	0
MTDI	Pull-down	0
MTDO	Pull-up	1
GPIO5	Pull-up	1




Title		
Size	Number	Revision
A3		
Date:	6-17-2026	Sheet of
File:	C:\Users\MCU\SchDoc	Drawn By:




Title			ESP32_GAS_Data_Module	
Size	Number	Revision		
A	0.0.1	1.0.1		
Date:	6-17-2026	Sheet	of	
File:	C:\Users\...\PWR.SchDoc	Drawn By:	MD AHSAN HABIB	




Title			
Size	Number		Revision
A			
Date:	6-17-2026		Sheet of
File:	C:\Users\...\GSM.SchDoc		Drawn By:




Title		
Size	Number	Revision
A		
Date:	6-17-2026	Sheet of
File:	C:\Users\...\RS485.SchDoc	Drawn By:



Title		
Size	Number	Revision
A		
Date:	6-17-2026	Sheet of
File:	C:\Users\...\ADC.SchDoc	Drawn By:



Title		
Size	Number	Revision
A		
Date:	6-17-2026	Sheet of
File:	C:\Users\...\DAC_OUT.SchDoc	Drawn By:



Component	Description	Designator	Footprint	Library	Quantity
0.1uF	Capacitor	C1, C2, C3, C4, C5, C6, C8, C9, C20	CAP003	C:\003\BFR\F88B104	12
1.5pF	Capacitor	C7	CAP003	C:\003\BFR\F88B104	1
W4U2363547103	Capacitor Polarized	Z8	CAP440000M003L0700	W4U2363547103	1
2.2uF	Capacitor	C9, C11, C12, C24, C25	CAP003	C:\003\BFR\F88B104	5
C5750GSR400G230K	Capacitor	D1	C5750GSR400G230K	C5750GSR400G230K	1
C0805C0406R67C0A	Capacitor	C16, C20	CAPC021268N	C0805C0406R67C0A	2
C5750GSR400G230K	Capacitor	Z17, C21	CAP003	C5750GSR400G230K	2
FRM035C15500X04D	Capacitor	C3	FRM035C15500X04D	FRM035C15500X04D	1
FRM035B679R9E5	Capacitor	C18	FRM035B679R9E5	FRM035B679R9E5	1
ELCAP02X035B0103100BA	Capacitor	C22	CAP003	ELCAP02X035B0103100BA	1
470uF	22F 25V Aluminum Electrolytic Capacitor Radial, Can 2000Hs @105C	C26, C27, C34	CAP440000M0030H1050	ELBFCB221	3
0.1uF	CHP C060 1UF 50V X70002	C38	CAP0031306	C0603C0105F50V411	1
10uF	CHP C060 10UF 50V X2F1206	C39	CAP1216_3236_10UM	C1206C0105F50V411	1
LED505 0CTUG	Capacitor	C36, C37	CAP003	C:\003\BFR\F88B104	2
LED505 0CTUG	LED	D1, D2, D3	LED5050CTUG	LED505 0CTUG	3
LED505 0CTUG-B7	TSCode(B-directional)	D4, D5	LED505 0CTUG-B7	LED505 0CTUG-B7	2
3MBJ40A-13F	TSCode(B-directional)	D6	3DM5538-025N	3MBJ40A-13F	1
LED_3MD	Ref E530m LED Indicator - Chicle 1-V10005 (2012 Metric)	Z7, D8, D9	LED3C2500000-40	590010007F	3
3MBJ3.0A	TSCode(Uni-directional)	D10, D11, D12, D13, D14, D16, D17	3MBJ3A	3MBJ3.0A	7
9M72	TSCode(B-directional)	D15	9M75F0401531N	9M72	1
3295-WFDMC-32E-NB	Integrated Circuit	IC1	ESP32-WFDMC-32E-NB	3295-WFDMC-32E-NB	1
W4U7000G0R/NL	Integrated Circuit	IC2	W4U7000G0R-45-N	W4U7000G0R-45-N	1
AF2212L1-217R2	Integrated Circuit	IC3	AF2212L1-217R2	AF2212L1-217R2	1
MM7222AL1TG	Integrated Circuit	IC4	9M75F0250113N	MM7222AL1TG	1
MM485EC9A	Integrated Circuit	IC5	SC1C27P00010758N	MM485EC9A	1
AL51120DGR	Integrated Circuit	IC6	SC1P6R0001016N	AL51120DGR	1
AL51120DGR	Integrated Circuit	IC7	SC1P6R00010110N	AL51120DGR	1
TFPEC-31-M-12	Connectors 24 Angledup 1 (3.47 3.1mm R45)	A	WFO_TFPEC-31-M-12	TFPEC-31-M-12	1
D1PLAY	Connector Header Through Hole 4 position (0.08 (2.50mm))	J1	JST_B4B-XA1JF(SN)	B4B-XA1JF(SN)	1
DS90CD01P100	Connector	J3	282B153	282B15-3	1
Digital	Connector	J4	9H0RRA0210P0608_I2C_10A10V0200R050	282B15-2	1
FLOAT 5V5	Connector	J5	9H0RRA0210P0608_I2C_10A10V0200R050	282B15-2	1
282B15-2	Connector	J6, J8A, J85	9H0RRA0210P0608_I2C_10A10V0200R050	282B15-2	1
IX_3M	Connector Header Through Hole 4 position (0.08 (2.50mm))	J7	JST_B4B-XA1JF(SN)	B4B-XA1JF(SN)	1
3M6000-6-1-14-0-A	6 Position Card Connector NANO SIM Surface Mount, Right Angle Gold	J8	GCT_3M6000-6-1-14-0-A	3M6000-6-1-14-0-A	1
3MD_3MD	Connector Header Through Hole 4 position (0.08 (2.50mm))	J9	3MD_3MD	3MD_3MD	1
CONJL003-SMD	Connector	J10	LNK_CONJL003-SMD	CONJL003-SMD	1
282B15-3	Connector	J11, J12, J13	282B153	282B15-3	1
PAW02103NLT	Inductor	L1, L3	PAW02103NLT	PAW02103NLT	1
CM-1295C-0956T	Inductor/Speaker or Res	L5A	CM-1295C-0956T	CM-1295C-0956T	1
TP6A0200D0R	Power Supply	P3A, P5	TP6A020001046N	TP6A0200D0R	2
DMG3415U7	Integrated Circuit	P3A, P5	DMG3415U7	DMG3415U7	1
RECT1000NSATM4	Rectifier (N-Channel)	R1	RECT1000NSATM4	RECT1000NSATM4	1
RCM0402100RFEED-P	Resistor	R1, R2	RCM0402100RFEED-P	RCM0402100RFEED-P	2
13K	Resistor	R1, R4, R11, R10, R22, R27, R41, R42, R43	RES0003	RES	10
4.7K	Resistor	R1, R4, R7, R9, R10, R18	RES0003	RES	8
30K	Resistor	R2	RES0003	RES	1
1K	Resistor	R12, R27, R17	RES0003	RES	3
RCM0402100RFEED-P	Resistor	R13, R55	RCM0402100RFEED-P	RCM0402100RFEED-P	2
RCM0402100RFEED-P	Resistor	R14	RCM0402100RFEED-P	RCM0402100RFEED-P	1
RCM040213K7FEED-P	Resistor	R16	RCM040213K7FEED-P	RCM040213K7FEED-P	1
10K	Resistor	R10, R10, R10	RES0003	RES	3
10K	Resistor	R10, R10, R10	RES0003	RES	3
10Kchms	RES SMD 10K 0.1W 1% 120603	R22, R28	RES0003_1008	RT0303FEED710KL	2
10Kchms	RES SMD 10K 0.1W 1% 120603	R10, R14, R5, R8, R13	RES0003_1008	RT0303FEED710KL	2
120	RES SMD 10K 0.1W 1% 120603	R27	RES0003_1008	RT0303FEED710KL	1
30K	Resistor	R6, R11	RES0003	RES	2
10K	Resistor	R18, R16, R36	RES0003	RES	3
PT232C-SM635-SMT2_LFS	Serial Switch SW To Top Actuated Surface Mount	SL, S2	SW_PT232C-SM635-SMT2_LFS	PT232C-SM635-SMT2_LFS	2
Q-640C	J48B serial chip Q-640	U1	SC1C27P0003010N	Q-640C	1
3M600C	Module: GPM Bluetooth, CH92, 3.3, 1800mAh, 900mAh, (B-Battery, SMD	U2	LC1310P5051070300-50-42N	3M600C	1
CMV-TIA-32-768H4-BFF-20PM-TA-QC	Turning Roll Crystal 32.768MHz 100ppm 2.0mm package	T1	XTAL_CMV-TIA-32-768H4-BFF-20PM-TA-QC	CMV-TIA-32-768H4-BFF-20PM-TA-QC	1