


Gowshick S

23BCE1200

gowshick.s2023@vitstudent.ac.in


Database connection:



The screenshot shows the Eclipse IDE interface. The Package Explorer on the left displays the project structure: 'mongodb' package containing 'Test.java', 'testing1.java', and 'module-info.java'. The main editor shows the code for 'testing1.java'. The code imports 'java.sql.*' and defines a 'testing1' class with a 'main' method. The 'main' method attempts to establish a connection to a MySQL database at 'localhost:3306/test' using 'root' credentials. It uses 'Class.forName' to load the driver, 'DriverManager.getConnection' to get the connection, and 'Statement' to execute a query 'select * from student'. The results are printed to the console. The Console window at the bottom shows the output: 'gowshick' and 'karthi'.

```
1 package mongodb;
2 import java.sql.*;
3
4 public class testing1 {
5
6     public static void main(String[] args) {
7
8         try{
9             Class.forName("com.mysql.cj.jdbc.Driver"); //Register
10
11             Connection con=DriverManager.getConnection(
12                 "jdbc:mysql://localhost:3306/test","root","root");
13
14             Statement stmt=con.createStatement();
15
16             ResultSet rs=stmt.executeQuery("select * from student");
17             // -----up to this line it contain's one table struc output
18             while(rs.next()){
19                 System.out.println(rs.getInt(1)+" "+
20                     rs.getString(2));
21             }
22             con.close();
23         }
24         catch(Exception e){
25             System.out.println("Sorry for the inconvenience happened..! "
26                 + "Check the inputs properly one more time");
27         }
28     }
29 }
```

CRUD:



The screenshot shows the Eclipse IDE interface. The Package Explorer on the left displays the project structure: 'MYSQL_CRUD' package containing 'DB_Connection.java', 'module-info.java', and 'Referenced Libraries'. The main editor shows the code for 'DB_Connection.java'. The code imports 'java.sql.Connection' and 'java.sql.DriverManager'. It defines a 'DB_Connection' class with a 'get_connection' method. The 'get_connection' method attempts to establish a connection to a MySQL database at 'localhost:3306/crud' using 'root' credentials. It uses 'Class.forName' to load the driver, 'DriverManager.getConnection' to get the connection, and prints 'Connected' to the console. The Console window at the bottom shows the output: 'Connected' and 'com.mysql.cj.jdbc.ConnectionImpl@13b6a6cc'.

```
1 package CRUD;
2
3 import java.sql.Connection;
4 import java.sql.DriverManager;
5
6 public class DB_Connection {
7
8     public Connection get_connection() {
9
10         Connection connection = null;
11
12         try {
13             Class.forName("com.mysql.cj.jdbc.Driver");
14
15             connection = DriverManager.getConnection(
16                 "jdbc:mysql://localhost:3306/crud",
17                 "root",
18                 "root");
19
20             System.out.println("Connected");
21
22         } catch (Exception e) {
23             e.printStackTrace();
24         }
25
26         return connection;
27     }
28 }
```

