

Aggregate func with crud:

```
package crud;
```

```
import java.util.Arrays;
```

```
import org.bson.Document;
```

```
import com.mongodb.MongoClient;
```

```
import com.mongodb.client.AggregateIterable;
```

```
import com.mongodb.client.MongoCollection;
```

```
import com.mongodb.client.MongoDatabase;
```

```
public class Crud_Test3 {
```

```
    public static void main(String[] args) {
```

```
        MongoClient mongoClient =
```

```
            new MongoClient("localhost", 27017);
```

```
        MongoDatabase database =
```

```
            mongoClient.getDatabase("gowshick_vitc");
```

```
        MongoCollection<Document> collection =
```

```
            database.getCollection("sales");
```

```
        AggregateIterable<Document> result =
```

```
            collection.aggregate(Arrays.asList(
```

```
                new Document("$group",
```

```
                    new Document("_id", "$item")
```

```
                    .append("averageQty",
```

```

        new Document("$avg",
            "$quantity"))))

    });

    for(Document doc : result) {

        System.out.println(doc.toJson());

    }

    mongoClient.close();

}

```

The screenshot shows the Eclipse IDE with the following components:

- Package Explorer:** Shows the project structure with packages 'mongodb_crud' and 'src', and files 'Crud_Test.java', 'Crud_Test2.java', 'Crud_Test3.java', and 'DB_Connection.java'.
- Editor:** Displays the code for 'Crud_Test3.java'. The code imports necessary MongoDB classes and implements a main method that connects to a MongoDB instance, performs an aggregation query, and prints the results.
- Console:** Shows the output of the program, displaying four JSON documents representing the aggregated data:


```

{"_id": "Lattes", "averageQty": 27.5}
{"_id": "Americanos", "averageQty": 17.5}
{"_id": "Cappuccino", "averageQty": 16.333333333333332}
{"_id": "Mochas", "averageQty": 11.0}
      
```