

Sharding

```
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Gowshick>cd D:
D:\

C:\Users\Gowshick>D:

D:\>cd mongodb

D:\mongodb>mkdir sharding

D:\mongodb>cd sharding

D:\mongodb\sharding>mkdir config

D:\mongodb\sharding>mkdir shard1

D:\mongodb\sharding>mkdir shard2

D:\mongodb\sharding>|
```

```
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Gowshick>"C:\Program Files\MongoDB\Server\8.3\bin\mongod.exe" ^
More? --configsvr ^
More? --replSet configReplSet ^
More? --dbpath D:\mongodb\sharding\config ^
More? --port 27119 ^
More? --bind_ip localhost
{"t":{"$date":"2026-06-10T19:25:10.687+05:30"},"s":"I", "c":"-", "id":8991200, "ctx":"thread1","msg":"Shuffling
initializers", "attr":{"seed":338755704}}
{"t":{"$date":"2026-06-10T19:25:10.700+05:30"},"s":"I", "c":"CONTROL", "id":97374, "ctx":"thread1","msg":"Automatica
lly disabling TLS 1.0 and TLS 1.1, to force-enable TLS 1.1 specify --sslDisabledProtocols 'TLS1_0'; to force-enable TLS
1.0 specify --sslDisabledProtocols 'none'"}
{"t":{"$date":"2026-06-10T19:25:10.760+05:30"},"s":"I", "c":"EXECUTOR", "id":11280000, "svc":"-", "ctx":"thread1","msg":
"Starting thread pool", "attr":{"poolName":"AuthorizationRouter", "numThreads":0, "minThreads":0, "maxThreads":1000000000}}
{"t":{"$date":"2026-06-10T19:25:10.761+05:30"},"s":"I", "c":"EXECUTOR", "id":11280000, "svc":"-", "ctx":"thread1","msg":
"Starting thread pool", "attr":{"poolName":"ThreadPool1", "numThreads":0, "minThreads":0, "maxThreads":1}}
{"t":{"$date":"2026-06-10T19:25:10.761+05:30"},"s":"I", "c":"NETWORK", "id":4915701, "svc":"-", "ctx":"thread1","msg":
"Initialized wire specification", "attr":{"spec":{"incomingExternalClient":{"minWireVersion":0, "maxWireVersion":28}, "inco
mingInternalClient":{"minWireVersion":0, "maxWireVersion":28}, "outgoing":{"minWireVersion":6, "maxWireVersion":28}, "isInte
rnaClient":true}}}
{"t":{"$date":"2026-06-10T19:25:10.763+05:30"},"s":"I", "c":"REPL", "id":5123008, "svc":"-", "ctx":"thread1","msg":
"Successfully registered PrimaryOnlyService", "attr":{"service":"ReshardingCoordinatorService", "namespace":"config.reshar
dingOperations"}}
{"t":{"$date":"2026-06-10T19:25:10.763+05:30"},"s":"I", "c":"REPL", "id":5123008, "svc":"-", "ctx":"thread1","msg":
"Successfully registered PrimaryOnlyService", "attr":{"service":"ConfigsvrCoordinatorService", "namespace":"config.shardin
g.configsvr coordinators"}}
```

Microsoft Windows [Version 10.0.26200.8524]

(c) Microsoft Corporation. All rights reserved.

```
C:\Users\Gowshick>"C:\Program Files\MongoDB\Server\8.3\bin\mongosh.exe" --port 27119
```

"C:\Program Files\MongoDB\Server\8.3\bin\mongosh.exe" is not recognized as an internal or external command,

operable program or batch file.

```
C:\Users\Gowshick>mongosh --version
```

2.5.0

```
C:\Users\Gowshick>mongosh --port 27119
```

Current Mongosh Log ID: 6a296d9479a2102979b5f898

Connecting to:

mongodb://127.0.0.1:27119/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.5.0

Using MongoDB: 8.3.2

Using Mongosh: 2.5.0

mongosh 2.8.3 is available for download: <https://www.mongodb.com/try/download/shell>

For mongosh info see: <https://www.mongodb.com/docs/mongodb-shell/>

The server generated these startup warnings when booting

2026-06-10T19:25:10.889+05:30: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted

```
test> rs.initiate({
...   _id: "configReplSet",
...   configsvr: true,
...   members: [
...     { _id: 0, host: "localhost:27119" }
...   ]
... })
{
  ok: 1,
  '$clusterTime': {
    clusterTime: Timestamp({ t: 1781099960, i: 1 }),
    signature: {
      hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAA=', 0),
      keyId: Long('0')
    }
  },
}
```

```
operationTime: Timestamp({ t: 1781099960, i: 1 })
}
configReplSet [direct: secondary] test> rs.status()
{
  set: 'configReplSet',
  date: ISODate('2026-06-10T14:01:03.131Z'),
  myState: 1,
  term: Long('1'),
  syncSourceHost: '',
  syncSourceId: -1,
  configsvr: true,
  heartbeatIntervalMillis: Long('2000'),
  majorityVoteCount: 1,
  writeMajorityCount: 1,
  votingMembersCount: 1,
  writableVotingMembersCount: 1,
  optimes: {
    lastCommittedOpTime: { ts: Timestamp({ t: 1781100063, i: 1 }), t: Long('1') },
    lastCommittedWallTime: ISODate('2026-06-10T14:01:03.103Z'),
    readConcernMajorityOpTime: { ts: Timestamp({ t: 1781100063, i: 1 }), t: Long('1') },
    appliedOpTime: { ts: Timestamp({ t: 1781100063, i: 1 }), t: Long('1') },
    durableOpTime: { ts: Timestamp({ t: 1781100063, i: 1 }), t: Long('1') },
    writtenOpTime: { ts: Timestamp({ t: 1781100063, i: 1 }), t: Long('1') },
    lastAppliedWallTime: ISODate('2026-06-10T14:01:03.103Z'),
    lastDurableWallTime: ISODate('2026-06-10T14:01:03.103Z'),
    lastWrittenWallTime: ISODate('2026-06-10T14:01:03.103Z')
  },
  lastStableRecoveryTimestamp: Timestamp({ t: 1781100019, i: 1 }),
  electionCandidateMetrics: {
    lastElectionReason: 'electionTimeout',
    lastElectionDate: ISODate('2026-06-10T13:59:20.608Z'),
```

```
electionTerm: Long('1'),
lastCommittedOpTimeAtElection: { ts: Timestamp({ t: 1781099960, i: 1 }), t: Long('-1') },
lastSeenWrittenOpTimeAtElection: { ts: Timestamp({ t: 1781099960, i: 1 }), t: Long('-1') },
lastSeenOpTimeAtElection: { ts: Timestamp({ t: 1781099960, i: 1 }), t: Long('-1') },
numVotesNeeded: 1,
priorityAtElection: 1,
electionTimeoutMillis: Long('10000'),
newTermStartDate: ISODate('2026-06-10T13:59:20.689Z'),
wMajorityWriteAvailabilityDate: ISODate('2026-06-10T13:59:21.065Z')
},
members: [
{
  _id: 0,
  name: 'localhost:27119',
  health: 1,
  state: 1,
  stateStr: 'PRIMARY',
  uptime: 353,
  optime: { ts: Timestamp({ t: 1781100063, i: 1 }), t: Long('1') },
  optimeDate: ISODate('2026-06-10T14:01:03.000Z'),
  optimeWritten: { ts: Timestamp({ t: 1781100063, i: 1 }), t: Long('1') },
  optimeWrittenDate: ISODate('2026-06-10T14:01:03.000Z'),
  lastAppliedWallTime: ISODate('2026-06-10T14:01:03.103Z'),
  lastDurableWallTime: ISODate('2026-06-10T14:01:03.103Z'),
  lastWrittenWallTime: ISODate('2026-06-10T14:01:03.103Z'),
  syncSourceHost: '',
  syncSourceId: -1,
  infoMessage: 'Could not find member to sync from',
  electionTime: Timestamp({ t: 1781099960, i: 2 }),
  electionDate: ISODate('2026-06-10T13:59:20.000Z'),
  configVersion: 1,
```

```

    configTerm: 1,

    self: true,

    lastHeartbeatMessage: ""
  }
],

ok: 1,

'$clusterTime': {
  clusterTime: Timestamp({ t: 1781100063, i: 1 }),
  signature: {
    hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAA=', 0),
    keyId: Long('0')
  }
},

operationTime: Timestamp({ t: 1781100063, i: 1 })
}

configReplSet [direct: primary] test>

```

```

Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Gowshick>C:\Program Files\MongoDB\Server\8.3\bin\mongod.exe" ^
More? --shardsvr ^
More? --replSet shard1ReplSet ^
More? --dbpath D:\mongodb\sharding\shard1 ^
More? --port 27111 ^
More? --bind_ip localhost
{"t":{"$date":"2026-06-10T19:32:34.240+05:30"},"s":"I", "c":"-", "id":8991200, "ctx":"thread1", "msg":"Shuffling
initializers", "attr":{"seed":3944355407}}
{"t":{"$date":"2026-06-10T19:32:34.379+05:30"},"s":"I", "c":"CONTROL", "id":97374, "svc":"-", "ctx":"thread1", "msg":
"Automatically disabling TLS 1.0 and TLS 1.1, to force-enable TLS 1.1 specify --sslDisabledProtocols 'TLS1_0'; to force-
enable TLS 1.0 specify --sslDisabledProtocols 'none'"}
{"t":{"$date":"2026-06-10T19:32:34.386+05:30"},"s":"I", "c":"EXECUTOR", "id":11280000, "svc":"-", "ctx":"thread1", "msg":
"Starting thread pool", "attr":{"poolName":"AuthorizationRouter", "numThreads":0, "minThreads":0, "maxThreads":1000000000}}
{"t":{"$date":"2026-06-10T19:32:34.387+05:30"},"s":"I", "c":"NETWORK", "id":4915701, "svc":"-", "ctx":"thread1", "msg":
"Initialized wire specification", "attr":{"spec":{"incomingExternalClient":{"minWireVersion":0, "maxWireVersion":28}, "inco
mingInternalClient":{"minWireVersion":0, "maxWireVersion":28}, "outgoing":{"minWireVersion":6, "maxWireVersion":28}, "isInte
rnalClient":true}}}
{"t":{"$date":"2026-06-10T19:32:34.391+05:30"},"s":"I", "c":"EXECUTOR", "id":11280000, "svc":"-", "ctx":"thread1", "msg":
"Starting thread pool", "attr":{"poolName":"ThreadPool1", "numThreads":0, "minThreads":0, "maxThreads":1}}
{"t":{"$date":"2026-06-10T19:32:34.391+05:30"},"s":"I", "c":"REPL", "id":5123008, "svc":"-", "ctx":"thread1", "msg":
"Successfully registered PrimaryOnlyService", "attr":{"service":"ShardingDDLCoordinator", "namespace":"config.system.shard
ing_ddl_coordinators"}}
{"t":{"$date":"2026-06-10T19:32:34.391+05:30"},"s":"I", "c":"REPL", "id":5123008, "svc":"-", "ctx":"thread1", "msg":
"Successfully registered PrimaryOnlyService", "attr":{"service":"RenameCollectionParticipantService", "namespace":"config.
localRenameParticipants"}}
{"t":{"$date":"2026-06-10T19:32:34.391+05:30"},"s":"I", "c":"REPL", "id":5123008, "svc":"-", "ctx":"thread1", "msg":
"Successfully registered PrimaryOnlyService", "attr":{"service":"ReshardingDonorService", "namespace":"config.localReshard

```

Microsoft Windows [Version 10.0.26200.8524]

(c) Microsoft Corporation. All rights reserved.

```
C:\Users\Gowshick>mongosh --port 27111
```

```
Current Mongosh Log ID: 6a296ec0beeb18ffd8b5f898
```

```
Connecting to:
```

```
mongodb://127.0.0.1:27111/?directConnection=true&serverSelectionTimeoutMS=2000&appName=
mongosh+2.5.0
```

```
Using MongoDB:      8.3.2
```

```
Using Mongosh:      2.5.0
```

```
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell
```

```
For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/
```

```
-----
```

```
The server generated these startup warnings when booting
```

```
2026-06-10T19:32:34.646+05:30: Access control is not enabled for the database. Read and write
access to data and configuration is unrestricted
```

```
-----
```

```
test> rs.initiate({
```

```
...   _id: "shard1ReplSet",
```

```
...   members: [
```

```
...     { _id: 0, host: "localhost:27111" }
```

```
...   ]
```

```
... })
```

```
{
```

```
ok: 1,
```

```
'$clusterTime': {
```

```
  clusterTime: Timestamp({ t: 1781100247, i: 1 } ),
```

```
  signature: {
```

```
    hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAAA=', 0),
```

```
    keyId: Long('0')
```

```
  }
```

```

},
operationTime: Timestamp({ t: 1781100247, i: 1 })
}
shard1ReplSet [direct: secondary] test> rs.status()
{
  set: 'shard1ReplSet',
  date: ISODate('2026-06-10T14:06:49.855Z'),
  myState: 1,
  term: Long('1'),
  syncSourceHost: '',
  syncSourceId: -1,
  heartbeatIntervalMillis: Long('2000'),
  majorityVoteCount: 1,
  writeMajorityCount: 1,
  votingMembersCount: 1,
  writableVotingMembersCount: 1,
  optimes: {
    lastCommittedOpTime: { ts: Timestamp({ t: 1781100407, i: 1 }), t: Long('1') },
    lastCommittedWallTime: ISODate('2026-06-10T14:06:47.897Z'),
    readConcernMajorityOpTime: { ts: Timestamp({ t: 1781100407, i: 1 }), t: Long('1') },
    appliedOpTime: { ts: Timestamp({ t: 1781100407, i: 1 }), t: Long('1') },
    durableOpTime: { ts: Timestamp({ t: 1781100407, i: 1 }), t: Long('1') },
    writtenOpTime: { ts: Timestamp({ t: 1781100407, i: 1 }), t: Long('1') },
    lastAppliedWallTime: ISODate('2026-06-10T14:06:47.897Z'),
    lastDurableWallTime: ISODate('2026-06-10T14:06:47.897Z'),
    lastWrittenWallTime: ISODate('2026-06-10T14:06:47.897Z')
  },
  lastStableRecoveryTimestamp: Timestamp({ t: 1781100357, i: 1 }),
  electionCandidateMetrics: {
    lastElectionReason: 'electionTimeout',
    lastElectionDate: ISODate('2026-06-10T14:04:07.633Z'),

```

```
electionTerm: Long('1'),
lastCommittedOpTimeAtElection: { ts: Timestamp({ t: 1781100247, i: 1 }), t: Long('-1') },
lastSeenWrittenOpTimeAtElection: { ts: Timestamp({ t: 1781100247, i: 1 }), t: Long('-1') },
lastSeenOpTimeAtElection: { ts: Timestamp({ t: 1781100247, i: 1 }), t: Long('-1') },
numVotesNeeded: 1,
priorityAtElection: 1,
electionTimeoutMillis: Long('10000'),
newTermStartDate: ISODate('2026-06-10T14:04:07.707Z'),
wMajorityWriteAvailabilityDate: ISODate('2026-06-10T14:04:07.778Z')
},
members: [
{
  _id: 0,
  name: 'localhost:27111',
  health: 1,
  state: 1,
  stateStr: 'PRIMARY',
  uptime: 255,
  optime: { ts: Timestamp({ t: 1781100407, i: 1 }), t: Long('1') },
  optimeDate: ISODate('2026-06-10T14:06:47.000Z'),
  optimeWritten: { ts: Timestamp({ t: 1781100407, i: 1 }), t: Long('1') },
  optimeWrittenDate: ISODate('2026-06-10T14:06:47.000Z'),
  lastAppliedWallTime: ISODate('2026-06-10T14:06:47.897Z'),
  lastDurableWallTime: ISODate('2026-06-10T14:06:47.897Z'),
  lastWrittenWallTime: ISODate('2026-06-10T14:06:47.897Z'),
  syncSourceHost: "",
  syncSourceId: -1,
  infoMessage: "",
  electionTime: Timestamp({ t: 1781100247, i: 2 }),
  electionDate: ISODate('2026-06-10T14:04:07.000Z'),
  configVersion: 1,
```



```

    configTerm: 1,

    self: true,

    lastHeartbeatMessage: ""
  }
],

ok: 1,

'$clusterTime': {

  clusterTime: Timestamp({ t: 1781100407, i: 1 }),

  signature: {

    hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAA=', 0),

    keyId: Long('0')

  }


},

operationTime: Timestamp({ t: 1781100407, i: 1 })

}

shard1ReplSet [direct: primary] test>

```



```

Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Gowshick>"C:\Program Files\MongoDB\Server\8.3\bin\mongod.exe" ^
More? --shardsvr ^
More? --replSet shard2ReplSet ^
More? --dbpath D:\mongodb\sharding\shard2 ^
More? --port 27112 ^
More? --bind_ip localhost
{"t":{"$date":"2026-06-10T19:38:03.107+05:30"},"s":"I", "c":"-", "id":8991200, "ctx":"thread1", "msg":"Shuffling
initializers", "attr":{"seed":607246368}}
{"t":{"$date":"2026-06-10T19:38:03.237+05:30"},"s":"I", "c":"CONTROL", "id":97374, "svc":"-", "ctx":"thread1", "msg":
"Automatically disabling TLS 1.0 and TLS 1.1, to force-enable TLS 1.1 specify --sslDisabledProtocols 'TLS1_0'; to force-
enable TLS 1.0 specify --sslDisabledProtocols 'none'"}
{"t":{"$date":"2026-06-10T19:38:03.240+05:30"},"s":"I", "c":"EXECUTOR", "id":11280000, "svc":"-", "ctx":"thread1", "msg":
"Starting thread pool", "attr":{"poolName":"AuthorizationRouter", "numThreads":0, "minThreads":0, "maxThreads":1000000000}}
{"t":{"$date":"2026-06-10T19:38:03.246+05:30"},"s":"I", "c":"EXECUTOR", "id":11280000, "svc":"-", "ctx":"thread1", "msg":
"Starting thread pool", "attr":{"poolName":"ThreadPool1", "numThreads":0, "minThreads":0, "maxThreads":1}}
{"t":{"$date":"2026-06-10T19:38:03.247+05:30"},"s":"I", "c":"NETWORK", "id":4915701, "svc":"-", "ctx":"thread1", "msg":
"Initialized wire specification", "attr":{"spec":{"incomingExternalClient":{"minWireVersion":0, "maxWireVersion":28}, "inco
mingInternalClient":{"minWireVersion":0, "maxWireVersion":28}, "outgoing":{"minWireVersion":6, "maxWireVersion":28}, "isInte
rnalClient":true}}}
{"t":{"$date":"2026-06-10T19:38:03.247+05:30"},"s":"I", "c":"REPL", "id":5123008, "svc":"-", "ctx":"thread1", "msg":
"Successfully registered PrimaryOnlyService", "attr":{"service":"ShardingDDLCoordinator", "namespace":"config.system.shard
ing_ddl_coordinators"}}
{"t":{"$date":"2026-06-10T19:38:03.248+05:30"},"s":"I", "c":"REPL", "id":5123008, "svc":"-", "ctx":"thread1", "msg":
"Successfully registered PrimaryOnlyService", "attr":{"service":"RenameCollectionParticipantService", "namespace":"config.
localRenameParticipants"}}
{"t":{"$date":"2026-06-10T19:38:03.248+05:30"},"s":"I", "c":"REPL", "id":5123008, "svc":"-", "ctx":"thread1", "msg":
"Successfully registered PrimaryOnlyService", "attr":{"service":"ReshardingDonorService", "namespace":"config.localReshard

```

Microsoft Windows [Version 10.0.26200.8524]

(c) Microsoft Corporation. All rights reserved.

```
C:\Users\Gowshick>mongosh --port 27112
```

```
Current Mongosh Log ID: 6a29703b13fd8361cbb5f898
```

```
Connecting to:
```

```
mongodb://127.0.0.1:27112/?directConnection=true&serverSelectionTimeoutMS=2000&appName=
mongosh+2.5.0
```

```
Using MongoDB:      8.3.2
```

```
Using Mongosh:      2.5.0
```

```
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell
```

```
For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/
```

```
-----
```

```
The server generated these startup warnings when booting
```

```
2026-06-10T19:38:03.544+05:30: Access control is not enabled for the database. Read and write
access to data and configuration is unrestricted
```

```
-----
```

```
test> rs.initiate({
...   _id: "shard2ReplSet",
...   members: [
...     { _id: 0, host: "localhost:27112" }
...   ]
... })
{
  ok: 1,
  '$clusterTime': {
    clusterTime: Timestamp({ t: 1781100612, i: 1 }),
    signature: {
      hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA=', 0),
      keyId: Long('0')
    }
  }
}
```

```

},
operationTime: Timestamp({ t: 1781100612, i: 1 })
}
shard2ReplSet [direct: secondary] test> rs.status()
{
  set: 'shard2ReplSet',
  date: ISODate('2026-06-10T14:10:30.949Z'),
  myState: 1,
  term: Long('1'),
  syncSourceHost: '',
  syncSourceId: -1,
  heartbeatIntervalMillis: Long('2000'),
  majorityVoteCount: 1,
  writeMajorityCount: 1,
  votingMembersCount: 1,
  writableVotingMembersCount: 1,
  optimes: {
    lastCommittedOpTime: { ts: Timestamp({ t: 1781100613, i: 15 }), t: Long('1') },
    lastCommittedWallTime: ISODate('2026-06-10T14:10:13.250Z'),
    readConcernMajorityOpTime: { ts: Timestamp({ t: 1781100613, i: 15 }), t: Long('1') },
    appliedOpTime: { ts: Timestamp({ t: 1781100613, i: 15 }), t: Long('1') },
    durableOpTime: { ts: Timestamp({ t: 1781100613, i: 15 }), t: Long('1') },
    writtenOpTime: { ts: Timestamp({ t: 1781100613, i: 15 }), t: Long('1') },
    lastAppliedWallTime: ISODate('2026-06-10T14:10:13.250Z'),
    lastDurableWallTime: ISODate('2026-06-10T14:10:13.250Z'),
    lastWrittenWallTime: ISODate('2026-06-10T14:10:13.250Z')
  },
  lastStableRecoveryTimestamp: Timestamp({ t: 1781100612, i: 1 }),
  electionCandidateMetrics: {
    lastElectionReason: 'electionTimeout',
    lastElectionDate: ISODate('2026-06-10T14:10:13.038Z'),

```

```
electionTerm: Long('1'),
lastCommittedOpTimeAtElection: { ts: Timestamp({ t: 1781100612, i: 1 }), t: Long('-1') },
lastSeenWrittenOpTimeAtElection: { ts: Timestamp({ t: 1781100612, i: 1 }), t: Long('-1') },
lastSeenOpTimeAtElection: { ts: Timestamp({ t: 1781100612, i: 1 }), t: Long('-1') },
numVotesNeeded: 1,
priorityAtElection: 1,
electionTimeoutMillis: Long('10000'),
newTermStartDate: ISODate('2026-06-10T14:10:13.115Z'),
wMajorityWriteAvailabilityDate: ISODate('2026-06-10T14:10:13.177Z')
},
members: [
  {
    _id: 0,
    name: 'localhost:27112',
    health: 1,
    state: 1,
    stateStr: 'PRIMARY',
    uptime: 147,
    optime: { ts: Timestamp({ t: 1781100613, i: 15 }), t: Long('1') },
    optimeDate: ISODate('2026-06-10T14:10:13.000Z'),
    optimeWritten: { ts: Timestamp({ t: 1781100613, i: 15 }), t: Long('1') },
    optimeWrittenDate: ISODate('2026-06-10T14:10:13.000Z'),
    lastAppliedWallTime: ISODate('2026-06-10T14:10:13.250Z'),
    lastDurableWallTime: ISODate('2026-06-10T14:10:13.250Z'),
    lastWrittenWallTime: ISODate('2026-06-10T14:10:13.250Z'),
    syncSourceHost: '',
    syncSourceId: -1,
    infoMessage: 'Could not find member to sync from',
    electionTime: Timestamp({ t: 1781100613, i: 1 }),
    electionDate: ISODate('2026-06-10T14:10:13.000Z'),
    configVersion: 1,
```

```

    configTerm: 1,

    self: true,

    lastHeartbeatMessage: ""
  }
],
ok: 1,
'$clusterTime': {
  clusterTime: Timestamp({ t: 1781100613, i: 15 }),
  signature: {
    hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAA=', 0),
    keyId: Long('0')
  }
},
operationTime: Timestamp({ t: 1781100613, i: 15 })
}

shard2ReplSet [direct: primary] test>

```

```

Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Gowshick>C:\Program Files\MongoDB\Server\8.3\bin\mongos.exe" ^
More? --configdb configReplSet/localhost:27119 ^
More? --port 27118 ^
More? --bind_ip localhost
{"t":{"$date":"2026-06-10T19:41:41.488+05:30"},"s":"I", "c":"-", "id":8991200, "ctx":"thread1", "msg":"Shuffling
initializers", "attr":{"seed":2257095386}}
{"t":{"$date":"2026-06-10T19:41:41.538+05:30"},"s":"W", "c":"SHARDING", "id":24132, "ctx":"thread1", "msg":"Running a
sharded cluster with fewer than 3 config servers should only be done for testing purposes and is not recommended for pro
duction."}
{"t":{"$date":"2026-06-10T19:41:41.594+05:30"},"s":"I", "c":"CONTROL", "id":97374, "ctx":"thread1", "msg":"Automatica
lly disabling TLS 1.0 and TLS 1.1, to force-enable TLS 1.1 specify --sslDisabledProtocols 'TLS1_0'; to force-enable TLS
1.0 specify --sslDisabledProtocols 'none'}
{"t":{"$date":"2026-06-10T19:41:41.740+05:30"},"s":"I", "c":"EXECUTOR", "id":11280000, "svc":"-", "ctx":"thread1", "msg":
"Starting thread pool", "attr":{"poolName":"AuthorizationRouter", "numThreads":0, "minThreads":0, "maxThreads":1000000000}}
{"t":{"$date":"2026-06-10T19:41:41.745+05:30"},"s":"I", "c":"NETWORK", "id":4915701, "svc":"-", "ctx":"thread1", "msg":
"Initialized wire specification", "attr":{"spec":{"incomingExternalClient":{"minWireVersion":0, "maxWireVersion":28}, "inco
mingInternalClient":{"minWireVersion":0, "maxWireVersion":28}, "outgoing":{"minWireVersion":28, "maxWireVersion":28}, "isInt
ernalClient":true}}}
{"t":{"$date":"2026-06-10T19:41:41.749+05:30"},"s":"I", "c":"HEALTH", "id":5936503, "svc":"-", "ctx":"thread1", "msg":
"Fault manager changed state ", "attr":{"state":"StartupCheck"}}
{"t":{"$date":"2026-06-10T19:41:41.761+05:30"},"s":"W", "c":"CONTROL", "id":22120, "svc":"-", "ctx":"thread1", "msg":
"Access control is not enabled for the database. Read and write access to data and configuration is unrestricted", "tags"
:["startupWarnings"]}
{"t":{"$date":"2026-06-10T19:41:41.765+05:30"},"s":"I", "c":"CONTROL", "id":23403, "svc":"R", "ctx":"mongosMain", "ms
g":"Build Info", "attr":{"buildInfo":{"version":"8.3.2", "gitVersion":"89f54eb32e217d2f7bfcad50e5919f3033bb9611", "modules"
:[], "allocator":"tcmalloc-gperf", "environment":{"distmod":"windows", "distarch":"amd64", "target_arch":"amd64"}}}}
{"t":{"$date":"2026-06-10T19:41:41.766+05:30"},"s":"I", "c":"CONTROL", "id":51765, "svc":"R", "ctx":"mongosMain", "ms

```

FINAL OUTPUT:

Microsoft Windows [Version 10.0.26200.8524]

(c) Microsoft Corporation. All rights reserved.

```
C:\Users\Gowshick>mongosh --port 27118
```

Current Mongosh Log ID: 6a2970fab3a5d9d9f0b5f898

Connecting to:

mongodb://127.0.0.1:27118/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.5.0

Using MongoDB: 8.3.2

Using Mongosh: 2.5.0

mongosh 2.8.3 is available for download: <https://www.mongodb.com/try/download/shell>

For mongosh info see: <https://www.mongodb.com/docs/mongodb-shell/>

The server generated these startup warnings when booting

2026-06-10T19:41:41.761+05:30: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted

```
[direct: mongos] test> sh.addShard("shard1ReplSet/localhost:27111")
```

```
{
  shardAdded: 'shard1ReplSet',
  ok: 1,
  '$clusterTime': {
    clusterTime: Timestamp({ t: 1781100842, i: 32 }),
    signature: {
      hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAAA=', 0),
      keyId: Long('0')
    }
  },
  operationTime: Timestamp({ t: 1781100842, i: 32 })
}
```

```
[direct: mongos] test> sh.addShard("shard2ReplSet/localhost:27112")
```

```
{
  shardAdded: 'shard2ReplSet',
  ok: 1,
  '$clusterTime': {
    clusterTime: Timestamp({ t: 1781100859, i: 57 }),
    signature: {
      hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAA= ', 0),
      keyId: Long('0')
    }
  },
  operationTime: Timestamp({ t: 1781100859, i: 57 })
}
```

```
[direct: mongos] test> sh.status()
```

```
shardingVersion
```

```
{
  _id: ObjectId('6a296db8c19b93c7f5ca2d04'),
  clusterId: ObjectId('6a296db8c19b93c7f5ca2d03')
}
```

```
---
```

```
shards
```

```
[
  {
    _id: 'shard1ReplSet',
    host: 'shard1ReplSet/localhost:27111',
    topologyTime: Timestamp({ t: 1781100842, i: 6 }),
    replSetConfigVersion: Long('-1')
  },
  {
    _id: 'shard2ReplSet',
    host: 'shard2ReplSet/localhost:27112',
```

```

    topologyTime: Timestamp({ t: 1781100859, i: 33 }),
    replSetConfigVersion: Long('-1')
  }
]
---
active mongoses
[ { '8.3.2': 1 } ]
---
autosplit
{ 'Currently enabled': 'yes' }
---
balancer
{
  'Currently running': 'no',
  'Currently enabled': 'yes',
  'Failed balancer rounds in last 5 attempts': 0,
  'Migration Results for the last 24 hours': 'No recent migrations'
}
---
shardedDataDistribution
[]
---
databases
[
  {
    database: { _id: 'config', primary: 'config', partitioned: true },
    collections: {}
  }
]
[direct: mongos] test> sh.enableSharding("eCommerceDB")
{

```



```

ok: 1,
'$clusterTime': {
  clusterTime: Timestamp({ t: 1781100976, i: 21 }),
  signature: {
    hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA=', 0),
    keyId: Long('0')
  }
},
operationTime: Timestamp({ t: 1781100976, i: 21 })
}
[direct: mongos] test> sh.shardCollection(
...   "eCommerceDB.orders",
...   { customer_id: "hashed" }
... )
{
  collectionssharded: 'eCommerceDB.orders',
  ok: 1,
  '$clusterTime': {
    clusterTime: Timestamp({ t: 1781100991, i: 45 }),
    signature: {
      hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA=', 0),
      keyId: Long('0')
    }
  },
  operationTime: Timestamp({ t: 1781100991, i: 44 })
}
[direct: mongos] test> use eCommerceDB
...
... for (let i = 0; i < 1000; i++) {
...   db.orders.insertOne({
...     customer_id: "cust_" + i,

```

```
...    amount: Math.random() * 100
```

```
...  })
```

```
... }
```

switched to db eCommerceDB

```
[direct: mongos] eCommerceDB> sh.status()
```

shardingVersion

```
{
```

```
  _id: ObjectId('6a296db8c19b93c7f5ca2d04'),
```

```
  clusterId: ObjectId('6a296db8c19b93c7f5ca2d03')
```

```
}
```

```
---
```

shards

```
[
```

```
{
```

```
  _id: 'shard1ReplSet',
```

```
  host: 'shard1ReplSet/localhost:27111',
```

```
  topologyTime: Timestamp({ t: 1781100842, i: 6 }),
```

```
  replSetConfigVersion: Long('-1')
```

```
},
```

```
{
```

```
  _id: 'shard2ReplSet',
```

```
  host: 'shard2ReplSet/localhost:27112',
```

```
  topologyTime: Timestamp({ t: 1781100859, i: 33 }),
```

```
  replSetConfigVersion: Long('-1')
```

```
}
```

```
]
```

```
---
```

active mongoses

```
[ { '8.3.2': 1 } ]
```

```
---
```

autosplit

```
{ 'Currently enabled': 'yes' }
```

```
---
```

```
balancer
```

```
{
```

```
  'Currently enabled': 'yes',
```

```
  'Currently running': 'no',
```

```
  'Failed balancer rounds in last 5 attempts': 0,
```

```
  'Migration Results for the last 24 hours': 'No recent migrations'
```

```
}
```

```
---
```

```
shardedDataDistribution
```

```
[
```

```
{
```

```
  ns: 'eCommerceDB.orders',
```

```
  shards: [
```

```
    {
```

```
      shardName: 'shard1ReplSet',
```

```
      numOrphanedDocs: 0,
```

```
      numOwnedDocuments: 0,
```

```
      ownedSizeBytes: 0,
```

```
      orphanedSizeBytes: 0
```

```
    },
```

```
    {
```

```
      shardName: 'shard2ReplSet',
```

```
      numOrphanedDocs: 0,
```

```
      numOwnedDocuments: 0,
```

```
      ownedSizeBytes: 0,
```

```
      orphanedSizeBytes: 0
```

```
    }
```

```
  ]
```

```
},
```

```

{
  ns: 'config.system.sessions',
  shards: [
    {
      shardName: 'shard1ReplSet',
      numOrphanedDocs: 0,
      numOwnedDocuments: 9,
      ownedSizeBytes: 891,
      orphanedSizeBytes: 0
    }
  ]
}
]
---
databases
[
  {
    database: { _id: 'config', primary: 'config', partitioned: true },
    collections: {
      'config.system.sessions': {
        shardKey: { _id: 1 },
        unique: false,
        balancing: true,
        chunkMetadata: [ { shard: 'shard1ReplSet', nChunks: 1 } ],
        chunks: [
          { min: { _id: MinKey() }, max: { _id: MaxKey() }, 'on shard': 'shard1ReplSet', 'last modified':
Timestamp({ t: 1, i: 0 }) }
        ],
        tags: []
      }
    }
  }
]

```

```

},
{
  database: {
    _id: 'eCommerceDB',
    primary: 'shard2ReplSet',
    version: {
      uuid: UUID('aa42db8e-92bf-4b81-81d6-c5b604a9dea3'),
      timestamp: Timestamp({ t: 1781100976, i: 9 }),
      lastMod: 1
    }
  },
  collections: {
    'eCommerceDB.orders': {
      shardKey: { customer_id: 'hashed' },
      unique: false,
      balancing: true,
      chunkMetadata: [
        { shard: 'shard1ReplSet', nChunks: 1 },
        { shard: 'shard2ReplSet', nChunks: 1 }
      ],
      chunks: [
        { min: { customer_id: MinKey() }, max: { customer_id: Long('0') }, 'on shard': 'shard2ReplSet',
        'last modified': Timestamp({ t: 1, i: 0 }) },
        { min: { customer_id: Long('0') }, max: { customer_id: MaxKey() }, 'on shard': 'shard1ReplSet',
        'last modified': Timestamp({ t: 1, i: 1 }) }
      ],
      tags: []
    }
  }
}
]

```

```
[direct: mongos] eCommerceDB> sh.status()
```

shardingVersion

```
{
  _id: ObjectId('6a296db8c19b93c7f5ca2d04'),
  clusterId: ObjectId('6a296db8c19b93c7f5ca2d03')
}
```

shards

```
[
  {
    _id: 'shard1ReplSet',
    host: 'shard1ReplSet/localhost:27111',
    topologyTime: Timestamp({ t: 1781100842, i: 6 }),
    replSetConfigVersion: Long('-1')
  },
  {
    _id: 'shard2ReplSet',
    host: 'shard2ReplSet/localhost:27112',
    topologyTime: Timestamp({ t: 1781100859, i: 33 }),
    replSetConfigVersion: Long('-1')
  }
]
```

active mongoses

```
[ { '8.3.2': 1 } ]
```

autosplit

```
{ 'Currently enabled': 'yes' }
```

balancer

```
{
  'Currently enabled': 'yes',
```

```
'Currently running': 'no',  
'Failed balancer rounds in last 5 attempts': 0,  
'Migration Results for the last 24 hours': 'No recent migrations'  
}
```

shardedDataDistribution

```
[  
  {  
    ns: 'eCommerceDB.orders',  
    shards: [  
      {  
        shardName: 'shard2ReplSet',  
        numOrphanedDocs: 0,  
        numOwnedDocuments: 0,  
        ownedSizeBytes: 0,  
        orphanedSizeBytes: 0  
      },  
      {  
        shardName: 'shard1ReplSet',  
        numOrphanedDocs: 0,  
        numOwnedDocuments: 0,  
        ownedSizeBytes: 0,  
        orphanedSizeBytes: 0  
      }  
    ]  
  },  
  {  
    ns: 'config.system.sessions',  
    shards: [  
      {  
        shardName: 'shard1ReplSet',
```

```

    numOrphanedDocs: 0,
    numOwnedDocuments: 15,
    ownedSizeBytes: 1485,
    orphanedSizeBytes: 0
  }
]
}
]
---
databases
[
  {
    database: { _id: 'config', primary: 'config', partitioned: true },
    collections: {
      'config.system.sessions': {
        shardKey: { _id: 1 },
        unique: false,
        balancing: true,
        chunkMetadata: [ { shard: 'shard1ReplSet', nChunks: 1 } ],
        chunks: [
          { min: { _id: MinKey() }, max: { _id: MaxKey() }, 'on shard': 'shard1ReplSet', 'last modified':
Timestamp({ t: 1, i: 0 }) }
        ],
        tags: []
      }
    },
  },
  {
    database: {
      _id: 'eCommerceDB',
      primary: 'shard2ReplSet',

```



```

version: {
  uuid: UUID('aa42db8e-92bf-4b81-81d6-c5b604a9dea3'),
  timestamp: Timestamp({ t: 1781100976, i: 9 }),
  lastMod: 1
}
},
collections: {
  'eCommerceDB.orders': {
    shardKey: { customer_id: 'hashed' },
    unique: false,
    balancing: true,
    chunkMetadata: [
      { shard: 'shard1ReplSet', nChunks: 1 },
      { shard: 'shard2ReplSet', nChunks: 1 }
    ],
    chunks: [
      { min: { customer_id: MinKey() }, max: { customer_id: Long('0') }, 'on shard': 'shard2ReplSet',
        'last modified': Timestamp({ t: 1, i: 0 }) },
      { min: { customer_id: Long('0') }, max: { customer_id: MaxKey() }, 'on shard': 'shard1ReplSet',
        'last modified': Timestamp({ t: 1, i: 1 }) }
    ],
    tags: []
  }
}
}
]
[direct: mongos] eCommerceDB> use eCommerceDB
...
... for (let i = 0; i < 1000; i++) {
...   db.orders.insertOne({
...     customer_id: "cust_" + i,
...     amount: Math.random() * 100

```

```
...  })
```

```
... }
```

already on db eCommerceDB

```
[direct: mongos] eCommerceDB> [direct: mongos] eCommerceDB> use eCommerceDB
```

```
... ..
```

```
... .. for (let i = 0; i < 1000; i++) {
```

```
... ..   db.orders.insertOne({
```

```
... ..     customer_id: "cust_" + i,
```

```
... ..     amount: Math.random() * 100
```

```
... ..   })
```

```
... .. }
```

```
...
```

```
[direct: mongos] eCommerceDB> db.orders.countDocuments()
```

```
0
```

```
[direct: mongos] eCommerceDB> db.orders.insertOne({
```

```
...   customer_id: "cust_test",
```

```
...   amount: 50
```

```
... })
```

```
{
```

```
  acknowledged: true,
```

```
  insertedId: ObjectId('6a29735fb3a5d9d9f0b5f899')
```

```
}
```

```
[direct: mongos] eCommerceDB> db.orders.countDocuments()
```

```
1
```

```
[direct: mongos] eCommerceDB> for (let i = 0; i < 1000; i++) {
```

```
...   db.orders.insertOne({
```

```
...     customer_id: "cust_" + i,
```

```
...     amount: Math.random() * 100
```

```
...   });
```

```
... }
```

```
{
```

```

    acknowledged: true,
    insertedId: ObjectId('6a297379b3a5d9d9f0b5fc81')
  }
[direct: mongos] eCommerceDB> db.orders.countDocuments()
1001
[direct: mongos] eCommerceDB> sh.status()
shardingVersion
{
  _id: ObjectId('6a296db8c19b93c7f5ca2d04'),
  clusterId: ObjectId('6a296db8c19b93c7f5ca2d03')
}
---
shards
[
  {
    _id: 'shard1ReplSet',
    host: 'shard1ReplSet/localhost:27111',
    topologyTime: Timestamp({ t: 1781100842, i: 6 }),
    replSetConfigVersion: Long('-1')
  },
  {
    _id: 'shard2ReplSet',
    host: 'shard2ReplSet/localhost:27112',
    topologyTime: Timestamp({ t: 1781100859, i: 33 }),
    replSetConfigVersion: Long('-1')
  }
]
---
active mongoses
[ { '8.3.2': 1 } ]
---
```

autosplit

```
{ 'Currently enabled': 'yes' }
```

balancer

```
{
```

```
  'Currently enabled': 'yes',
```

```
  'Currently running': 'no',
```

```
  'Failed balancer rounds in last 5 attempts': 0,
```

```
  'Migration Results for the last 24 hours': 'No recent migrations'
```

```
}
```

shardedDataDistribution

```
[
```

```
{
```

```
  ns: 'config.system.sessions',
```

```
  shards: [
```

```
    {
```

```
      shardName: 'shard1ReplSet',
```

```
      numOrphanedDocs: 0,
```

```
      numOwnedDocuments: 16,
```

```
      ownedSizeBytes: 1584,
```

```
      orphanedSizeBytes: 0
```

```
    }
```

```
  ]
```

```
},
```

```
{
```

```
  ns: 'eCommerceDB.orders',
```

```
  shards: [
```

```
    {
```

```
      shardName: 'shard1ReplSet',
```

```
      numOrphanedDocs: 0,
```

```

    numOwnedDocuments: 491,
    ownedSizeBytes: 30933,
    orphanedSizeBytes: 0
  },
  {
    shardName: 'shard2ReplSet',
    numOrphanedDocs: 0,
    numOwnedDocuments: 510,
    ownedSizeBytes: 32130,
    orphanedSizeBytes: 0
  }
]
}
]
---
databases
[
  {
    database: { _id: 'config', primary: 'config', partitioned: true },
    collections: {
      'config.system.sessions': {
        shardKey: { _id: 1 },
        unique: false,
        balancing: true,
        chunkMetadata: [ { shard: 'shard1ReplSet', nChunks: 1 } ],
        chunks: [
          { min: { _id: MinKey() }, max: { _id: MaxKey() }, 'on shard': 'shard1ReplSet', 'last modified':
Timestamp({ t: 1, i: 0 }) }
        ],
        tags: []
      }
    }
  }
]

```

```

    }
  },
  {
    database: {
      _id: 'eCommerceDB',
      primary: 'shard2ReplSet',
      version: {
        uuid: UUID('aa42db8e-92bf-4b81-81d6-c5b604a9dea3'),
        timestamp: Timestamp({ t: 1781100976, i: 9 }),
        lastMod: 1
      }
    },
    collections: {
      'eCommerceDB.orders': {
        shardKey: { customer_id: 'hashed' },
        unique: false,
        balancing: true,
        chunkMetadata: [
          { shard: 'shard1ReplSet', nChunks: 1 },
          { shard: 'shard2ReplSet', nChunks: 1 }
        ],
        chunks: [
          { min: { customer_id: MinKey() }, max: { customer_id: Long('0') }, 'on shard': 'shard2ReplSet',
            'last modified': Timestamp({ t: 1, i: 0 }) },
          { min: { customer_id: Long('0') }, max: { customer_id: MaxKey() }, 'on shard': 'shard1ReplSet',
            'last modified': Timestamp({ t: 1, i: 1 }) }
        ],
        tags: []
      }
    }
  }
]

```

```
[direct: mongos] eCommerceDB>
```