


Replica set creation

1 primary , 2 secondary

and

drop primary simulation (1 of the secondary node becomes primary)



```
Microsoft Windows [Version 10.0.26200.8524]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Gowshick>"C:\Program Files\MongoDB\Server\8.3\bin\mongod.exe" --replSet myReplSet --dbpath D:\mongodb\data\db0
--port 27020 --bind_ip localhost
{"t":{"$date":"2026-06-10T18:04:58.644+05:30"},"s":"I", "c":"-", "id":8991200, "ctx":"thread1", "msg":"Shuffling
initializers", "attr":{"seed":"735371820"}}
{"t":{"$date":"2026-06-10T18:04:58.717+05:30"},"s":"I", "c":"CONTROL", "id":97374, "ctx":"thread1", "msg":"Automatica
lly disabling TLS 1.0 and TLS 1.1, to force-enable TLS 1.1 specify --sslDisabledProtocols 'TLS1_0'; to force-enable TLS
1.0 specify --sslDisabledProtocols 'none'"}
{"t":{"$date":"2026-06-10T18:04:58.801+05:30"},"s":"I", "c":"EXECUTOR", "id":11280000, "ctx":"thread1", "msg":"Starting t
hread pool", "attr":{"poolName":"AuthorizationRouter", "numThreads":0, "minThreads":0, "maxThreads":1000000000}}
{"t":{"$date":"2026-06-10T18:04:58.804+05:30"},"s":"I", "c":"NETWORK", "id":4915701, "ctx":"thread1", "msg":"Initialize
d wire specification", "attr":{"spec":{"incomingExternalClient":{"minWireVersion":0, "maxWireVersion":28}, "incomingIntern
alClient":{"minWireVersion":0, "maxWireVersion":28}, "outgoing":{"minWireVersion":6, "maxWireVersion":28}, "isInternalClient"
:true}}}
{"t":{"$date":"2026-06-10T18:04:58.805+05:30"},"s":"I", "c":"EXECUTOR", "id":11280000, "ctx":"thread1", "msg":"Starting t
hread pool", "attr":{"poolName":"ThreadPool1", "numThreads":0, "minThreads":0, "maxThreads":1}}
{"t":{"$date":"2026-06-10T18:04:58.819+05:30"},"s":"I", "c":"CONTROL", "id":5945603, "ctx":"thread1", "msg":"Multi thre
ading initialized"}
{"t":{"$date":"2026-06-10T18:04:58.820+05:30"},"s":"I", "c":"EXECUTOR", "id":11280000, "ctx":"thread1", "msg":"Starting t
hread pool", "attr":{"poolName":"ReadWriteConcernDefaults", "numThreads":0, "minThreads":0, "maxThreads":1}}
{"t":{"$date":"2026-06-10T18:04:58.820+05:30"},"s":"I", "c":"CONTROL", "id":4615611, "ctx":"initandlisten", "msg":"Mong
oDB starting", "attr":{"pid":21552, "port":27020, "dbPath":"D:/mongodb/data/db0", "architecture":"64-bit", "host":"Gowshick"}
}
{"t":{"$date":"2026-06-10T18:04:58.823+05:30"},"s":"I", "c":"CONTROL", "id":23398, "ctx":"initandlisten", "msg":"Targ
et operating system minimum version", "attr":{"targetMinOS":"Windows 7/Windows Server 2008 R2"}}
{"t":{"$date":"2026-06-10T18:04:58.823+05:30"},"s":"I", "c":"CONTROL", "id":23403, "ctx":"initandlisten", "msg":"Buil
d Info", "attr":{"buildInfo":{"version":"8.3.2", "gitVersion":"89f54eb32e217d2f7bfcad50e5919f3033bb9611", "modules":[], "all
ocator":"tcmalloc-gperf", "environment":{"distmod":"windows", "distarch":"amd64", "target_arch":"amd64"}}}}
```

Microsoft Windows [Version 10.0.26200.8524]

(c) Microsoft Corporation. All rights reserved.

C:\Users\Gowshick>mongosh mongodb://localhost:27021

Current Mongosh Log ID: 6a295d6c5ed848203db5f898

Connecting to:

mongodb://localhost:27021/?directConnection=true&serverSelectionTimeoutMS=2000&appName=
mongosh+2.5.0

Using MongoDB: 8.3.2

Using Mongosh: 2.5.0

mongosh 2.8.3 is available for download: <https://www.mongodb.com/try/download/shell>

For mongosh info see: <https://www.mongodb.com/docs/mongodb-shell/>

The server generated these startup warnings when booting

2026-06-10T18:08:30.167+05:30: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted

```
myReplSet [direct: secondary] test> db.getMongo().setReadPref("secondaryPreferred")
```

```
myReplSet [direct: secondary] test> use college
```

switched to db college

```
myReplSet [direct: secondary] college> db.students.find().pretty()
```

```
[
  {
    _id: ObjectId('6a295d120ad31f2a85b5f899'),
    name: 'Gowshick',
    dept: 'CSE'
  }
]
```

```
myReplSet [direct: secondary] college> rs.status()
```

```
{
  set: 'myReplSet',
  date: ISODate('2026-06-10T12:55:02.032Z'),
  myState: 2,
  term: Long('1'),
  syncSourceHost: 'localhost:27020',
  syncSourceId: 0,
  heartbeatIntervalMillis: Long('2000'),
  majorityVoteCount: 2,
  writeMajorityCount: 2,
  votingMembersCount: 3,
  writableVotingMembersCount: 3,
```

```
optimes: {
  lastCommittedOpTime: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
  lastCommittedWallTime: ISODate('2026-06-10T12:54:54.523Z'),
  readConcernMajorityOpTime: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
  appliedOpTime: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
  durableOpTime: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
  writtenOpTime: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
  lastAppliedWallTime: ISODate('2026-06-10T12:54:54.523Z'),
  lastDurableWallTime: ISODate('2026-06-10T12:54:54.523Z'),
  lastWrittenWallTime: ISODate('2026-06-10T12:54:54.523Z')
},
lastStableRecoveryTimestamp: Timestamp({ t: 1781096074, i: 1 }),
electionParticipantMetrics: {
  votedForCandidate: true,
  electionTerm: Long('1'),
  lastVoteDate: ISODate('2026-06-10T12:42:43.899Z'),
  electionCandidateMemberId: 0,
  voteReason: "",
  lastWrittenOpTimeAtElection: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
  maxWrittenOpTimeInSet: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
  lastAppliedOpTimeAtElection: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
  maxAppliedOpTimeInSet: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
  priorityAtElection: 1,
  newTermStartDate: ISODate('2026-06-10T12:42:43.953Z'),
  newTermAppliedDate: ISODate('2026-06-10T12:42:44.470Z')
},
members: [
  {
    _id: 0,
    name: 'localhost:27020',
    health: 1,
```

```
state: 1,
stateStr: 'PRIMARY',
uptime: 749,
optime: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
optimeDurable: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
optimeWritten: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
optimeDate: ISODate('2026-06-10T12:54:54.000Z'),
optimeDurableDate: ISODate('2026-06-10T12:54:54.000Z'),
optimeWrittenDate: ISODate('2026-06-10T12:54:54.000Z'),
lastAppliedWallTime: ISODate('2026-06-10T12:54:54.523Z'),
lastDurableWallTime: ISODate('2026-06-10T12:54:54.523Z'),
lastWrittenWallTime: ISODate('2026-06-10T12:54:54.523Z'),
lastHeartbeat: ISODate('2026-06-10T12:55:01.823Z'),
lastHeartbeatRecv: ISODate('2026-06-10T12:55:00.699Z'),
pingMs: Long('11'),
lastHeartbeatMessage: "",
syncSourceHost: "",
syncSourceId: -1,
infoMessage: "",
electionTime: Timestamp({ t: 1781095363, i: 1 }),
electionDate: ISODate('2026-06-10T12:42:43.000Z'),
configVersion: 1,
configTerm: 1
},
{
  _id: 1,
  name: 'localhost:27021',
  health: 1,
  state: 2,
  stateStr: 'SECONDARY',
  uptime: 993,
```

```
optime: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
optimeDate: ISODate('2026-06-10T12:54:54.000Z'),
optimeWritten: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
optimeWrittenDate: ISODate('2026-06-10T12:54:54.000Z'),
lastAppliedWallTime: ISODate('2026-06-10T12:54:54.523Z'),
lastDurableWallTime: ISODate('2026-06-10T12:54:54.523Z'),
lastWrittenWallTime: ISODate('2026-06-10T12:54:54.523Z'),
syncSourceHost: 'localhost:27020',
syncSourceId: 0,
infoMessage: '',
configVersion: 1,
configTerm: 1,
self: true,
lastHeartbeatMessage: ''
},
{
  _id: 2,
  name: 'localhost:27022',
  health: 1,
  state: 2,
  stateStr: 'SECONDARY',
  uptime: 749,
  optime: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
  optimeDurable: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
  optimeWritten: { ts: Timestamp({ t: 1781096094, i: 1 }), t: Long('1') },
  optimeDate: ISODate('2026-06-10T12:54:54.000Z'),
  optimeDurableDate: ISODate('2026-06-10T12:54:54.000Z'),
  optimeWrittenDate: ISODate('2026-06-10T12:54:54.000Z'),
  lastAppliedWallTime: ISODate('2026-06-10T12:54:54.523Z'),
  lastDurableWallTime: ISODate('2026-06-10T12:54:54.523Z'),
  lastWrittenWallTime: ISODate('2026-06-10T12:54:54.523Z'),
```

```

    lastHeartbeat: ISODate('2026-06-10T12:55:01.874Z'),
    lastHeartbeatRecv: ISODate('2026-06-10T12:55:01.797Z'),
    pingMs: Long('2'),
    lastHeartbeatMessage: "",
    syncSourceHost: 'localhost:27020',
    syncSourceId: 0,
    infoMessage: "",
    configVersion: 1,
    configTerm: 1
  }
],
ok: 1,
'$clusterTime': {
  clusterTime: Timestamp({ t: 1781096094, i: 1 }),
  signature: {
    hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAA= ', 0),
    keyId: Long('0')
  }
},
operationTime: Timestamp({ t: 1781096094, i: 1 })
}
myRepSet [direct: secondary] college> rs.status()
{
  set: 'myRepSet',
  date: ISODate('2026-06-10T12:57:21.024Z'),
  myState: 2,
  term: Long('1'),
  syncSourceHost: 'localhost:27020',
  syncSourceId: 0,
  heartbeatIntervalMillis: Long('2000'),
  majorityVoteCount: 2,

```

```
writeMajorityCount: 2,
votingMembersCount: 3,
writableVotingMembersCount: 3,
optimes: {
  lastCommittedOpTime: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
  lastCommittedWallTime: ISODate('2026-06-10T12:57:14.592Z'),
  readConcernMajorityOpTime: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
  appliedOpTime: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
  durableOpTime: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
  writtenOpTime: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
  lastAppliedWallTime: ISODate('2026-06-10T12:57:14.592Z'),
  lastDurableWallTime: ISODate('2026-06-10T12:57:14.592Z'),
  lastWrittenWallTime: ISODate('2026-06-10T12:57:14.592Z')
},
lastStableRecoveryTimestamp: Timestamp({ t: 1781096194, i: 1 }),
electionParticipantMetrics: {
  votedForCandidate: true,
  electionTerm: Long('1'),
  lastVoteDate: ISODate('2026-06-10T12:42:43.899Z'),
  electionCandidateMemberId: 0,
  voteReason: "",
  lastWrittenOpTimeAtElection: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
  maxWrittenOpTimeInSet: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
  lastAppliedOpTimeAtElection: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
  maxAppliedOpTimeInSet: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
  priorityAtElection: 1,
  newTermStartDate: ISODate('2026-06-10T12:42:43.953Z'),
  newTermAppliedDate: ISODate('2026-06-10T12:42:44.470Z')
},
members: [
  {
```

```
_id: 0,
name: 'localhost:27020',
health: 1,
state: 1,
stateStr: 'PRIMARY',
uptime: 888,
optime: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
optimeDurable: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
optimeWritten: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
optimeDate: ISODate('2026-06-10T12:57:14.000Z'),
optimeDurableDate: ISODate('2026-06-10T12:57:14.000Z'),
optimeWrittenDate: ISODate('2026-06-10T12:57:14.000Z'),
lastAppliedWallTime: ISODate('2026-06-10T12:57:14.592Z'),
lastDurableWallTime: ISODate('2026-06-10T12:57:14.592Z'),
lastWrittenWallTime: ISODate('2026-06-10T12:57:14.592Z'),
lastHeartbeat: ISODate('2026-06-10T12:57:20.290Z'),
lastHeartbeatRecv: ISODate('2026-06-10T12:57:19.157Z'),
pingMs: Long('0'),
lastHeartbeatMessage: "",
syncSourceHost: "",
syncSourceId: -1,
infoMessage: "",
electionTime: Timestamp({ t: 1781095363, i: 1 }),
electionDate: ISODate('2026-06-10T12:42:43.000Z'),
configVersion: 1,
configTerm: 1
},
{
  _id: 1,
  name: 'localhost:27021',
  health: 1,
```

```
state: 2,
stateStr: 'SECONDARY',
uptime: 1132,
optime: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
optimeDate: ISODate('2026-06-10T12:57:14.000Z'),
optimeWritten: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
optimeWrittenDate: ISODate('2026-06-10T12:57:14.000Z'),
lastAppliedWallTime: ISODate('2026-06-10T12:57:14.592Z'),
lastDurableWallTime: ISODate('2026-06-10T12:57:14.592Z'),
lastWrittenWallTime: ISODate('2026-06-10T12:57:14.592Z'),
syncSourceHost: 'localhost:27020',
syncSourceId: 0,
infoMessage: '',
configVersion: 1,
configTerm: 1,
self: true,
lastHeartbeatMessage: ''
},
{
  _id: 2,
  name: 'localhost:27022',
  health: 1,
  state: 2,
  stateStr: 'SECONDARY',
  uptime: 888,
  optime: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
  optimeDurable: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
  optimeWritten: { ts: Timestamp({ t: 1781096234, i: 1 }), t: Long('1') },
  optimeDate: ISODate('2026-06-10T12:57:14.000Z'),
  optimeDurableDate: ISODate('2026-06-10T12:57:14.000Z'),
  optimeWrittenDate: ISODate('2026-06-10T12:57:14.000Z'),
```

```

    lastAppliedWallTime: ISODate('2026-06-10T12:57:14.592Z'),
    lastDurableWallTime: ISODate('2026-06-10T12:57:14.592Z'),
    lastWrittenWallTime: ISODate('2026-06-10T12:57:14.592Z'),
    lastHeartbeat: ISODate('2026-06-10T12:57:20.306Z'),
    lastHeartbeatRecv: ISODate('2026-06-10T12:57:20.224Z'),
    pingMs: Long('0'),
    lastHeartbeatMessage: "",
    syncSourceHost: 'localhost:27020',
    syncSourceId: 0,
    infoMessage: "",
    configVersion: 1,
    configTerm: 1
  }
],
ok: 1,
'$clusterTime': {
  clusterTime: Timestamp({ t: 1781096234, i: 1 }),
  signature: {
    hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAA=', 0),
    keyId: Long('0')
  }
},
operationTime: Timestamp({ t: 1781096234, i: 1 })
}
myRepSet [direct: secondary] college> -----
...
... exit
... end
Uncaught:
SyntaxError: Invalid left-hand side in prefix operation. (1:44)

```

```
> 1 | -----
    |                                     ^
    |
    2 |
    3 | exit
    4 | end
```

```
myReplSet [direct: secondary] college> rs.status()
```

```
{
  set: 'myReplSet',
  date: ISODate('2026-06-10T12:58:08.098Z'),
  myState: 2,
  term: Long('1'),
  syncSourceHost: 'localhost:27020',
  syncSourceId: 0,
  heartbeatIntervalMillis: Long('2000'),
  majorityVoteCount: 2,
  writeMajorityCount: 2,
  votingMembersCount: 3,
  writableVotingMembersCount: 3,
  optimes: {
    lastCommittedOpTime: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },
    lastCommittedWallTime: ISODate('2026-06-10T12:58:04.635Z'),
    readConcernMajorityOpTime: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },
    appliedOpTime: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },
    durableOpTime: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },
    writtenOpTime: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },
    lastAppliedWallTime: ISODate('2026-06-10T12:58:04.635Z'),
    lastDurableWallTime: ISODate('2026-06-10T12:58:04.635Z'),
    lastWrittenWallTime: ISODate('2026-06-10T12:58:04.635Z')
  },
  lastStableRecoveryTimestamp: Timestamp({ t: 1781096254, i: 1 }),
```

```
electionParticipantMetrics: {  
  votedForCandidate: true,  
  electionTerm: Long('1'),  
  lastVoteDate: ISODate('2026-06-10T12:42:43.899Z'),  
  electionCandidateMemberId: 0,  
  voteReason: "",  
  lastWrittenOpTimeAtElection: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },  
  maxWrittenOpTimeInSet: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },  
  lastAppliedOpTimeAtElection: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },  
  maxAppliedOpTimeInSet: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },  
  priorityAtElection: 1,  
  newTermStartDate: ISODate('2026-06-10T12:42:43.953Z'),  
  newTermAppliedDate: ISODate('2026-06-10T12:42:44.470Z')  
},  
members: [  
  {  
    _id: 0,  
    name: 'localhost:27020',  
    health: 1,  
    state: 1,  
    stateStr: 'PRIMARY',  
    uptime: 935,  
    optime: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },  
    optimeDurable: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },  
    optimeWritten: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },  
    optimeDate: ISODate('2026-06-10T12:58:04.000Z'),  
    optimeDurableDate: ISODate('2026-06-10T12:58:04.000Z'),  
    optimeWrittenDate: ISODate('2026-06-10T12:58:04.000Z'),  
    lastAppliedWallTime: ISODate('2026-06-10T12:58:04.635Z'),  
    lastDurableWallTime: ISODate('2026-06-10T12:58:04.635Z'),  
    lastWrittenWallTime: ISODate('2026-06-10T12:58:04.635Z'),
```

```
lastHeartbeat: ISODate('2026-06-10T12:58:06.337Z'),
lastHeartbeatRecv: ISODate('2026-06-10T12:58:07.234Z'),
pingMs: Long('0'),
lastHeartbeatMessage: "",
syncSourceHost: "",
syncSourceId: -1,
infoMessage: "",
electionTime: Timestamp({ t: 1781095363, i: 1 }),
electionDate: ISODate('2026-06-10T12:42:43.000Z'),
configVersion: 1,
configTerm: 1
},
{
  _id: 1,
  name: 'localhost:27021',
  health: 1,
  state: 2,
  stateStr: 'SECONDARY',
  uptime: 1179,
  optime: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },
  optimeDate: ISODate('2026-06-10T12:58:04.000Z'),
  optimeWritten: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },
  optimeWrittenDate: ISODate('2026-06-10T12:58:04.000Z'),
  lastAppliedWallTime: ISODate('2026-06-10T12:58:04.635Z'),
  lastDurableWallTime: ISODate('2026-06-10T12:58:04.635Z'),
  lastWrittenWallTime: ISODate('2026-06-10T12:58:04.635Z'),
  syncSourceHost: 'localhost:27020',
  syncSourceId: 0,
  infoMessage: "",
  configVersion: 1,
  configTerm: 1,
```

```
self: true,
lastHeartbeatMessage: "
},
{
  _id: 2,
  name: 'localhost:27022',
  health: 1,
  state: 2,
  stateStr: 'SECONDARY',
  uptime: 935,
  optime: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },
  optimeDurable: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },
  optimeWritten: { ts: Timestamp({ t: 1781096284, i: 1 }), t: Long('1') },
  optimeDate: ISODate('2026-06-10T12:58:04.000Z'),
  optimeDurableDate: ISODate('2026-06-10T12:58:04.000Z'),
  optimeWrittenDate: ISODate('2026-06-10T12:58:04.000Z'),
  lastAppliedWallTime: ISODate('2026-06-10T12:58:04.635Z'),
  lastDurableWallTime: ISODate('2026-06-10T12:58:04.635Z'),
  lastWrittenWallTime: ISODate('2026-06-10T12:58:04.635Z'),
  lastHeartbeat: ISODate('2026-06-10T12:58:06.349Z'),
  lastHeartbeatRecv: ISODate('2026-06-10T12:58:07.668Z'),
  pingMs: Long('0'),
  lastHeartbeatMessage: "",
  syncSourceHost: 'localhost:27020',
  syncSourceId: 0,
  infoMessage: "",
  configVersion: 1,
  configTerm: 1
}
],
ok: 1,
```

```

'$clusterTime': {
  clusterTime: Timestamp({ t: 1781096284, i: 1 }),
  signature: {
    hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAA=', 0),
    keyId: Long('0')
  }
},
operationTime: Timestamp({ t: 1781096284, i: 1 })
}
myReplSet [direct: secondary] college> rs.status()
{
  set: 'myReplSet',
  date: ISODate('2026-06-10T13:03:30.349Z'),
  myState: 1,
  term: Long('2'),
  syncSourceHost: '',
  syncSourceId: -1,
  heartbeatIntervalMillis: Long('2000'),
  majorityVoteCount: 2,
  writeMajorityCount: 2,
  votingMembersCount: 3,
  writableVotingMembersCount: 3,
  optimes: {
    lastCommittedOpTime: { ts: Timestamp({ t: 1781096608, i: 1 }), t: Long('2') },
    lastCommittedWallTime: ISODate('2026-06-10T13:03:28.071Z'),
    readConcernMajorityOpTime: { ts: Timestamp({ t: 1781096608, i: 1 }), t: Long('2') },
    appliedOpTime: { ts: Timestamp({ t: 1781096608, i: 1 }), t: Long('2') },
    durableOpTime: { ts: Timestamp({ t: 1781096608, i: 1 }), t: Long('2') },
    writtenOpTime: { ts: Timestamp({ t: 1781096608, i: 1 }), t: Long('2') },
    lastAppliedWallTime: ISODate('2026-06-10T13:03:28.071Z'),
    lastDurableWallTime: ISODate('2026-06-10T13:03:28.071Z'),
  }
}

```

```
    lastWrittenWallTime: ISODate('2026-06-10T13:03:28.071Z')
  },
  lastStableRecoveryTimestamp: Timestamp({ t: 1781096554, i: 1 }),
  electionCandidateMetrics: {
    lastElectionReason: 'electionTimeout',
    lastElectionDate: ISODate('2026-06-10T13:02:52.548Z'),
    electionTerm: Long('2'),
    lastCommittedOpTimeAtElection: { ts: Timestamp({ t: 1781096554, i: 1 }), t: Long('1') },
    lastSeenWrittenOpTimeAtElection: { ts: Timestamp({ t: 1781096554, i: 1 }), t: Long('1') },
    lastSeenOpTimeAtElection: { ts: Timestamp({ t: 1781096554, i: 1 }), t: Long('1') },
    numVotesNeeded: 2,
    priorityAtElection: 1,
    electionTimeoutMillis: Long('10000'),
    numCatchUpOps: Long('0'),
    newTermStartDate: ISODate('2026-06-10T13:02:58.058Z'),
    wMajorityWriteAvailabilityDate: ISODate('2026-06-10T13:02:58.154Z')
  },
  electionParticipantMetrics: {
    votedForCandidate: true,
    electionTerm: Long('1'),
    lastVoteDate: ISODate('2026-06-10T12:42:43.899Z'),
    electionCandidateMemberId: 0,
    voteReason: "",
    lastWrittenOpTimeAtElection: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
    maxWrittenOpTimeInSet: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
    lastAppliedOpTimeAtElection: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
    maxAppliedOpTimeInSet: { ts: Timestamp({ t: 1781095352, i: 1 }), t: Long('-1') },
    priorityAtElection: 1
  },
  members: [
    {
```

```

    _id: 0,
    name: 'localhost:27020',
    health: 0,
    state: 8,
    stateStr: '(not reachable/healthy)',
    uptime: 0,
    optime: { ts: Timestamp({ t: 0, i: 0 }), t: Long('-1') },
    optimeDurable: { ts: Timestamp({ t: 0, i: 0 }), t: Long('-1') },
    optimeWritten: { ts: Timestamp({ t: 0, i: 0 }), t: Long('-1') },
    optimeDate: ISODate('1970-01-01T00:00:00.000Z'),
    optimeDurableDate: ISODate('1970-01-01T00:00:00.000Z'),
    optimeWrittenDate: ISODate('1970-01-01T00:00:00.000Z'),
    lastAppliedWallTime: ISODate('2026-06-10T13:02:34.850Z'),
    lastDurableWallTime: ISODate('2026-06-10T13:02:34.850Z'),
    lastWrittenWallTime: ISODate('2026-06-10T13:02:34.850Z'),
    lastHeartbeat: ISODate('2026-06-10T13:03:24.794Z'),
    lastHeartbeatRecv: ISODate('2026-06-10T13:02:40.557Z'),
    pingMs: Long('0'),
    lastHeartbeatMessage: 'Error connecting to localhost:27020 (127.0.0.1:27020) :: caused by ::
onInvoke :: caused by :: No connection could be made because the target machine actively refused
it.',
    syncSourceHost: "",
    syncSourceId: -1,
    infoMessage: "",
    configVersion: 1,
    configTerm: 1
  },
  {
    _id: 1,
    name: 'localhost:27021',
    health: 1,
    state: 1,

```

```
stateStr: 'PRIMARY',
uptime: 1501,
optime: { ts: Timestamp({ t: 1781096608, i: 1 }), t: Long('2') },
optimeDate: ISODate('2026-06-10T13:03:28.000Z'),
optimeWritten: { ts: Timestamp({ t: 1781096608, i: 1 }), t: Long('2') },
optimeWrittenDate: ISODate('2026-06-10T13:03:28.000Z'),
lastAppliedWallTime: ISODate('2026-06-10T13:03:28.071Z'),
lastDurableWallTime: ISODate('2026-06-10T13:03:28.071Z'),
lastWrittenWallTime: ISODate('2026-06-10T13:03:28.071Z'),
syncSourceHost: "",
syncSourceId: -1,
infoMessage: 'Could not find member to sync from',
electionTime: Timestamp({ t: 1781096572, i: 1 }),
electionDate: ISODate('2026-06-10T13:02:52.000Z'),
configVersion: 1,
configTerm: 2,
self: true,
lastHeartbeatMessage: ""
},
{
  _id: 2,
  name: 'localhost:27022',
  health: 1,
  state: 2,
  stateStr: 'SECONDARY',
  uptime: 1257,
  optime: { ts: Timestamp({ t: 1781096608, i: 1 }), t: Long('2') },
  optimeDurable: { ts: Timestamp({ t: 1781096608, i: 1 }), t: Long('2') },
  optimeWritten: { ts: Timestamp({ t: 1781096608, i: 1 }), t: Long('2') },
  optimeDate: ISODate('2026-06-10T13:03:28.000Z'),
  optimeDurableDate: ISODate('2026-06-10T13:03:28.000Z'),
```

```

    optimeWrittenDate: ISODate('2026-06-10T13:03:28.000Z'),
    lastAppliedWallTime: ISODate('2026-06-10T13:03:28.071Z'),
    lastDurableWallTime: ISODate('2026-06-10T13:03:28.071Z'),
    lastWrittenWallTime: ISODate('2026-06-10T13:03:28.071Z'),
    lastHeartbeat: ISODate('2026-06-10T13:03:30.167Z'),
    lastHeartbeatRecv: ISODate('2026-06-10T13:03:28.781Z'),
    pingMs: Long('0'),
    lastHeartbeatMessage: "",
    syncSourceHost: 'localhost:27021',
    syncSourceId: 1,
    infoMessage: "",
    configVersion: 1,
    configTerm: 2
  }
],
ok: 1,
'$clusterTime': {
  clusterTime: Timestamp({ t: 1781096608, i: 1 }),
  signature: {
    hash: Binary.createFromBase64('AAAAAAAAAAAAAAAAAAAAAAAAAAAA= ', 0),
    keyId: Long('0')
  }
},
operationTime: Timestamp({ t: 1781096608, i: 1 })
}
myRepSet [direct: primary] college>

```