

Negative Result Preprint: No Reliable Kalman-over-Mean Gain in Domain-Balanced Retrieval

Kalmanorix Project Team

May 2026

Abstract

We report a concise, reproducible negative-result preprint for mixed-domain retrieval fusion. In the canonical domain-balanced C100 confirmatory run ($n_{\text{pairs}} = 1193$), Kalman-minus-Mean Δ nDCG@10 is $-9.258801070226193 \times 10^{-6}$ with Holm-adjusted $p = 1.0$; recall@100 delta is 0.0. Compute overhead is bounded (latency ratio 1.0722551296204925; FLOPs ratio 1.0). The benchmark verdict is **inconclusive_sufficiently_powered**. Relative to the TMLR manuscript, this version prioritizes the negative empirical result and exact reproduction instructions.

Scope of conclusion

This paper makes a **single bounded claim**: under the tested protocol (domain-balanced mixed-domain benchmark, `max_candidates=100`, deterministic embedding regime), Kalman-style uncertainty fusion did *not* demonstrate a reliable practical improvement over mean fusion.

It does **not** claim that Kalman methods are universally ineffective, nor that mean fusion is always best.

1 Setup (confirmatory track only)

Benchmark: `mixed_beir_v1.2.0` with `train=5078`, `validation=634`, `test=1193`, minimum per-domain test count 126. Confirmatory settings: `domain-balanced=true`, `max_candidates=100`, paired query-level analysis, Holm correction, and practical-effect gate.

Primary endpoint: paired Δ nDCG@10 (Kalman minus Mean). Decision gates match the registered artifacts: practical threshold $|\Delta| \geq 0.02$, Holm-adjusted $p < 0.05$, latency ratio ≤ 1.5 , and FLOPs ratio ≤ 1.1 .

2 Main negative result

The final confirmatory outputs (from `results/evidence_registry.json` and `results/claim_gate.json`) are:

- Δ nDCG@10 = $-9.258801070226193 \times 10^{-6}$
- Holm-adjusted $p = 1.0$
- Δ recall@100 = 0.0
- Latency ratio (Kalman/Mean) = 1.0722551296204925

- FLOPs ratio (Kalman/Mean) = 1.0
- Verdict: `inconclusive_sufficiently_powered`

Interpretation: the run had enough power for the predeclared practical effect scale, but no practically meaningful Kalman-over-Mean gain was detected.

3 Baseline matrix

Table 1: Baseline matrix from canonical benchmark artifacts (same numbers as project evidence exports).

Method	nDCG@10	latency (ms)
KalmanorixFuser	0.3666	57.319
MeanFuser	0.3666	53.457
Fixed weighted mean	0.3666	53.753
Hard routing (top-1)	0.3489	35.972
Learned linear combiner	0.3666	53.895
Single generalist	0.3406	27.595

4 What this result does and does not mean

What it supports.

- In this protocol, Kalman fusion did not clear the practical-significance and multiplicity-adjusted evidence gate.
- Mean fusion remains a strong low-complexity reference under the tested configuration.

What it does not support.

- It does not establish universal inferiority of uncertainty-aware fusion.
- It does not rule out gains under different embeddings, domains, candidate budgets, or uncertainty estimators.

5 Reproducibility: exact commands and artifact paths

Evidence source-of-truth artifacts

- `results/evidence_registry.json`
- `results/claim_gate.json`
- `results/canonical_benchmark_v3_fast_1200/summary.json`
- `results/negative_result_diagnostics/report.md`
- `results/negative_result_diagnostics/summary.json`

Commands

```
# from repository root
PYTHONPATH=src python scripts/build_evidence_registry.py
python scripts/build_claim_gate.py

# build this arXiv preprint
cd paper/arxiv
pdflatex kalmanorix_negative_result.tex
bibtex kalmanorix_negative_result
pdflatex kalmanorix_negative_result.tex
pdflatex kalmanorix_negative_result.tex

# repository-required checks
cd /workspace/kalmanorix
ruff format --check .
pytest -m "not integration and not stress"
```

6 Recommended citation and artifact use

When citing this preprint, cite it as a **negative-result, protocol-local empirical study** rather than a general method-validation paper. For numeric claims, prefer artifact-backed references to: `results/evidence_registry.json` and `results/claim_gate.json`. For system-level context, include `results/canonical_benchmark_v3_fast_1200/summary.json` and `results/negative_result_diagn`. Avoid extending conclusions beyond the tested protocol unless new confirmatory evidence is provided.