

Measurement Report - Verification of Profile - Demo-Report-Matrix-verify

Created: 2026-08-10 23:20:05

Report Scope

The following profile verification runs are included:

- Demo-Report-Matrix-verify, Instrument: X-Rite ColorMunki · 1 verification run

No. of Measurements:

1

Date range:

2026-08-10 – 2026-08-10

How to read this report

This report compares what your instrument measured against the chart's design colours (the reference values the chart was built from). Every number is a colour difference (ΔE_{00}): 0 is a perfect match, 1–2 is barely visible, and 10 or more is clearly different.

- Colour accuracy — the ΔE_{00} across the patches, split so you can see the bulk of the chart (all patches and the best 95%) apart from the few hardest patches (the worst 5%). Each metric is judged against your Pass thresholds.
- Paper white & darkest black — the brightest and deepest patches (L^*), a quick health check of your paper and maximum ink.
- Cube corners — paper white, composite black and the six primary and secondary inks. These say as much about your inks as about the instrument.

What the numbers mean depends on how the chart was printed:

- A profiling chart is printed **WITHOUT** colour management (the raw print you measure to build a profile). It is not expected to match the design closely, so the ΔE can look large — that's normal. Here it is the **CHANGE** between dated reports that matters, not a single value.
- A verification chart is printed **THROUGH** your finished profile — ChromIQ converts the sheet itself and prints it with the printer's colour management off. It **SHOULD** match the design closely, so low ΔE and passes mean the profile is still accurate; rising numbers over time tell you when it's worth re-profiling. (Printed raw instead, the same sheet is a printer drift check — the report says which way each sheet was printed.)

Some of a chart's design colours can be brighter or more saturated than this printer and paper can physically produce — no profile can print them, however good it is. Where the report can tell (it asks the run's profile), it splits the colour-accuracy figures into two groups: "Within the profile's gamut" — the colours that were genuinely printable, the fair measure of accuracy — and "Beyond it" — the unreachable ones, whose distance describes the limit of the gamut, not a mistake of the profile. Every patch stays counted and visible; the Pass/Fail verdict judges the within-gamut figures.

Because the design reference never changes, comparing dated reports of the same chart on the same printer is a clean, reliable signal of drift — ageing inks, a wandering printer, or an instrument going off. Save a report after each measurement to build that history. Screen and print colours here are approximate; the numbers come from your measurement file and are exact.

Report Results

The following results are extracted from the detailed Colour accuracy data shown below for each measurement run.

Metric	2026-08-10
Average ΔE , all patches	Fail
Average ΔE , lowest 95%	Fail
Average ΔE , highest 5%	Fail
Maximum ΔE , all patches	Fail
Maximum ΔE , lowest 95%	Fail

Detailed data per measurement run

Measurement run — 2026-08-10T12:00:00 — 105 patches

Profile name: Demo-Report-Matrix-verify

How this verification was produced

Printed	not recorded — this sheet was printed before ChromIQ recorded the method, or outside ChromIQ. Sheets ChromIQ printed before it kept this record always went out raw.
Readings belong to this chart	verified — every patch holds the colour the chart asked for
Reference for the ΔE figures	the chart's design colours

Colour accuracy (ΔE_{00} vs the chart's design)

Metric	Measured ΔE_{00}	Threshold	Result
Average ΔE , all patches	5.78	2.00	Fail
Average ΔE , lowest 95%	5.39	2.00	Fail
Average ΔE , highest 5%	13.46	2.00	Fail
Maximum ΔE , all patches	13.76	3.00	Fail
Maximum ΔE , lowest 95%	11.80	3.00	Fail
Spread (std. dev.)	2.84	—	—

Paper white & darkest black

 White (3) — L* 100.0
 Black (7) — L* 0.0

Cube corners (the eight ink extremes)

Corner	Expected	Measured	ΔE_{00}
White (1)			13.67
Black (5)			5.89
Red (11)			2.21
Green (13)			3.30
Blue (10)			2.88
Cyan (12)			8.93
Magenta (14)			5.31
Yellow (9)			4.21

Worst patches

Patch	Expected	Measured	ΔE_{00}	Patch	Expected	Measured	ΔE_{00}
3			13.76	96			10.42
1			13.67	45			9.89
2			13.45	33			9.67
4			13.36	62			9.65
73			13.06	24			9.61
47			11.80	42			9.37
85			10.80	81			9.25
100			10.53	60			9.00