

APIs with Node.js and Express.js for Shoppyglobe E-commerce

POST /login

Purpose: Retrieve users with a token.



Request Type: POST

Endpoint: /login

Expected Response: 200 OK

Response Body: Object with user properties

Screenshot:



POST /register



Purpose: Register user.


Request Type: POST

Endpoint: /register

Expected Response: 201 Created

Screenshot:





```
_id: ObjectId('6802b8850f01b7323cfb263d')
name: "Yash"
email: "yash@gmail.com"
password: "yashyash"
```

GET /products



Purpose: Get all products list.

Request Type: GET

Endpoint: /products

Expected Response: 200 Ok

Screenshot:



GET /products/:id



Purpose: Get a product details

Request Type: GET

Endpoint: /products/:id

Expected Response: 200 OK

Screenshot:



POST /products



Purpose: Get a product details

Request Type: POST

Endpoint: /products

Expected Response: 201 Created

Screenshot:



```
_id: ObjectId('6803e800b6bdbb577d482350')
name: "Product Name"
price: 99.99
description: "Product details..."
stock: 10
images: Array (2)
```

PUT /products/:id



Purpose: Get a product details


Request Type: PUT

Endpoint: /products/:id

Expected Response: 200 Ok

Screenshot:





DELETE /products/:id


Purpose: Get a product details


Request Type: DELETE

Endpoint: /products/:id

Expected Response: 200 Ok

Screenshot:





GET /cart


Purpose: Get a cart list


Request Type: GET

Endpoint: /cart

Expected Response: 200 OK

Screenshot:





POST /cart


Purpose: Add to cart

Request Type: POST

Endpoint: /cart

Expected Response: 200 OK

Screenshot:



Compass

My Queries

CONNECTIONS (3)

Search connections

- ai
- cluster0.tzf2nll.mongodb.net
- localhost:27017
 - admin
 - config
 - information
 - local
 - shoppyglobe
 - carts**
 - products
 - users

localhost:27017 > shoppyglobe > carts

Documents 1 Aggregations Schema Indexes 2 Validation

{ "items.product": ObjectId("6801148f035abaebfac035f2") }

Generate query Explain Reset Find Options

ADD DATA EXPORT DATA UPDATE DELETE

25 1-1 of 1

```
{
  "_id": ObjectId("6802c6a2b37b723d2e02f96"),
  "user": ObjectId("680209b4b9fdef602ce1181c"),
  "items": Array (1)
  createdAt: 2025-04-18T21:39:46.217+00:00
  updatedAt: 2025-04-18T21:39:46.217+00:00
  __v: 0
}
```

CONNECTIONS (3)

Search connections

- ai
- cluster0.tzf2nll.mongodb.net
- localhost:27017
 - admin
 - config
 - information
 - local
 - shoppyglobe
 - carts**
 - products
 - users

localhost:27017 > shoppyglobe > carts

Documents 1 Aggregations Schema Indexes 2 Validation

ADD DATA EXPORT DATA UPDATE DELETE

25 1-2 of 2

Insert Document

To collection shoppyglobe.carts

VIEW

```
1 {
2   "items": [
3     {
4       "product": { "$oid": "6801148f035abaebfac035f2" },
5       "quantity": 2
6     },
7   ],
8   "createdAt": { "$date": "2025-04-18T12:00:00Z" },
9   "updatedAt": { "$date": "2025-04-18T12:00:00Z" }
10 }
```

Cancel Insert

local

shoppyglobe

- carts**
- products
- users

```
{
  "_id": ObjectId("6802c6a2b37b723d2e02f96"),
  "user": ObjectId("680209b4b9fdef602ce1181c"),
  "items": Array (1)
  createdAt: 2025-04-18T21:39:46.217+00:00
  updatedAt: 2025-04-18T21:39:46.217+00:00
  __v: 0
}
```

```
{
  "_id": ObjectId("6802ca540f01b7323cfb2642"),
  "product": ObjectId("6801148f035abaebfac035f2"),
  "quantity": 2
  createdAt: 2025-04-18T12:00:00.000+00:00
  updatedAt: 2025-04-18T12:00:00.000+00:00
}
```

PUT /cart/:id

Purpose: Add to cart



Request Type: PUT

Endpoint: /cart/:id

Expected Response: 200 OK

Response Body: object with quantity property

Screenshot:



DELETE /cart/:id

Purpose: Remove a cart item by their ID.

Request Type: DELETE

Endpoint: /cart/:id

Expected Response: 200 OK

Screenshot:

The screenshot displays a Postman interface for a DELETE request and a MongoDB interface showing the database state.

Postman Request:

- Method: DELETE
- URL: `http://localhost:5000/cart/6801148f035abae035f2`
- Headers:
 - Accept: */*
 - User-Agent: Thunder Client (https://www.thunderclient.com)
 - Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCZC

Postman Response:

```
1 {
2   "message": "Item removed from cart successfully",
3   "cart": {
4     "_id": "6802c6a2b37b723d22e02f06",
5     "user": "680209b4b9fdef602ce1181c",
6     "items": [
7       {
8         "product": "6801148f035abae035f5",
9         "quantity": 2
10      }
11    ],
12    "createdAt": "2025-04-18T21:39:46.217Z",
13    "updatedAt": "2025-04-19T05:30:07.997Z",
14    "__v": 1
15  }
16 }
```

Terminal Output:

```
[nodeemon] 3.1.9
[nodeemon] to restart at any time, enter `rs`
[nodeemon] watching path(s): *.*
[nodeemon] watching extensions: js,mjs,cjs,json
[nodeemon] starting `node server.js`
Server running on port 5000
MongoDB Connected: localhost:27017/shoppyglobe
```

MongoDB Interface:

- Database: shoppyglobe
- Collection: carts
- Document 0:
 - `_id`: ObjectId('6802c6a2b37b723d22e02f06')
 - `user`: ObjectId('680209b4b9fdef602ce1181c')
 - `items`: Array (1)
 - `product`: ObjectId('6801148f035abae035f5')
 - `quantity`: 2
 - `createdAt`: 2025-04-18T21:39:46.217+00:00
 - `updatedAt`: 2025-04-19T05:30:07.997+00:00
 - `__v`: 1


Error Handling Screenshots

1. VALIDATE INPUT (POST) /cart without required fields

Expected: 400 Bad Request

Message: "ProductId not provided"

Screenshot:




2. INVALID ROUTE (GET/PUT/DELETE) with invalid route

Expected: 404 Not Found

Message: "Route /jend not found"

Screenshot:




3. INVALID TOKEN (GET,PUT,POST,DELETE) /cart with invalid ID

Expected: 401 Unauthorized

Message: "Not authorized, token failed"

Screenshot:



4. INVALID CREDENTIALS /login with invalid credentials

Expected: 400 Bad Request

Message: "Invalid credentials"

Screenshot:

