Little Rascal

Reflection script / 反思演讲稿

17 slides: 15 main slides + 2 reference/disclosure appendices. English narration: 1022 words, including the demo narration. Planned total: 9:43, including a 2-minute edited demonstration. Chinese is for rehearsal only.

融合版本 1 与版本 2 的修改重点

- 以你上传的（2）为实际底稿，保留其迭代与反思主线；吸收（1）的情感设问、完整流程、第一人称情感框架、拒绝的身体语言、空间示意和感谢信短句。已核对 brief 与 rubric。
- 老师多次明确总视频为 8–10 分钟；第 3 页另写演示约 2 分钟、反思约 8 分钟。因此以总长不超过 10 分钟为准，约 2 分钟演示＋7 分 36 秒讲解，按实际语速排练。
- 从功能介绍改为设计反思：展览发现过程、前后对比、修改原因、代价和下一步验证。
- 第一人称内容依据你的实际修改要求整理；个人分析只是编辑草稿，请逐句核实并用自己的话表达，不应让 AI 代替自己的反思。
- 依据你补充的真实同学建议、老师意见及本人试玩整理；不编造人数、逐字引语、展览经历或观众情绪。
- 这次只更新展示材料，没有改变游戏代码、玩法、数值或美术。

Current game: https://itsangelia.github.io/little-rascal/?v=d3ab74f
Source files: https://github.com/itsangelia/little-rascal

01 Little Rascal

Suggested duration / 建议用时: 20 seconds

English — spoken

Little Rascal is a virtual pet made with p5.js. My question is how small acts of care can create attachment. The relationship changes as the pet grows. Neglect can be fatal, giving care a sense of responsibility and challenge.

中文对照 — 不另读

Little Rascal 是我用 p5.js 制作的虚拟宠物。我想探索：日常的小小照顾怎样建立依恋。宠物成长时，这段关系也会变化。疏于照顾可能致死，让照顾带来责任感和挑战。

02 What does a visitor notice first?

Suggested duration / 建议用时: 32 seconds

English — spoken

For an exhibition, I would use a computer, mouse and headphones. A rocking egg invites the first click. A shooting star introduces the pet, then the player gives it a name and sees a short guide. The loop is simple: meet, care, grow, say goodbye, then meet a new egg. The toy is less obvious than the egg; a first-time player could still mistake it for decoration.

中文对照 — 不另读

如果用于展览，我会选择电脑、鼠标和耳机。轻轻晃动的蛋邀请第一次点击，流星带来小球，之后玩家起名并阅读简短说明。流程很简单：相遇、照顾、成长、告别，再遇见新的蛋。玩具的操作暗示没有蛋那么明显；第一次玩的观众仍可能以为它只是装饰。

Recording cue / 核实与操作提示

展示形式为拟定方案。当前没有展览现场照片或观众记录。录屏须保留实际点击、拖拽与角色反应。

03 Two minutes inside the room

Suggested duration / 建议用时: 120 seconds

English — spoken

First, I click the egg and give the pet a name. Here, I can feed it, pet it, or throw the toy. Notice that the kick happens when they meet. I have cut between life stages to show the full sequence. In old age, it pauses to rest and asks for affection. After the farewell, the player chooses when to open the letter.

中文对照 — 不另读

首先，我点击蛋，给它起名。在这里，我可以喂食、摸摸，或者扔出玩具。注意，踢球是在它们碰到时发生的。我剪接了不同成长阶段，方便展示完整流程。到了老年，它会停下来休息，也会表达想被摸摸的需要。告别后，由玩家决定什么时候打开信。

Recording cue / 核实与操作提示

本页预留 120 秒实际录屏，尚未嵌入视频。英文口播包含在这 120 秒内，不另加时。00:00–00:25 点击蛋/流星/起名；00:25–00:55 喂食/摸摸/拖球并踢中；00:55–01:20 青年拒绝与状态变化；01:20–02:00 老年休息/气泡/消散/点击信封/新蛋。明确标注“Edited walkthrough · cuts between life stages”。可以剪接你自己录制的画面，不能当作观众测试录像。

04 Why care might become attachment

Suggested duration / 建议用时: 37 seconds

English — spoken

Norman's framework helps me explain three parts of the experience. The watercolor room and simple face are the first, visceral invitation. At the behavioural level, care has a readable response: a smile, a refusal, or a kick. Reflection comes through the life cycle: birth, growth, aging, farewell and a new egg. The letter recalls one relationship; the next egg invites another. I am aiming for affection and gentle loss, without claiming those emotions have been measured.

中文对照 — 不另读

诺曼的框架帮助我解释体验的三个部分。水彩房间和简单的脸，构成第一眼的本能吸引。在行为层面，照顾会得到看得懂的回应：微笑、拒绝，或踢球。反思则来自生命循环：出生、成长、衰老、告别，再出现新蛋。感谢信回顾一段关系，新蛋邀请下一次相遇。我希望引起喜爱和温柔的失落，但不声称这些情感已经被测量。

Recording cue / 核实与操作提示

理论：Norman (2004)。本页是基于理论的设计解释，不是测得的玩家情感结果。 融入版本 1 的第一人称视角句作为“期望的玩家体验”，不是实际受访者引语。

05 Four stages became three: a shorter visit

Suggested duration / 建议用时: 33 seconds

English — spoken

I shortened four stages to three to reduce the time needed for a complete visit. Teenager and adult overlapped, so I combined them into Youth and kept its refusal behaviour. Useful care followed by sleep leads to growth. The shortened sequence still moves from dependence to independence, then a stronger need for companionship. Childhood needs three useful feeds and three accepted pettings; the next waking completes that transition.

中文对照 — 不另读

为了缩短完整体验的时间，我把四阶段减成三阶段。teenager 与 adult 定位重叠，所以我合并成青年，并保留拒绝行为。有效照顾之后，通过睡眠和醒来成长。缩短后的流程仍保留从依赖到独立，再到更需要陪伴的变化。幼年需要三次有效喂食、三次接受的摸摸，再在下一次醒来完成成长。

Recording cue / 核实与操作提示

有效喂食需触发实际照顾计数；幼年玩球、清理不能代替摸摸。计数达标不会即时变形，必须在之后完成睡眠和醒来。青年内部代码键仍为 adult。 缩减阶段是作者已经实施的时长优化，不应表述为尚未处理时长。完整流程受照顾速度、睡眠与玩家选择影响，没有统一固定总时长。

06 Play needed a visible point of contact

Suggested duration / 建议用时: 38 seconds

English — spoken

At first, playing was mainly a button. Putting a toy in the room gave the player something to pick up and throw. But my earlier chase looked strange: the pet seemed to follow the ball without touching it. I also found the running too fast. I asked for a slower approach and a small kick at contact. The important change was the sequence: throw, approach, touch, kick. The sound now happens on the kick, rather than when PLAY is selected.

中文对照 — 不另读

一开始，玩耍主要依靠按钮。把玩具放进房间后，玩家有了可以拿起来、扔出去的东西。但是早期追球很奇怪：宠物像是在隔空跟着球，碰不到它。我还觉得追球太快，于是要求减慢接近速度，碰到时再轻轻踢出去。真正重要的变化是动作顺序：扔出、接近、接触、踢开。现在声音也发生在踢中时，而不是选中 PLAY 的瞬间。

Recording cue / 核实与操作提示

“之前”文字依据本对话中的作者试玩反馈，不是伪造的旧版截图。右侧图片为当前游戏。正式录制建议保留鼠标、球和宠物同框。

07 Youth does not always say yes

Suggested duration / 建议用时: 37 seconds

English — spoken

Youth has a twenty-five percent baseline chance to refuse feeding, petting or play. Angry petting refusal can include an escape hop; refused play can send the ball away. Repetition or a full need can instead produce a still, unimpressed face. These different movements help explain the response. Yet refusal can look like a broken control. I shortened reactions that persisted and kept petting available at critical mood. The challenge is making independence readable without making care feel unresponsive.

中文对照 — 不另读

青年对喂食、摸摸和玩耍有百分之二十五的基础拒绝概率。生气地拒绝摸摸时，它可能跳开；拒绝玩球时，会把球踢走。重复操作或对应数值已满，则可能出现原地不动的无语脸。不同动作帮助玩家理解回应。但拒绝也可能像按钮坏了。我修正了持续过久的反应，并保留心情极低时能进行的摸摸。挑战在于让独立性看得懂，同时不让照顾显得没有反应。

Recording cue / 核实与操作提示

基础随机概率不是所有情形的最终拒绝率：满值、重复与危急安抚存在优先级。无语扣 3 心情，愤怒扣 5；不要说拒绝不会影响数值。

08 Older, slower, and more attached

Suggested duration / 建议用时: 38 seconds

English — spoken

Simply slowing the animation looked like playback at half speed. Grounded walking also lost its character. I kept its bounce: three small, slower hops, then about three seconds still. I removed self-initiated ball play, though it still responds to a thrown ball. More importantly, the older pet becomes more attached to the player. It actively asks to be petted through a bubble, three times across senior life. Where Youth sometimes pulls away, Senior asks the player to come closer.

中文对照 — 不另读

单纯放慢动画，看起来像把视频调成半速。改成贴地走路，也失去了小球的特点。我保留了弹跳：连续三次较小、较慢的跳跃，然后停住约三秒。我删掉了它自己主动玩球的行为，但玩家扔球时它仍然回应。更重要的是，老年的小球变得更依恋玩家。它会通过气泡主动请求摸摸，老年期间出现三次。青年有时会躲开，老年则主动希望玩家靠近。

Recording cue / 核实与操作提示

气泡为漫画框、三个小圈、卡通小手与爱心；不是文字“想摸摸”。睡觉、弹窗、忙碌或危险状态会推迟出现，不能说固定每隔若干秒出现。 作者明确：主动请求摸摸表现老年更依恋玩家，不只是交互提示。属于角色行为设计，不等于观众依恋程度已测量。

09 A body can explain what a bar cannot

Suggested duration / 建议用时: 39 seconds

English — spoken

My tutor suggested adding sound and making needs more visible, including through bubbles. Peer feedback also called for background music, more engaging toy play and richer expressions. I developed the flattened hungry pose below thirty: the bar shows how much is left, while the body shows how hunger feels. The senior bubble asks for affection; not every need has a bubble. I recorded the pet's voice and selected calls for petting, anger, crying, kicking and idle humming. Crying plays once on entry.

中文对照 — 不另读

老师建议补充声音，并让状态更直观，比如使用气泡。同学也提出了加入背景音乐、增强玩具互动和丰富表情的建议。我完善了饥饿低于三十时饿扁的状态：数值条显示还剩多少，身体表现饥饿的感觉。老年气泡表达的是想被摸摸，并不是每个需求都有气泡。我录制了小球的声音，选出用于摸摸、生气、哭泣、踢球和自然哼哼的片段。哭声只在进入哭泣时播放一次。

Recording cue / 核实与操作提示

反馈依据：作者在本对话中回忆同学提出背景音乐、增强玩具互动、丰富表情及饿扁状态；老师建议增加音效及状态可视化。属于作者报告的定性反馈，没有参与人数、录音逐字引语或正式研究。作者确认叫声为本人录制。BGM 来自 Pixabay（按 pixaboy 理解），音乐按钮只控制 BGM。

10 2D rules make each response feel physical

Suggested duration / 建议用时: 32 seconds

English — spoken

The game is drawn in two dimensions. Floor position and jump height are separate, so the shadow stays on the floor while the pet hops. Objects are drawn in depth order. The same separation helps a kick happen at contact, not at a distance. Care, expressions and sound then respond to the current state. These rules support readable behaviour, rather than just adding visual polish.

中文对照 — 不另读

游戏是用二维画面绘制的。地面位置和跳跃高度分开计算，所以小球跳起时，影子仍留在地面。物体按前后顺序绘制。这样的分离也帮助踢球发生在实际接触时，而不是隔空发生。照顾、表情和声音再根据当前状态作出回应。这些规则是为了让行为可读，而不只是增加画面效果。

Recording cue / 核实与操作提示

来自版本 1 的空间示意优点，改为解释系统怎样支持交互反馈。画布内部仍为 900×640，CSS 只缩放显示。

示意图是概念图，不是独立观众测试证据。不把实现文件名作为口播重点。

11 Farewell becomes a new beginning

Suggested duration / 建议用时: 37 seconds

English — spoken

For natural old age, I replaced the abrupt result screen with a slower farewell. The pet pauses, softens and dissolves; its soul rises into stars. A gently moving envelope waits for a click, so the player chooses when to read the letter. Closing it gathers starlight into a new egg. This completes the life cycle: one relationship ends and another can begin. Neglect deaths keep the earlier result screen and restart; they do not receive this thank-you letter.

中文对照 — 不另读

自然老死的部分，我把突然出现的结算画面改成了缓慢告别。小球停下、身体软下来并消散，灵魂升起化成星星。轻轻晃动的信封等待点击，让玩家决定什么时候读信。关闭信后，星光汇成新的蛋。生命循环由此完成：一段关系结束，另一段可以开始。疏于照顾导致的死亡仍保留原来的结算与重新开始，不会收到这封感谢信。

Recording cue / 核实与操作提示

自然离世通常从进入老年起累计 80 秒可见活跃时间；忙碌、三次需求气泡等可延后。可剪辑但不可声称完整生命周期只有 80 秒。感谢信原文不改。

12 What the feedback actually tells me

Suggested duration / 建议用时: 26 seconds

English — spoken

Peer feedback prompted background music, richer expressions and more interactive toy play. My playthroughs exposed disconnected pursuit, slow-motion aging and a rushed hatch. Tutor advice focused on sound and readable needs. Each led to a visible revision. This qualitative feedback explains my decisions, but it does not establish how every visitor will feel.

中文对照 — 不另读

同学建议促成了背景音乐、更丰富的表情和更有互动性的玩具。自己的试玩发现了隔空追球、慢放式衰老和太快的出场；老师的意见集中在声音与状态可读性。这些建议都对应了看得见的修改。这些定性反馈能够解释我的决定，但不能证明每位观众都会产生什么情绪。

Recording cue / 核实与操作提示

基于作者报告的同学反馈、自己的试玩及老师意见。不得增添测试人数、姓名、伪造引语或已举办展览的说法。brief 还要求给至少一名同学建设性反馈；作者尚未提供这一方向的具体经历，提交前补入真实记录。

13 Consequences are part of caring

Suggested duration / 建议用时: 41 seconds

English — spoken

Death is intentional. If the pet could never die from neglect, keeping it alive would carry less responsibility and challenge. Waste smells after six seconds and can cause illness death at thirteen; hunger or mood at zero for eight seconds can also be fatal. These consequences make attention matter. The question is whether a first-time player can understand the warning and respond fairly. I want to keep the challenge, while testing clearer cues and enough recovery time. Natural old age offers a different kind of ending.

中文对照 — 不另读

死亡是我有意加入的。如果怎么疏于照顾都不会死，养活它就少了责任感和挑战。粑粑六秒开始发臭，十三秒可能病死；饥饿或心情归零持续八秒也会致死。这些后果让关注和照顾变得重要。需要验证的是，第一次玩的玩家能否理解警告，并有公平的时间回应。我想保留挑战，同时测试更清楚的提示和足够的挽救时间。自然老死则提供了另一种结尾。

Recording cue / 核实与操作提示

作者明确说明死亡用于增加责任感和挑战性，不把死亡本身写成失误。13 秒是每个粑粑从产生起的总时长；不是发臭后 13 秒。公平性属于待验证问题，不声称观众实际感到焦虑。

14 What I would test next

Suggested duration / 建议用时: 28 seconds

English — spoken

The three-stage revision already shortens the visit. I would next watch first-time players without coaching: do they discover dragging, understand refusal and act on warnings? I would compare clearer cues and slightly longer warning periods while keeping the risk of death. I would also check the revised duration. Saved progress and separate voice controls are future possibilities.

中文对照 — 不另读

三阶段的修改已经缩短了体验。下一步，我会在不指导的情况下观察新玩家：他们能发现拖拽、理解拒绝、回应警告吗？我会保留死亡风险，比较更清楚的提示和稍长的警告时间，也验证缩短后的体验长度。存档和独立叫声控制是未来方向。

Recording cue / 核实与操作提示

这是未来测试计划，不是已完成研究。若实际补录试玩，请取得参与者同意，并保留具体观察和修改依据。

15 A little life, then another beginning

Suggested duration / 建议用时: 25 seconds

English — spoken

Each stage changes the relationship: the little one needs care, Youth sometimes resists, and Senior asks for closeness. Death gives that care consequences. The new egg completes the cycle of birth, growth, farewell and renewal. I want the player to remember the life they cared for, even as another begins.

中文对照 — 不另读

每个阶段都在改变这段关系：幼年需要照顾，青年有时拒绝，老年主动寻求陪伴。死亡让照顾有了后果。新的蛋完成了出生、成长、告别和新生的循环。我希望即使新的相遇开始，玩家也会记得自己曾经照顾过的这段生命。

Recording cue / 核实与操作提示

生命循环是设计主题，不声称程序持久保存上一世记忆或名字，也不声称新蛋就是同一只宠物转生。新蛋重新进入既有出场、命名与照顾流程。

16 References & source notes

Appendix / 不读

LITTLE RASCAL / EMOTIONAL INTERACTIONS

16

FRAMEWORK

Norman, D. A. (2004). Emotional design: Why we love (or hate) everyday things. Basic Books.

TECHNICAL LIBRARY

Processing Foundation. (n.d.). p5.js reference. https://p5js.org/reference/

ASSESSMENT

Curtin University. (n.d.). GRDE2040 Assignment Two: Emotional Interactions [brief]; A2 Playful Exhibition [rubric]. User-supplied course documents.

PLAY REFERENCE

My Lil' Bastard — user-supplied gameplay video/screenshots. Publisher, year and exact source require confirmation.

PROJECT SOURCE

Little Rascal. Source: https://github.com/itsangelia/little-rascal
Gameplay baseline: d3ab74f. Images show current staged game states, not audience footage.

MEDIA CREDITS

User-uploaded illustrations and AI-assisted visual iterations. BGM: Pixabay (designer-reported; track / artist / URL to add). Pet voice: recorded by the designer, then excerpted for the game.

Author–date draft: check the exact reference style required by the unit outline.

Recording cue / 核实与操作提示

引用采用作者—年份草稿，最终按 unit outline 规定格式统一。老师已许可 AI 辅助（作者确认）。叫声为作者本人录制（作者确认）。BGM 平台 Pixabay（作者原写 pixaboy），具体曲名/作者/下载链接待补。参考游戏发布信息仍待核实。

17 AI assistance & submission record

Appendix / 不读

LITTLE RASCAL / EMOTIONAL INTERACTIONS

17

DRAFT DISCLOSURE · AUTHOR MUST VERIFY

OpenAI ChatGPT/Codex assisted with ideation, visual explorations, coding, debugging, audio excerpt processing, and editing slides and narration.

The designer confirms tutor approval for AI assistance. The record documents their selections, rejected options and repeated revisions. Personal analysis must be checked and expressed in their own words.

Submission checks

AI scope declaration · music track credit · feedback given to a peer
Curtin cover sheet · video link + timestamp · source link · required filename

AI permission and voice authorship are designer-reported; no formal audience study is claimed.

Recording cue / 核实与操作提示

作者确认已获老师许可使用 AI 辅助，叫声音频由本人录制，BGM 来源为 pixaboy（按 Pixabay 理解）。声明仍需作者核实实际范围并按课程规定签署；不得把这一确认写成助手独立验证的许可证。音乐曲名、作者及具体链接还未提供。brief 要求反思自己给同学的反馈，目前未提供具体例子。

Assessment coverage / 对照老师要求

Context /10

Slides 2–3: proposed encounter, first-click discovery, mouse/headphone setting; explicitly not a documented exhibition.

Narrative & interaction /25

Slides 3–7, 9–11: real input/response, growth conditions, resistance, visible needs and player-controlled farewell.

Aesthetics & creativity /25

Slides 4, 6, 8–11: Norman, physical contact, hop/rest rhythm, bodily hunger and a clickable envelope.

Process & feedback /15

Slides 5–12, 16–17: own iteration comparisons, tutor suggestions, sources and AI disclosure. Includes designer-reported peer suggestions; the designer's feedback given to another student still needs documentation.

Reflection & communication /20

Slides 7, 12–15: misunderstanding risk, evidence limits, punitive timing, exhibition dwell time and a concrete future test plan.

Milestone check-in /5

Rubric separately lists A2 Milestone Check-In. A final slide deck does not establish attendance, blog submission or feedback given to a peer.

Before submission / 必须由你补齐

- 已纳入你报告的同学建议。按 brief 第 3 页要求，还需要记录你给至少一名同学的具体建设性反馈，并保留真实试玩观察。不要虚构参与人数或引语。
- 你已确认获得老师对 AI 辅助的许可。brief 第 2 页与第 4 页仍要求：AI 支持而非替代自己的思考，提交时附准确的实际使用声明。请核实声明范围。
- 叫声按你确认标为本人录制；背景音乐按 Pixabay 标注，补全曲名、作者及原下载链接（你写的是 pixaboy，请核对平台拼写）。补全参考游戏信息，区分本人原画与 AI 辅助迭代素材。
- 录制两分钟真实游戏演示并放入最终视频；当前 PPT 没有内嵌录像。整段排练在 8–10 分钟内，不用中英各读一次。
- 使用 Curtin 标准封面，在 Declaration 处填写本人姓名作为数字签名；封面模板、姓名与学号未提供，不能代填。
- 写明不失效且公开可访问的视频链接，并附上传时间截图；同时提供清楚标注的工作文件/仓库链接。
- 提交文件名：A2_Surname_GivenName_StudentNumber_FileName。原始 brief 没有提供具体截止日期，只写 Week13，按 Blackboard 确认。

- 按 unit outline 规定格式统一引用；这两份 PDF 没有指定 APA/Chicago 等具体格式，因此当前使用作者—年份草稿，不冒称完全符合某一种格式。