



TEST REPORT
Date: 09 June 2026
Test Report No: 202
Subject: Sampled by

COPOLY Value Columns											
COPOLY	Description	Gross CV (Weight)		Gross CV (Volume)		Net CV (Weight)		Net CV (Volume)		Net CV (Weight) @ 10%	
		GP	GP	GP	GP	GP	GP	GP	GP	GP	GP
100000	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100001	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100002	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100003	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100004	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100005	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100006	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100007	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100008	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100009	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100010	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100011	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100012	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100013	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100014	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100015	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100016	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100017	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100018	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100019	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100020	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100021	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100022	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100023	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100024	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100025	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100026	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100027	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100028	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100029	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100030	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100031	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100032	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100033	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100034	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100035	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100036	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100037	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100038	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100039	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100040	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100041	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100042	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100043	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100044	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100045	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100046	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100047	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100048	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100049	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100050	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100051	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100052	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100053	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100054	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100055	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100056	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100057	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100058	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100059	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100060	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100061	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100062	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100063	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100064	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100065	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100066	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100067	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100068	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100069	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100070	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100071	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100072	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100073	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100074	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100075	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100076	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100077	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100078	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100079	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100080	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100081	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100082	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100083	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100084	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100085	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100086	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100087	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100088	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100089	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100090	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100091	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100092	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394	5691
100093	Waters 40 (10/01/2020)	28.39	1728	1881	0.008	20.35	20.82	5339	5681	5394</	

NOTES
The Test Results Relate to Samples as received and tested
The test results do not apply to any similar items that have not been tested
Results marked with * in this report are not included in the SAHQS Codebook of Accreditation for this laboratory
Results marked "Unassessable Test" in this report are not included in the LAMHS
Schedule of Accreditation for this Unassessable Testing and Projects 25 is a Laboratory

page 1 of 2

Along & Projects 2014
San Francisco
Board of Supervisors

0.18

2015 to 2016
City of San Francisco

San Francisco

San Francisco

