

Câu 1

Command Prompt output for NET2:

```

Specific DNS Suffix . : 
Description . . . . . : Intel(R) PRO/1000 MT Desktop Adapter
Address . . . . . : 08-00-27-A5-53-03
DHCP Enabled . . . . . : No
IPv6 Address . . . . . : fe80::87a:c7a1:ff1e:2dfa%8(Preferred)
IPv4 Address . . . . . : 10.10.10.1(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 
DUID . . . . . : 67633191
Vendor Class . . . . . : 00-01-00-01-2A-C5-7A-2A-08-00-27-A5-53-03
Client DUID . . . . . : fec0:0:0:ffff::1%1
Client DUID . . . . . : fec0:0:0:ffff::2%1
Client DUID . . . . . : fec0:0:0:ffff::3%1
TCP/IP . . . . . : Enabled

```

Command Prompt output for NET1:

```

Specific DNS Suffix . : 
Description . . . . . : Intel(R) PRO/1000 MT Desktop Adapter #2
Address . . . . . : 08-00-27-6C-93-5C
DHCP Enabled . . . . . : No
IPv6 Address . . . . . : fe80::19f0:b51b:fb1a:28f7%9(Preferred)
IPv4 Address . . . . . : 192.168.1.1(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 
DUID . . . . . : 84410407
Vendor Class . . . . . : 00-01-00-01-2A-C5-7A-2A-08-00-27-A5-53-03
Client DUID . . . . . : fec0:0:0:ffff::1%1

```

Command Prompt output for NET2 (continued):

```

Specific DNS Suffix . : 
Description . . . . . : Intel(R) PRO/1000 MT Desktop Adapter #2
Address . . . . . : 08-00-27-DA-B1-21
DHCP Enabled . . . . . : No
IPv6 Address . . . . . : fe80::e3:aa1e:acbc:3c96%14(Preferred)
IPv4 Address . . . . . : 10.10.10.3(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 10.10.10.1
DUID . . . . . : 117964839
Vendor Class . . . . . : 00-01-00-01-2A-C6-1F-DE-08-00-27-99-62-F8
Client DUID . . . . . : fec0:0:0:ffff::1%1
Client DUID . . . . . : fec0:0:0:ffff::2%1
Client DUID . . . . . : fec0:0:0:ffff::3%1
TCP/IP . . . . . : Enabled

```

Network diagram showing a LAN connected to a PC2, which is connected to a Hybrid network. The PC2 is connected to the Hybrid network via a cable labeled 'intnet1'. The Hybrid network is connected to the LAN via a cable labeled 'NET1'.

Câu 2

WinSer2019_1 (Initial) [Running] - Oracle VM VirtualBox

Server Manager - Computer Management (Local)

| Name | Full Name |
|----------------|----------------|
| Administrator | Administrator |
| DefaultAcco... | DefaultAccount |
| Guest | Guest |
| vpnclient | vpnclient |
| WDAGUtility... | WDAGUtility |

vpnclient Properties

General Member Of Profile Er

Remote control Remote Desktop Service

Network Access Permission


☒ Allow access

☐ Deny access


☐ Control access through NPS Network Policy

☐ Verify Caller-ID:


Câu 3:



Câu 4:




Câu 5:




Phần B:

Câu 1:



Câu 2:



Câu 3:

WinSer2019_1 (Initial) [Running] - Oracle VM VirtualBox

Administrator: Command Prompt

```
DHCPv6 IAID . . . . . : 84410407
DHCPv6 Client DUID. . . . . : 00-01-00-01-2A-C5-7A-2A-08-00
-27-A5-53-03
DNS Servers . . . . . : fec0:0:0:ffff::1%1
                        fec0:0:0:ffff::2%1
                        fec0:0:0:ffff::3%1
NetBIOS over Tcpip. . . . . : Enabled

PPP adapter RR:

Connection-specific DNS Suffix . : 
Description . . . . . : RR
Physical Address. . . . . : 
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . : Yes
IPv4 Address. . . . . : 172.16.1.101(Preferred)
Subnet Mask . . . . . : 255.255.255.255
Default Gateway . . . . . : 
NetBIOS over Tcpip. . . . . : Enabled

PPP adapter RAS (Dial In) Interface:

Connection-specific DNS Suffix . : 
Description . . . . . : RAS (Dial In) Interface
Physical Address. . . . . : 
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . : Yes
IPv6 Address. . . . . : ::d457:1e62:71f:3d27(Preferred)
Link-local IPv6 Address . . . . : fe80::d457:1e62:71f:3d27%29(Preferred)
IPv4 Address. . . . . : 192.168.1.100(Preferred)
Subnet Mask . . . . . : 255.255.255.255
Default Gateway . . . . . :
```

Computer Management

File Action View Help

Computer Management console showing the context menu for the 'RR' network interface. The menu options include: Set Credentials..., Connect, Disconnect, Enable, Disable, Unreachability Reason..., Set IP Demand-dial Filters, Set IPv6 Demand-dial Filters, Dial-out Hours, Delete, Refresh, Properties, and Help.

WinSer2019_3 (Initial) [Running] - Oracle VM VirtualBox

Administrator: Command Prompt

```
NetBIOS over Tcpip. . . . . : Enabled

PPP adapter RR:

Connection-specific DNS Suffix . : 
Description . . . . . : RR
Physical Address. . . . . : 
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . : Yes
IPv4 Address. . . . . : 192.168.1.101(Preferred)
Subnet Mask . . . . . : 255.255.255.255
Default Gateway . . . . . : 
NetBIOS over Tcpip. . . . . : Enabled

PPP adapter RAS (Dial In) Interface:

Connection-specific DNS Suffix . : 
Description . . . . . : RAS (Dial In) Interface
Physical Address. . . . . : 
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . : Yes
IPv6 Address. . . . . : ::54cf:ba86:15b9:f711(Preferred)
Link-local IPv6 Address . . . . : fe80::54cf:ba86:15b9:f711%17(Preferred)
IPv4 Address. . . . . : 172.16.1.100(Preferred)
Subnet Mask . . . . . : 255.255.255.255
Default Gateway . . . . . :
```

Computer Management

File Action View Help

Computer Management console showing the context menu for the 'RR' network interface. The menu options include: Set Credentials..., Connect, Disconnect, Enable, Disable, Unreachability Reason..., Set IP Demand-dial Filters, Set IPv6 Demand-dial Filters, Dial-out Hours, Delete, Refresh, Properties, and Help.

