

Smart Delivery Date

User Guide · For Magento Open Source and Adobe Commerce 2.4.6 – 2.4.9 · Luma and Hyvä themes

Version 2.0.0

Ecommet Solutions · ecommet.solutions@gmail.com

Smart Delivery Date tells shoppers when their order will arrive and lets them choose a delivery date at checkout. It knows your processing days, your carrier's delivery days, your daily cut-off time and your holidays, and it never lets a customer place an order for a day you cannot deliver.


Contents

1. What the customer sees
2. Installation
3. Quick start (5 minutes)
4. Configuration reference
5. How the delivery date is calculated
6. Customer delivery date selection
7. Multi-address checkout
8. Per-product processing time
9. Where the chosen date appears
10. Hyvä themes
11. Translating and customising texts
12. Troubleshooting
13. Uninstalling
14. Support


1. What the customer sees

Page	What is shown
Product page	"Order within **3h 12m** and get it on **Friday, October 23**" with a live countdown to your cut-off time.
Shopping cart	The same message, calculated for the whole cart (the slowest product decides).
Checkout, shipping step	The estimate and a **Preferred Delivery Date** calendar. Days that cannot be delivered are greyed out and cannot be clicked.
Multi-address checkout	The estimate on the address step, and an estimate plus a delivery date list **for every shipping address** on the shipping step. The chosen dates are listed on the review step.
My Account → My Orders	The chosen delivery date on the order page.

When the cut-off time passes, the message and the calendar update automatically without reloading the page.



Product page: estimate with live cut-off countdown



Shopping cart: estimate for the whole cart

2. Installation

Composer (recommended)

```
composer require ecommet/module-smart-delivery-date
bin/magento module:enable Ecommet_SmartDeliveryDate
bin/magento setup:upgrade
bin/magento setup:di:compile          # production mode only
bin/magento setup:static-content:deploy -f   # production mode only
bin/magento cache:flush
```

Manual (ZIP)

1. Create the folder `app/code/Ecommet/SmartDeliveryDate`.
2. Extract the ZIP into it, so that `registration.php` is at `app/code/Ecommet/SmartDeliveryDate/registration.php`.
3. Run the commands above, starting at `module:enable`.

Installation adds:

- a `Processing Time (days)` product attribute (group **Smart Delivery Date**);
- an `ecommet_delivery_date` column on the quote, quote address, order and order grid tables.

3. Quick start (5 minutes)

Go to **Stores → Configuration → Ecommet Extensions → Smart Delivery Date**.

1. **General → Enable Smart Delivery Date**: *Yes*.
2. **Order Processing**
   - Processing Days: the weekdays your warehouse ships, e.g. Monday–Friday.
   - Processing Time (days): how long you need to prepare an order, e.g. *1*.
   - Same-day Cut-off Time: e.g. *14:00*. Orders placed later start the next processing day.
   - Excluded Processing Dates: click **Add Date** for each holiday. Tick **Every Year** = *Yes* for fixed holidays such as 25 December.
3. **Delivery**
   - Carrier Delivery Days: e.g. Monday–Friday.
   - Transit Time (days): e.g. *2*.
   - Carrier Uses the Same Excluded Dates: *Yes*, or *No* to enter separate carrier holidays.
4. **Customer Delivery Date Selection**
   - Allow Customers to Choose a Delivery Date: *Yes*.
   - Delivery Date Is Required: *Yes* if every order must have a date.
5. **Save Config** and flush the cache (**System → Cache Management**).

Open any product page: the estimate appears below the Add to Cart button.

> **Tip.** Set the store timezone correctly (**Stores → Configuration → General → Locale Options →**

> **Timezone**). All dates and the cut-off time use it, whatever the server or the shopper's timezone.

4. Configuration reference


Scope: **G** = default, **W** = website, **S** = store view.

General

Field	Scope	Default	Description
Enable Smart Delivery Date	G W S	No	Master switch. When *No*, nothing is shown and no date is validated.

Order Processing (your warehouse)


Field	Scope	Default	Description
Processing Days	G W	Mon–Fri	Weekdays on which orders are prepared.
Processing Time (days)	G W	1	Processing days before the order is handed to the carrier. *0* = ships the day it is processed. Can be overridden per product (section 8).
Same-day Cut-off Time	G W	14:00	Orders placed after this time start processing the next processing day. Drives the countdown. *00:00:00* means "no cut-off" (end of day).
Excluded Processing Dates	G W	–	Holidays and closures. Each row: **Date**, **Description** (for your reference only), **Every Year** (repeat on the same day and month every year).



General and Order Processing settings

Delivery (your carrier)

Field	Scope	Default	Description
Carrier Delivery Days	G W	Mon–Fri	Weekdays on which the carrier collects and delivers.
Transit Time (days)	G W	2	Carrier delivery days between hand-over and delivery.
Show a Delivery Window	G W	No	Show "between Monday and Wednesday" instead of one date.
Delivery Window Length (days)	G W	2	Carrier delivery days added to the earliest date to get the latest date.
Carrier Uses the Same Excluded Dates	G W	Yes	*Yes*: your excluded processing dates also block delivery. *No*: use the list below.
Excluded Delivery Dates	G W	–	Days the carrier does not deliver (shown when the previous field is *No*).



Delivery settings


Customer Delivery Date Selection

Field	Scope	Default	Description
Allow Customers to Choose a Delivery Date	G W S	Yes	Shows the calendar at checkout.
Delivery Date Is Required	G W S	No	*Yes*: the customer cannot continue or place the order without a date. *No*: the field is optional ("as soon as possible").
Selectable Period (days)	G W	30	How many calendar days after the earliest delivery date can be chosen.
Field Label	G W S	–	Custom label. Empty = "Preferred Delivery Date".
Note Below the Field	G W S	–	Optional text under the field, e.g. "We deliver between 9:00 and 18:00."

Storefront Display

Field	Scope	Default	Description
Show Estimate on Product Page	G W S	Yes	

Field	Scope	Default	Description
Show Estimate in Shopping Cart	G W S	Yes	
Show Estimate at Checkout	G W S	Yes	One-page checkout (shipping step) and multi-address checkout.
Hide Estimate for Out-of-Stock Products	G W S	Yes	No estimate for products that cannot be bought. Virtual and downloadable products never show one.
Show Cut-off Countdown	G W S	Yes	*No*: "Order now and get it on …".
Date Format	G W S	`EEEE, MMMM d`	ICU pattern, localised to the store locale. `EEE d MMM` → "Fri 23 Oct"; `dd/MM/yyyy` → "23/10/2026".
Message With Countdown	G W S	–	Empty = "Order within {countdown} and get it {delivery}".
Message Without Countdown	G W S	–	Empty = "Order now and get it {delivery}".



Customer Delivery Date Selection and Storefront Display settings

5. How the delivery date is calculated

All steps use the **store timezone**.

1. **Start day.** If today is a processing day *and* it is before the cut-off time, processing starts today. Otherwise it starts on the next processing day.
2. **Processed.** Add the *Processing Time* in processing days, skipping non-processing weekdays and excluded processing dates.
3. **Shipped.** The first carrier delivery day on or after the processed day.
4. **Earliest delivery.** Add the *Transit Time* in carrier delivery days, skipping excluded delivery dates.
5. **Latest delivery** (delivery window only). Add the *Delivery Window Length* in carrier delivery days.

Worked example


Settings: processing Mon–Fri, processing time 1, cut-off 14:00, carrier Mon–Fri, transit 2, excluded date **Tuesday 20 October** (carrier uses the same dates).

Order placed	Start	Processed	Shipped	Earliest delivery
Mon 19 Oct, 10:00	Mon 19	Wed 21 (Tue excluded)	Wed 21	Fri 23
Mon 19 Oct, 15:00 (after cut-off)	Wed 21 (Tue excluded)	Thu 22	Thu 22	Mon 26
Sat 24 Oct	Mon 26	Tue 27	Tue 27	Thu 29


6. Customer delivery date selection

On the shipping step of the one-page checkout the customer sees a calendar:


- the first selectable day is the **earliest delivery date**;
- the last selectable day is the earliest date + **Selectable Period**;
- carrier days off, **excluded delivery dates** and recurring holidays are **greyed out and cannot be clicked**.



Checkout: only deliverable days can be picked



Checkout: a required date must be chosen before continuing



Checkout: date chosen

The date is enforced on the server

The calendar is only a convenience. The date is checked again on the server:

1. when the shipping step is submitted, and
2. **at the moment the order is placed.**

Check 2 matters because an estimate can move on while the customer is checking out (the cut-off time passes, or you add a holiday). If the chosen date is no longer possible, or is an excluded date, a weekend without carrier service or an invalid value, the order is **not** placed. The customer sees, for example:

> We cannot deliver on Friday, October 23. Please choose another delivery date (earliest: Monday, October 26).


The same rules apply to orders placed through the REST API: the date is sent as `addressInformation.extension_attributes.ecommet_delivery_date` (`YYYY-MM-DD`) to `/V1/carts/mine/shipping-information` or `/V1/guest-carts/:cartId/shipping-information`.

Orders created by an administrator in **Sales** → **Orders** → **Create New Order** are not restricted.


7. Multi-address checkout

Multi-address checkout ("Check Out with Multiple Addresses" in the cart) is fully supported:


- **Address step:** the delivery estimate for the cart, with countdown.
- **Shipping method step:** for every address, the estimate for the items shipped there and a **Preferred Delivery Date** list containing only deliverable dates.
- **Review step:** a **Delivery Dates** box listing the date chosen for each address.
- Each resulting order stores the date chosen for its address.



Multi-address checkout: estimate on the address step



Multi-address checkout: estimate and delivery date for each address




Multi-address checkout: chosen dates on the review step

The same server checks apply. An excluded or expired date sends the customer back to the shipping method step with a message, and no order is placed.

8. Per-product processing time

Products that take longer to prepare (made-to-order, engraving, …) can have their own processing time:

1. **Catalog → Products → edit a product**.
2. Open the **Smart Delivery Date** group.
3. Set **Processing Time (days)**, e.g. *5*. Leave it empty to use the configuration value.




Product edit page: Processing Time (days)


In the cart and at checkout the **slowest product decides** the estimate. For configurable products the value of the selected child product is used if set, otherwise the parent's.

9. Where the chosen date appears

Place	Details
Admin order view	**Sales** → **Orders** → **View**, section **Delivery Date**.
Admin order grid	Column **Delivery Date** (enable it in **Columns**), with a date-range filter.
Customer account	**My Account** → **My Orders** → **View Order**.
Order confirmation e-mail	Add the variable to your template (below).
REST API	`GET /V1/orders/:id` → `extension_attributes.ecommet_delivery_date`.



Admin order view: Delivery Date section



ID	Ship-to Name	Delivery Date
000000013	Jane Doe	Oct 27, 2026
000000012	Jane Doe	Oct 27, 2026
2000000002	Ann Home	Oct 29, 2026
2000000003	Bob Office	Oct 28, 2026
000000010	Ann Home	Oct 29, 2026
000000011	Bob Office	Oct 28, 2026
2000000001	Head Less	Oct 27, 2026
000000009	Head Less	Oct 27, 2026
000000008	Head Less	Oct 27, 2026
000000007	Head Less	Oct 27, 2026
000000005	Ann Home	Oct 29, 2026

Admin order grid: Delivery Date column

Adding the date to the order e-mail

1. **Marketing** → **Email Templates** → **Add New Template**, load **New Order** (or **New Order for Guest**), **Load Template**.
2. Add, for example after the shipping method:

```
{{depend ecommet_delivery_date}}
<p><strong>{{trans "Delivery Date"}}:</strong> {{var ecommet_delivery_date}}</p>
{{/depend}}
```

3. Save, then select the template in **Stores → Configuration → Sales → Sales Emails → Order**.


10. Hyvä themes

Hyvä templates are included; no compatibility module is needed.

- **Product page and cart:** Alpine.js components, written in the CSP-friendly style Hyvä recommends (registered with `Alpine.data`, inline script registered with Hyvä's CSP helper). Tested with Hyvä 1.5.3.
- **Tailwind:** the module registers its templates with the Hyvä build automatically. Rebuild your theme CSS once after installing:

```
bin/magento hyva:config:generate
cd app/design/frontend/<Vendor>/<theme>/web/tailwind && npm run build
```

- **One-page checkout:** Hyvä stores use the Luma checkout through the free Hyvä Luma Checkout fallback (`hyva-themes/magento2-luma-checkout`). The delivery date calendar works there unchanged. The paid **Hyvä Checkout** product is not supported yet.
- **Multi-address checkout:** the Hyvä theme has no multi-address checkout templates, so it also has to fall back to Luma. In **Stores → Configuration → Hyvä Themes → Theme Fallback → List of path parts**, add a row `multishipping/checkout` . The delivery date fields then work as described in section 7.



Hyvä theme: product page estimate

11. Translating and customising texts

- All texts are translatable (`i18n/en_US.csv`). Copy it to `i18n/<locale>.csv` in your theme or a language pack.
- Storefront messages can be changed per store view in **Storefront Display** → **Message With / Without Countdown**. Keep the placeholders:
  - `{countdown}` : time left until the cut-off;
  - `{delivery}` : "on Friday, October 23" or "between … and …".
- Dates follow the store locale (**Locale Options** → **Locale**) and the **Date Format** pattern.

12. Troubleshooting

Problem	Solution
No estimate on the product page	Check that the module is enabled for the store view, **Show Estimate on Product Page** is *Yes* and the product is in stock and not virtual. Flush the cache.
Estimate is one day off	Check the store **Timezone** and the **Same-day Cut-off Time**.
Estimate never appears	At least one **Processing Day** and one **Carrier Delivery Day** must be selected. A warning is written to `var/log/system.log` if no working day can be found.
Customers can pick a holiday	Add it to **Excluded Delivery Dates**, or to **Excluded Processing Dates** with **Carrier Uses the Same Excluded Dates** = *Yes*.
Calendar not shown at checkout	**Allow Customers to Choose a Delivery Date** = *Yes*, and the cart must contain a physical product.
Changes not visible	Flush the cache. In production mode also run `setup:static-content:deploy` .

13. Uninstalling

```
bin/magento module:disable Ecommet_SmartDeliveryDate
composer remove ecommet/module-smart-delivery-date   # Composer installs
bin/magento setup:upgrade
```

> **Your data.** Magento's declarative schema drops the `ecommet_delivery_date` columns on the next `setup:upgrade` once the module is disabled or removed, so the dates chosen on past orders are lost. To keep them, export the orders first (Sales → Orders → Export), or just set **Enable Smart Delivery Date** to *No* instead of disabling the module.

For Composer installs, `bin/magento module:uninstall Ecommet_SmartDeliveryDate` does everything in one step and also removes the **Processing Time (days)** product attribute.

14. Support

ecommet.solutions@gmail.com · https://ecommet.in