


PARVEEN MODEL A PREMIUM BRIDGE PLUG - WIRELINE SET / DRILLABLE

Features

- Drillable cast iron construction
- Uses Alpha Big Boy Setting Sleeves and Adapter Rods
- Wireline set on GO or Baker Wireline Pressure Setting Tool
- Hydraulic set on PARVEEN Hydraulic Setting Tool
- Small ODs for extra clearance in heavy viscous fluids
- One-piece slips set in premium grade casings including P-110
- Plug remains set until gas pressure equalizes during drill out



Dimensional Data

A Max OD	В	С	D	E	F	G	Н	J	К	L	M	N	Р
1.710	1.695	1.687	1.125	.375	2.125	1.250	1.093	4.617	9.000				
2.160	2.125	2.125	1.375	.500	3.250	1.250	1.000	5.930	10.000	7.187	5/8-18	3.937	11/16-16
2.500	2.468	2.437	1.375	.500	3.750	1.250	1.062	6.000	11.000				
2.750	2.718	2.687	1.875	.750	3.440	1.500	1.125	6.430	11.500				
3.125	3.093	3.062	1.875	.750	3.440	1.500	1.125	6.367	12.000	8.750	1" 8	5.000	11/16-16
3.593	3.531	3.531	2.500	1.250	5.375	2.000	2.187	8.200	16.687	6.500	1" 8	3.375	7/8-14
3.937	3.875	3.875	2.500	1.250	5.375	2.000	2.187	8.200	16.687				
4.312	4.187	4.218	2.750	2.000	5.625	1.875	1.625	8.500	15.812				
5.375	5.312	5.281	3.687	2.250	6.687	2.250	2.187	10.125	19.000				
5.687	5.625	5.593	3.687	2.250	6.687	2.250	2.187	10.125	19.000				
6.312	6.250	6.250	4.125	2.625	6.562	NA	2.187	10.812	18.500				
7.125	7.062	7.000	4.625	3.125	6.562	NA	2.500	11.250	19.250				
8.125	8.000	8.000	5.125	3.500	6.562	NA	2.750	11.250	19.250	8.375	1-1/8 7	3.250	1-1/4 12
9.000	8.875	8.875	5.687	4.000	6.000	NA	3.250	14.906	23.250				
9.437	9.375	9.375	6.750	5.000	8.875	NA	3.125	14.906	23.250				
11.562	11.500	11.500	9.000	7.125	8.875	NA	3.250	15.000	24.000				
12.000	11.875	11.875	9.000	7.125	8.875	NA	3.250	15.000	24.000				
14.250	14.125	14.125	11.500	9.000	9.000	NA	3.375	15.250	25.750				
17.250	17.125	17.125	14.000	11.500	10.000	NA	3.625	17.250	27.750				