Issue date: 7/10/2003
Revision date: 7/14/2025

# Safety Data Sheet

## 1. Chemical product and company identification

Product name : Iron standard solution (Fe 1000)

**Company information**

Name of manufacturer : KANTO CHEMICAL CO., INC.
Address : 2-1, Nihonbashi, Muromachi 2-Chome, Chuo-Ku, Tokyo, 103-0022, JP
Name of section : Business Administration Department, Reagent Division
Telephone number : +81-3-6214-1090
Facsimile number : +81-3-3241-1047
Mail address : BC32@kanto.co.jp

Reference No : 20247

Recommended use : For research use only

Restrictions on use : Seek expert judgment when using the product for applications other than those recommended.

## 2. Hazards identification

**GHS classification**

| | | |
|---|---|---|
| Health hazards | Acute toxicity (inhalation:vapors) | Category 4 |
| | Skin corrosion/irritation | Category 1B |
| | Serious eye damage/eye irritation | Category 1 |
| | Specific target organ toxicity (single exposure) | Category 2 (respiratory organs) |
| | Specific target organ toxicity (repeated exposure) | Category 2 (respiratory organs, teeth) |

Hazard pictograms

Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage
Harmful if inhaled
May cause damage to organs (respiratory organs)
May cause damage to organs (respiratory organs, teeth) through prolonged or repeated exposure

**Precautionary statements**

Prevention : Do not breathe mist/vapors.
Wash hands, forearms and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.

Response : IF SWALLOWED: Rinse mouth. Do not induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Call a POISON CENTER or doctor.
Immediately call a POISON CENTER or doctor.
Call a POISON CENTER or doctor if you feel unwell.
Get medical advice/attention if you feel unwell.

Storage : Store locked up.

Disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## 3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

| Chemical name | Concentration (%) | Formula | TSCA | EC-No. | CAS RN |
|---|---|---|---|---|---|
| Iron(Ⅲ) nitrate | 0.38 | FeN3O9 | Listed | 233-899-5 | 10421-48-4 |
| Nitric acid | 1.2 | HNO3 | Listed | 231-714-2 | 7697-37-2 |
| Water | 98.42 | H2O | Listed | 231-791-2 | 7732-18-5 |

## 4. First aid measures

### First aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately get medical treatment.

First-aid measures after skin contact : Wash the affected areas under running water, get medical treatment as soon as possible.

First-aid measures after eye contact : Wash the affected areas under running water for at least 15 minutes. Get medical treatment.

First-aid measures after ingestion : Rinse mouth with water. Give the victim one or two glasses of water or milk. Do not induce vomiting. Get medical treatment as soon as possible.

Personal Protection in First Aid and Measures : Rescuers should wear proper protective equipment like rubber gloves, goggles.

## 5. Fire fighting measures

Suitable extinguishing media : This product is noncombustible.

Unsuitable extinguishing media : None

Fire hazard : Contact with combustible material may cause fire.

Firefighting instructions : Move containers from fire area if it can be done without risk, if not possible, apply water from a safe distance to cool and protect surrounding area.

Personal protection (Emergency response) : Wear breathing apparatus.

## 6. Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Wear proper protective equipment and avoid contact with skin and inhalation of vapor. Conduct operations from upwind and evacuate people downwind. Keep away personnel except for authorized ones from spillage area by stretching ropes.

### Environmental precautions

Environmental precautions : Attention should be given to avoid discharge of spilled product into rivers and resulting environmental damage. When diluting spill with large amounts of water, discharge of untreated wastewater into the environment must be avoided.

### Methods and Equipment for Containment and Cleaning up

For containment : Absorb spill with diatomaceous earth or dry sand. Or dilute spill with some water gradually and then neutralize with calcium hydroxide or sodium carbonate. Then, flush contaminated area with copious amounts of water.

Prevention Measures for Secondary Accidents : Do not allow contact with organic substances or combustible substances.

## 7. Handling and storage

### Handling

Technical measures : Wear proper protective equipment to avoid contact with skin or inhalation of vapor.

Precautions for safe handling : Avoid formation of vapor and aerosols.
The substance is an oxdizer. Avoid contact with organic substances.

### Storage

Storage conditions : Store in a dark, cool place and tightly closed.
Keep away from combustible matrials.

Material used in packaging/containers : Glass, fluorine resin.

## 8. Exposure controls / Personal protection equipment

| Iron(III) nitrate | |
|---|---|
| ACGIH TWA | 1 mg/m³ (as Fe) |
| **Nitric acid** | |
| ACGIH TWA | 2 ppm |
| ACGIH STEL | 4 ppm |

Appropriate engineering controls : Use with an enclosed system or a local exhaust ventilation.

**Protective equipment**

Respiratory protection : Chemical cartridge respirator with acids vapor cartage or airline respirator

Hand protection : Impervious protective gloves

Eye protection : Safety goggles

Skin and body protection : Protective clothing, protective boots

## 9. Physical and chemical properties

| | | |
|---|---|---|
| Physical state | : | Liquid |
| Color | : | Colorless. |
| Odor | : | Pungent. |
| pH | : | Strong acidity |
| Melting point | : | No data available |
| Freezing point | : | No data available |
| Boiling point | : | No data available |
| Flash point | : | No data available |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Flammability | : | Non flammable. |
| Vapor pressure | : | No data available |
| Relative density | : | No data available |
| Density | : | No data available |
| Relative gas density | : | No data available |
| Solubility | : | Water: Miscible. |
| Partition coefficient n-octanol/water (log Pow) | : | No data available |
| Explosive limits (vol %) | : | No data available |
| Viscosity, kinematic | : | No data available |
| Particle characteristics | : | No data available |

## 10. Stability and reactivity

| | | |
|---|---|---|
| Reactivity | : | It is a strong oxidant and reacts violently with flammable and reducing substances.<br>It is a strong acid that reacts violently with alkaline substances and corrodes many metals. |
| Chemical stability | : | Stable under normal conditions. Decomposed partly by light. |
| Possibility of hazardous reactions | : | Decomposed by heat and produce nitrogen oxides gas.<br>When contacts with combustible materials like wood powder, or wood wool, the mixture may ignite.<br>When nitric acid contacts with carbon disulfide, amine compounds, or hydrazine compounds, the mixture may ignite or explode. |
| Conditions to avoid | : | Light, heat. |
| Incompatible materials | : | Alkaline substances, combustible materials, reducing substances, metals. |
| Hazardous decomposition products | : | Nitrogen oxides, Iron(III) oxide. |

## 11. Toxicological information

| | | |
|---|---|---|
| Acute toxicity (oral) | : | Classification not possible |
| Acute toxicity (dermal) | : | Classification not possible |
| Acute toxicity (inhalation) | : | No classification (gas)<br>Harmful if inhaled (vapor)<br>ATEmix=4083 ppm<br>Classification not possible (dust, mist) |

| | | |
|---|---|---|
| Skin corrosion/irritation | : | Causes severe skin burns<br>Nitric acid : Studies have shown that the substance (liquid and vapor) causes severe damage to human skin and even short-time exposure can cause damage to the skin, and that applying 8% solution to rabbits caused necrosis. Based on the above information, the substance was classified into category 1B. |
| Serious eye damage/irritation | : | Causes serious eye damage<br>Nitric acid : Studies have shown that the substance causes cornea damage, resulting in irreparable visual impairment and that nitric acid causes severe chemical burns in human eyes, which may lead to loss of eyesight due to blepharophimosis, adhesion of eyelid and irreparable corneal opacity. And the substance is rated as category 1B in Skin corrosion/irritation. Thus, the substance was classified into category 1. |
| Respiratory sensitization | : | Classification not possible |
| Skin sensitization | : | Classification not possible |
| Germ cell mutagenicity | : | Classification not possible |
| Carcinogenicity | : | Classification not possible |
| Reproductive toxicity | : | Classification not possible |
| STOT-single exposure | : | May cause damage to organs (respiratory organs)<br>Nitric acid : The substance has airway irritation. There is human evidence including "in inhalation exposure, cough, headache, nausea, chest pain, dyspnea, bronchoconstriction, respiratory depression and pulmonary edema were noted" and "in oral exposure, corrosive necrosis of oral cavity, gullet and stomach, and pneumonia were observed." There is evidence from animal studies including "in inhalation exposure test in rats, extensive airway inflammation, rhinitis, bronchitis, pneumonia, and pulmonary edema were noted." These symptoms were observed with the dose of the guidance value range of category 1. The substance adversely affects respiratory organs and is classified into category 1 (respiratory organs).<br>Based on the content, this product was classified into category 2 (respiratory organs). |
| STOT-repeated exposure | : | May cause damage to organs (respiratory organs, teeth) through prolonged or repeated exposure<br>Nitric acid : Studies have shown that in occupational inhalation exposure to nitric acid, 3 of 32 exposed workers suffered tooth germ erosion (no onset in 293 subjects of control group). Studies have also described that in repeated exposure to nitric acid vapor and mist, chronic bronchitis was noted, and in severe exposure cases, chemical pneumonia as well as erosion of tooth germ, especially canine tooth and incisor were observed. Based on the above information on human occupational exposure, the substance is classified into category 1 (respiratory organs, teeth).<br>Based on the content, this product was classified into category 2 (respiratory organs, teeth). |
| Aspiration hazard | : | Classification not possible |

## 12. Ecological information

### Ecotoxicity

| | | |
|---|---|---|
| Aquatic acute | : | Classification not possible |
| Aquatic chronic | : | Classification not possible |

**Persistence and degradability**

No additional information available

**Bioaccumulative potential**

No additional information available

**Mobility in soil**

No additional information available

**Hazardous to the ozone layer**

| | | |
|---|---|---|
| Ozone | : | Classification not possible |

## 13. Disposal considerations

| | | |
|---|---|---|
| Ecological waste information | : | Neutralization method :<br>Add sodium carbonate solution or calcium hydroxide solution to the mixed acid to neutralize. After neutralizing, flush in a drain with plenty of water. In case of using calcium hydroxide solution, it creates precipitation. Filter the precipitation and bury in a landfill site approved for hazardous waste disposal.<br>Or entrust approved waste disposal companies with the disposal. |
| Contaminated container and packaging | : | In case of disposal of empty bottles, dispose bottles after removing the content thoroughly. |

## 14. Transport information

**International Regulations**

**Transport by sea(IMDG)**

| | | |
|---|---|---|
| UN-No. (IMDG) | : | 2031 |
| Proper Shipping Name (IMDG) | : | NITRIC ACID MIXTURE |
| Packing group (IMDG) | : | II |
| Transport hazard class(es) (IMDG) | : | 8 |

**Air transport(IATA)**

| | | |
|---|---|---|
| UN-No. (IATA) | : | 2031 |
| Proper Shipping Name (IATA) | : | Nitric acid mixture |
| Packing group (IATA) | : | II |
| Transport hazard class(es) (IATA) | : | 8 |
| Marine pollutant | : | Not applicable |

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

| | | |
|---|---|---|
| Pollutant category | : | Z |
| MFAG-No | : | 157 |

## 15. Regulatory information

Regulatory information with regard to this substance in your country or region should be examined by your own responsibility.

## 16. Other information

| | | |
|---|---|---|
| Data sources | : | NITE Chemical Risk Information Platform (NITE-CHRIP), National Institute of Technology and Evaluation.<br>Handbook of dangeroous and hazardous chemicals, Japan |

Industrial Safety & Health Association. (2000-2001) .
Dangerous Properties of Industrial Materials,6th ed.
N.I.Sax Van Nostrand Reinhold Company (1984) .
Handbook of Dangerous Substances Springer-Verlag Tokyo (1991) .
Handbook of Poisonous and Deleterious substances, revised and enlarged edition, Yakumu Kohosa (2000) .
Handbook of 17625 Chemical Products, The Chemical Daily Co. (2025) .

The information contained herein is based on several references and the present state of our knowledge. However the SDS does not always cover all information about the product, handle the product carefully.The information is intended to ordinary usage, in case of particular handlings, conduct appropriate safety measurements.The information herein is only provision of information, and it does not represent a guarantee the properties of the product.The Safety Data Sheet(SDS) is prepared based on JIS Z7253.