```
#!/bin/bash
# Address book file
ADDRESSBOOK="addressbook.txt"
# Function to create address book
       create addressbook() {
                touch "$ADDRESSBOOK"
                echo "Address book created successfully!"
       }
# Function to view address book
       view addressbook() {
                if [ -s "$ADDRESSBOOK" ]; then
                         cat "$ADDRESSBOOK"
                else
                         echo "Address book is empty."
                fi
       }
# Function to insert a record
       insert_record() {
         echo "Enter the First Name:"
         read fname
         echo "Enter the Last Name:"
         read lname
         echo "Enter the Email ID:"
         read email
         echo "Enter the Mobile Number:"
```

```
echo "Enter the Address:"
         read addr
         echo "$fname $lname $email $mno $addr" >> "$ADDRESSBOOK"
         echo "Record inserted successfully!"
      }
# Function to delete a record
      delete record() {
         echo "Enter the First Name or Email ID of the record to delete:"
         read keyword
         if grep -q "$keyword" "$ADDRESSBOOK"; then
                  grep -v "$keyword" "$ADDRESSBOOK" > temp.txt
                  mv temp.txt "$ADDRESSBOOK"
                  echo "Record deleted successfully!"
         else
                  echo "Record not found."
         fi
       }
# Function to modify a record
      modify record() {
         echo "Enter the First Name or Email ID of the record to modify:"
         read keyword
         if grep -q "$keyword" "$ADDRESSBOOK"; then
                  grep -v "$keyword" "$ADDRESSBOOK" > temp.txt
                  mv temp.txt "$ADDRESSBOOK"
                  insert record
                  echo "Record modified successfully!"
```

read mno

```
else
                    echo "Record not found."
          fi
       }
# Main loop
       while true; do
          echo "Address Book Options:"
          echo "a) Create address book"
          echo "b) View address book"
          echo "c) Insert a record"
          echo "d) Delete a record"
          echo "e) Modify a record"
          echo "f) Exit"
          read choice
          case $choice in
            a) create addressbook;;
            b) view addressbook;;
            c) insert_record ;;
            d) delete_record ;;
            e) modify_record;;
            f) echo "Exiting..."; exit;;
            *) echo "Invalid choice, please choose again." ;;
         esac
done
```