



VESSEL SPECIFICATION SHEET

CLASSIFICATION/CLASS/REGISTRATION

Built	2008 / Fujian South East Shipyard, China
Class	BV
Flag	Turkmenistan

GENERAL DIMENSIONS

Length Overall	59,25 m
Beam Moulded	14.95m
Depth Moulded	6.10m

TONNAGE

GRT	1678 Tons
NRT	503 Tons
DWT	1372 Tons

CERTIFIED
ISO 9001
ISO 14001
ISO 45001



MACHINERY

Main Engines	5150 BHP - 2 x 2575 BHP @ 1600 rpm Caterpillar 3516B
Propellers	2 x ZF CPP in Kort Nozzles, Dia-2.625 M
Bow Thruster	1 x Kawasaki KT-55B1, CPP Tunnel Thruster, 6 tonnes thrust
Main Generator	3 x Caterpillar 3408 DITA Engine, 315 kw each, 415 V, 50 Hz, 3 Ph*
Emerg. Generator	1 x Caterpillar C4.4, 52 KW, 415 V, 50 Hz, 3 Ph *
Fresh Water Maker	1 x 5 tonnes / day, make: Sea Recovery
Oily Water Separator	1.0 m3 / hr with 15 ppm alarm, make: Ocean Clean
Sewage Treatment Plant	1 x 30 person capacity, make: Jiangsu Nanji Machinery WCB-30

SPEED & CONSUMPTION

Maximum Speed	13 knots
Service Speed	10 knots
Bollard Pull	65 tons

CAPACITIES

Fuel Oil	536 m ³
Fresh Water	370 m ³
Drill/ Ballast water	395 m ³
Liquid Mud	419 m ³
Bulk	187 m ³
Chiller / Freezer	10 m ³
Foam and detergent	13 m ³
Clear Deck Area	350 m ²
Deck Cargo capacity	500 tons @ 7.5 tonnes / m ²

ACCOMMODATION

Berths	2 x 1 berth cabins = 4 x 2 berth cabins = 9 x 4 berth cabins = 1 x hospital = 2 berths 8 berths 36 berths 1 berth
--------	--

RADIO & NAVIGATION EQUIPMENT

Inmarsat	C Furuno Felcom-15
GMDSS	1 x Furuno, A3
Radars	2 x Furuno - FR-2115, FR 1510
GPS	1 x Furuno - GP 150
ECDIS	1 x P C Maritime
AIS	1 x Furuno-FA-150
Autopilot	1 x Nautopilot NP 60
Navtex Receiver	1 x Furuno - NX 700B
Gyro Compass	1 x Master Gyro Compass c/w two repeaters and azimuth circle
Magnetic Compass	1 x Cassens Plath
SSB radio	1 x Furuno FS 2570
Echo Sounder	1 x Furuno - FE 700
VHF radio	2 x Furuno - FM8800D / 8800S
SART	2 x Mcmurdo - KLS-S4-1
Speed log	1 x Furuno DS 80

Weather facsimile receiver	1 x Furuno Fax-408
Anemometer	1 x Ohn Lilley & Gille - P 247
EPIRB	1 x Mcmurdo E5
VSAT System	1 x Astra

Fi-Fi System

FIFI system	FIFI Class 1 with water curtain all round
FIFI monitors (Water)	2 x 1200 m3 / hr @ 12 bar, remote Joystick controlled from bridge
FIFI pumps	2 x 1650 m3 / hr @ 12 bar
Dispersant system	2 x 6 mtr spray boom on port and starboard side

CRANE

Port Side (Provisional)	Hydraulic Telescopic Crane: SWL: 3 t, working radius: 9 m Hoisting height: 25 m, hoisting speed: 0~14 m / min
-------------------------	--

TOWING & A/H EQUIPMENT


Anchor handling towing winch	Anchor handling towing winch Upper and lower drum Rated pull (1st layer) Brake holding Stern roller Shark jaws Towing pins Tugger winch Rope reel for spare tow wire Anchor windlass Anchor chain Anchor Capstan
Upper and lower drum	1000 m (length) x 56 mm (diameter) SWR 10 layers
Rated pull (1st layer)	150 tonnes @ 0~06 m / min (1st speed) 75 tonnes @ 0~12 m / min (2nd speed) 25 tonnes @ 0~36 m / min (3rd speed)
Brake holding	200 tonnes static @ 1st layer
Shark Jaws	1 x set SWL 200 MT hydraulic, make: Plimsoll
Towing Pins	1 x set 200 MT, make: Plimsoll
Tugger Winch	2 x 10 tonnes @ 15 m / min electro-hydraulic, Make: Plimsoll, brake holding capacity 15 tonnes static at 1st layer
Rope reel for spare tow wire	1 x electro-hydraulic, make: Plimsoll Drum capacity: 1000 m (length) x 56 mm (diameter) SWR 10 layers
Anchor windlass	1 x 6.1 tonnes @ 10 m / min electro-hydraulic, make: Plimsoll
Anchor chain	2 x 220 m x 36 mm diameter, grade lia stud link chain
Anchor	2 x 1350 kg Stockless WMAC 14
Capstan	2 x 5 tonnes @ 15 m / min electro hydraulic, make: Plimsoll

MISCELLANEOUS


Additional Info Transfer Rate	Fuel Oil Fresh Water Drill Water Liquid Mud Dry bulk 1 x 150 m3 / hr @ 75 m head 2 x 125 m3 / hr @ 75 m head 2 x 100 m3 / hr @ 75 m head 2 x 75 m3 / hr @ 75 m head 60 tonnes / hr @ 50 m head
-------------------------------	--




Dubai: Office# 1604 | The Dome Tower | Cluster N | Jumeirah Lakes Towers (JLT) | Dubai | UAE;
Abu Dhabi: Office # 1114 | Gate #1100 | Corniche Building C17 | Abu Dhabi | P.O.BOX 25203 | UAE;
Ashgabat: Business center "Berkarar" | Office No. I-3 | 9th floor | No. 82 | 1972 (Ataturk) street | Ashgabat | 744028 | Turkmenistan | Tel: +993 12 469006 | Fax: +993 12 469007;
Turkmenbashi: Magtymguly street | building 69 «A», | 745000 | tel: +993 243 72345 | fax: +993 12 469007;
Hazar: Balkanabat High Road | 9th km | Dragon Oil base | Hazar.



Outboard profile



Main deck



Below deck