



VESSEL SPECIFICATION SHEET

CLASSIFICATION/CLASS/REGISTRATION

Built	2008,
Class	BV
Flag	Turkmenistan

GENERAL DIMENSIONS

Length Overall	59.25m
Beam Moulded	14.95m
Depth Moulded	6.1m
Draft (Max)	4.75m
Clear Deck Space	391 m ²
Deck Loading	600 ton

TONNAGE

GRT	1678T
NRT	513T
DWT	1400T

CERTIFIED
ISO 9001
ISO 14001
ISO 45001



MACHINERY

Main Engines	2 x CAT 3516B, 2,575bhp @ 750rpm Total power 5,150bhp.
Propulsion	2 x reduction gearboxes coupled to 4 bladed 2900mm diameter CPP's rotating in Kort Nozzles
Auxiliary Engines	3 x Caterpillar 3408 350 KW
Main Engine Consumption	16500 litres MGO per 24 hours@ full power & 9900 litres MGO per 24 hours @economic cruising speed of 11 knots.
Bow thruster	1 x 440kw Tunnel (5 tonnes)
Compressor	2 Fitted
Fresh Water Pump	1 Fitted 125m3/hr @ 75m head
Fuel Cargo Pump	1 Fitted 150m3/hr @ 75m head

SPEED & CONSUMPTION

Maximum Speed	13 Knots
Service Speed	11.5 Knots

TANKS CAPACITIES

Fuel oil including	400m ³ @90%
Drill water	259m ³
Portable water	372m ³
Dry Bulk	4 tanks total 187 m ³ @80%
Liquid Mud/ Base Oil/Brine/Recovered Oil	419m ³ with agitators fitted@90%
Sewage	137m ³

TOWING & A/H EQUIPMENT

Steering Gear	Hydraulic Ram Type
Anchor Windlass	2 Fitted 9 tonne with warping drum
Anchors	2 Fitted
Anchor Chain	2 x 495m of 32mm Ø Studlink chain
Capstan	2 x 5t Hydraulic
Tugger Winch	2 x 10 tonne
Tow/AH Winch	1 x 200t Double Drum Hydraulic Tow Winch Towing Drum 1000m x 56mm wire AH Drum 56mm wire
Deck Crane/Davit	3t swl, with 12 meter reach
Bollard Pull	64T

RADIO & NAVIGATION EQUIPMENT

Band Radar	2
Autopilot;	1
Echo Sounder	1
GPS	1
GMDSS INMARSAT-C	2
NAVTEX Receiver	1
RT Station	1
VHF	3
MF/HF Transceiver	2
AIS	1
AirBand VHF	1

FiFi SYSTEM:

Fire Monitor	2 x 1500m3/hr Monitors c/w water spray system
--------------	--

