



VESSEL SPECIFICATION SHEET

CLASSIFICATION/CLASS/REGISTRATION

Built	2011, PAX Ocean Eng. Zhuhai Co. Ltd, China
Class	BV
Flag	Turkmenistan

GENERAL DIMENSIONS

Length Overall	71.5m
Beam Moulded	16.6m
Depth Moulded	7.2m
Draft (Max)	5.9m
Free Deck Space	(approx. 35m x12.8m) 450 m ²
Cargo Capacity	900 tons

TONNAGE

GRT	2588 Tons
NRT	766 Tons
DWT	2457 Tons

CERTIFIED
ISO 9001
ISO 14001
ISO 45001



MACHINERY

Main Engines	2 x MAN B&W 8L27/38
Aux Engines	2 x CAT C18- 425 kWt
Break Horsepower	7940 BHP
Generators	Shaft 2x1200 KW, 2xCAT 3408C, 370 KW
Emerg. Generator	1 x Volvo Penta 122 KW
Bow Thruster	2 x 450 KW CP, rated 7.1T
Stern Thruster	1 x 450 KW CP, rated 7.1T
Propulsion	2 x CPP in fixed Nozzle
Rudders	2 independent high lift type

SPEED & CONSUMPTION

Maximum Speed	14 knots
Service Speed	12 knots
Estimated Consumption	Running free 12 T/24 Hr Towing 19 T/24 Hr

TANKS CAPACITIES

Marine Gas Oil	763 m ³
Potable Water	541 m ³
Fresh water Ballast	1524 m ³
Liquid Mud	448 m ³

ACCOMODATION

Air-conditioning	Fully Air Conditioned
Walk-in cooler	12 m ³
Walk-in freezer	10 m ³
Berths	1 man x 4, 2 men x 4, 4 men x 7 Total 40 crew-13 /Passengers 27

TOWING & A/H EQUIPMENT

Bollard Pull	110 Tons
Towing/Anchor handling Winch	1 x double drum waterfall 200MT Pull, Brake 400MT
Wire Dimensions	2 x 1500m 64mm (1500m x 56mm & 350m x 64mm fitted) Storage cap.1500m x 64mm
Stern Roller	300 Tons SWL (L) 6m x (D) 2m
Shark Jaws	Retractable SWL 200 Tons
Towing Pins	Retractable SWL 150 Tons
Tugger Winch	2 x 10 Ton up to 16m/min
Anchor Windlass	10T @ 9m/min
Capstan	2 x 10 Ton up to 15m/min

RADIO & NAVIGATION EQUIPMENT

GMDSS	Furuno FM 8800
SAT-C	Furuno Felcom 15
Radar	Furuno FAR 21x7/FR1510-3
Gyro Compass	Simrad GC 80
Auto Pilot	Simrad AP-50
Echo Sounder with repeater at Aft console	Furuno FE 700
Navtex	Furuno NX-700
EPRIB	McMurdo E5
SART	McMurdo S4
AIS	Furuno FA150
ECDIS	N/A

FiFi SYSTEM:FFS600/150LB

Fire Monitor	2 x Fi Fi 1
Pump Capacity	2 x 1650m3/hr
Foam Capacity	10.65 m ³
Oil Dispersant Capacity	13 m3 with dispersant Booms port and starboard

CRANE



Deck Crane	40T telescopic boom length 35 meters APPROVED by BV
Deck Crane	5 T knuckle boom 5-18 meters
Davit	2.5T

MISCELLANEOUS



Additional Info	Chain locker 2 x 80m3, J Hook & Grapnel SWL 130 T, Crane 5T knuckle boom @ 18m radius Drill Wtr and F.W. pumps - 150 m/Hr @ 75m head Fuel Oil pump - 150 m3/Hr @ 75 m head Liquid mud/Brine pumps - 100 m3/Hr @ 204m head Sewage Treatment System – 40 persons/day
------------------------	---



Dubai: Office# 1604 | The Dome Tower | Cluster N | Jumeirah Lakes Towers (JLT) | Dubai | UAE;
Abu Dhabi: Office # 1114 | Gate #1100 | Corniche Building C17 | Abu Dhabi | P.O.BOX 25203 | UAE;
Ashgabat: Business center “Berkarar” | Office No. I-3 | 9th floor | No. 82 | 1972 (Ataturk) street | Ashgabat | 744028 | Turkmenistan | Tel: +993 12 469006 | Fax: +993 12 469007;
Turkmenbashi: Magtymguly street | building 69 «A», | 745000 | tel: +993 243 72345 | fax: +993 12 469007;
Hazar: Balkanabat High Road | 9th km | Dragon Oil base | Hazar.




Technical Data			
S.N.L.	3t	40t	1t
Working Base(Wb.) (Min.)	40m	5m	40.8m
Hoisting Height	-3m	-3m	-3.5m
Hoisting Speed	40m		
Steering Speed	6°/min		
Steering Sector	0°-180°		
Average Lifting Time	<50s		
SWL SPEC.	28 24.55T×7.46T/3602S		
EL-motor	1110W		
EL-duty	380V / 50Hz / 3Ph		
Motor data	Max. Torque/Torque	5° / 2°	5° / 2°
Max. Speed	SI / JPS5 / F		
Working Condition	Design temperature	-20°C ~ +55°C	
	ambient temperature	-20°C ~ +55°C	
	Area Classification	Safe Area	
	Hoist/Winch	30° / 8°	
	Wind Speed	<55m/s	
Other	Position of Platform	L-H46 (ISO 1046 BS)	
	Suggested oil for winter	L-H46 (ISO 1046 BS)	
	Suggested oil for summer	L-H46 (ISO 1046 BS)	



Note: This crane is right operation, and make left one by symmetry;
 2. Pro-tightening Torque is 2466 N.m;
 3. Forbidden Telescopic Motion With Load.


GENERAL			
YSP3/40			
Hydraulic Telescopic Crane			
242HT30-40-00			
47t	1:90		




UPPER FORECASTLE DECK (10PAA)




NAV BRIDGE DECK




COMPASS DECK




OUTBOARD PROFILE




FRONT VIEW




FR. 7




FR. 13



FR. 19




FR. 47



MAIN DECK/RAISED DECK



FORECASTLE DECK (30PAA)



TANK TOP