

Cancer Pain Study

CANINE HEALTH-RELATED QUALITY OF LIFE INDEX (CHQoLI)



Copyrights / *Propriété intellectuelle*

– 2015

Dog ID

Date

Completed by

CANINE HEALTH-RELATED QUALITY OF LIFE INDEX (CHQoLI) – © GREPAQ

This questionnaire is divided into three domains. For each domain, please select only one answer per item. If you believe that an item does not apply to your dog, simply check “I cannot answer”. This item will be crossed out when completing this questionnaire in future visits.

A. Happiness

Happiness is a subjective evaluation of quality of life and it relates to how much your dog is active and interacts with you and/or other animals at home.

Please respond to the following items according to your dog's condition in the **past 5 days**

1. Willingness to play

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Mild alteration | 1 |
| ☐ Moderate alteration | 2 |
| ☐ Severe alteration | 3 |
| ☐ I cannot answer | --- |

3. Interaction with family members

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Mild alteration | 1 |
| ☐ Moderate alteration | 2 |
| ☐ Severe alteration | 3 |
| ☐ I cannot answer | --- |

2. Response to my presence (coming back to home, enter in a room)

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Mild alteration | 1 |
| ☐ Moderate alteration | 2 |
| ☐ Severe alteration | 3 |
| ☐ I cannot answer | --- |

4. Good days versus bad days

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Bad days are occasional | 1 |
| ☐ Bad days occur half of the time | 2 |
| ☐ Bad days are more frequent | 3 |
| ☐ I cannot answer | --- |

Total score Happiness _____

B. Physical functioning

Please respond to the following items according to your dog's condition in the **past 5 days**

5. Mobility (walking, trotting or running)

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Mild alteration | 1 |
| ☐ Moderate alteration | 2 |
| ☐ Severe alteration | 3 |
| ☐ I cannot answer | --- |

6. Stiffness after a prolonged rest (*e.g.*, after morning waking-up)

- | | |
|--|-----|
| ☐ None (as before health problem) | 0 |
| ☐ Mild alteration | 1 |
| ☐ Moderate alteration | 2 |
| ☐ Severe alteration | 3 |
| ☐ I cannot answer | --- |

7. Mobility / stiffness after exercising

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Mild alteration | 1 |
| ☐ Moderate alteration | 2 |
| ☐ Severe alteration | 3 |
| ☐ I cannot answer | --- |

8. Getting in/out the car or jumping on/off the bed

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Mild alteration | 1 |
| ☐ Moderate alteration | 2 |
| ☐ Severe alteration | 3 |
| ☐ I cannot answer | --- |

9. Climbing up/down the stairs

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Mild alteration | 1 |
| ☐ Mild alteration | 2 |
| ☐ Severe alteration | 3 |
| ☐ I cannot answer | --- |

10. Lameness during activities

- | | |
|--|-----|
| ☐ None (as before health problem) | 0 |
| ☐ Mild alteration | 1 |
| ☐ Moderate alteration | 2 |
| ☐ Severe alteration | 3 |
| ☐ I cannot answer | --- |

11. Lameness the day after activities

- | | |
|--|-----|
| ☐ None (as before health problem) | 0 |
| ☐ Rarely | 1 |
| ☐ Frequently | 2 |
| ☐ Constantly | 3 |
| ☐ I cannot answer | --- |

12. Getting up after lying down for at least 15 minutes

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Mild alteration | 1 |
| ☐ Moderate alteration | 2 |
| ☐ Severe alteration | 3 |
| ☐ I cannot answer | --- |

Total score Physical functioning _____

C. Quality of Life

Please respond to the following items according to your dog's condition in the **past 5 days**

13. I am concerned about my dog's quality of life

- | | |
|---|----|
| ☐ Not concerned | 0 |
| ☐ Mildly concerned | 1 |
| ☐ Moderately concerned | 2 |
| ☐ Severely concerned | 3 |
| ☐ I cannot answer | -- |

14. I am concerned about my dog's general appearance (smells like urine, has skin irritation, greasy hair, matted or rough looking)

- | | |
|---|-----|
| ☐ Not concerned | 0 |
| ☐ Mildly concerned | 1 |
| ☐ Moderately concerned | 2 |
| ☐ Severely concerned | 3 |
| ☐ I cannot answer | --- |

15. My dog sleeps more, is less awake

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Rarely | 1 |
| ☐ Frequently | 2 |
| ☐ Constantly | 3 |
| ☐ I cannot answer | --- |

16. My dog seems dull or depressed, not alert

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Rarely | 1 |
| ☐ Frequently | 2 |
| ☐ Constantly | 3 |
| ☐ I cannot answer | --- |

17. My dog pants frequently, even at rest

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Rarely | 1 |
| ☐ Frequently | 2 |
| ☐ Constantly | 3 |
| ☐ I cannot answer | --- |

18. My dog shakes or trembles

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Rarely | 1 |
| ☐ Frequently | 2 |
| ☐ Constantly | 3 |
| ☐ I cannot answer | --- |

19. My dog's overall quality of life

- | | |
|--|-----|
| ☐ Normal (as before health problem) | 0 |
| ☐ Mildly impaired | 1 |
| ☐ Moderately impaired | 2 |
| ☐ Severely impaired | 3 |
| ☐ I cannot answer | --- |

Total score Quality of life _____

Specific behavioral change

If you wish, add any change that you consider specific to your dog and that is highly affected by the painful condition
20.

Please score this change

- | | |
|---|---|
| ☐ Normal (as before health problem) | 0 |
| <i>Please note that Normal cannot be selected at first completion</i> | |
| ☐ Mild alteration | 1 |
| ☐ Moderate alteration | 2 |
| ☐ Severe alteration | 3 |

Score for Specific change _____

Most representative item for your dog's condition

Please select within each domain, the item that you consider the most affected by the painful condition of your dog. Select only one item per domain.

A. Happiness

- ☐ Willingness to play
- ☐ Responds to my presence
- ☐ Enjoys life and gives attention to the family
- ☐ Good days *versus* bad days

C. Quality of life

- ☐ Concern about the quality of life of your dog
- ☐ Concern about the appearance of your dog
- ☐ My dog sleeps more, is less awake
- ☐ My dog seems dull or depressed, not alert
- ☐ My dog pants frequently, even at rest
- ☐ My dog shakes or trembles

B. Physical functioning

- ☐ Mobility (walking, trotting or running)
- ☐ Stiffness after a prolonged rest
- ☐ Mobility / stiffness after exercising
- ☐ Getting in/out the car or jumping on/off the bed
- ☐ Getting up/down the stairs
- ☐ Lameness during activities
- ☐ Lameness the day after activities
- ☐ Getting up after lying down for at least 15 minutes

D. Specific behavioral change

☐ Describe :

**To be valid, no more than 8 “I cannot answer” should appear
Questions completed at Baseline must be completed at each visit**

T0: Baseline

Total score (Happiness + Physical functioning + Quality of life + Specific behavior change (if completed)) _____
Maximum score (number of valid questions x 3) _____
Total score (%) (Total score/Maximum score x 100) _____%

T1: Day 0

Total score (Happiness + Physical functioning + Quality of life + Specific behavior change (if completed)) _____
Maximum score (number of valid questions x 3) As defined at T0
Total score (%) (Total score/Maximum score x 100) _____%

T2: Day 14

Total score (Happiness + Physical functioning + Quality of life + Specific behavior change (if completed)) _____
Maximum score (number of valid questions x 3) As defined at T0
Total score (%) (Total score/Maximum score x 100) _____%

T3: Day 21

Total score (Happiness + Physical functioning + Quality of life + Specific behavior change (if completed)) _____
Maximum score (number of valid questions x 3) As defined at T0
Total score (%) (Total score/Maximum score x 100) _____%

T4: Day 28

Total score (Happiness + Physical functioning + Quality of life + Specific behavior change (if completed)) _____
Maximum score (number of valid questions x 3) As defined at T0
Total score (%) (Total score/Maximum score x 100) _____%



The CHQoLI of

has been constructed based on own experience and expertise of authors, as well as from validated scales.

References

- Cimino Brown D, Boston RC, Coyne JC, Farrar JT. Development and psychometric testing of an instrument designed to measure chronic pain in dogs with osteoarthritis. *Am J Vet Res*. 2007;68(6):631–7.
- Cimino Brown D, Boston RC, Coyne JC, Farrar JT. Ability of the canine brief pain inventory to detect response to treatment in dogs with osteoarthritis. *J Am Vet Med Assoc*. 2008;233(8):1278–83.
- Cimino Brown D. The canine orthopaedic index. Step 3: Responsiveness testing. *Vet Surg*. 2014;43(3):247–54.
- Flôr PB, Yazbek KVB, Fantoni DT. Tramadol plus metamizole combined or not with anti-inflammatory drugs is clinically effective for moderate to severe chronic pain treatment in cancer patients. *Vet Anaesth Analg*. 2013;40(3):316–27.
- Gingerich DA, Strobel JD. Use of client-specific outcome measures to assess treatment effects in geriatric, arthritic dogs: controlled clinical evaluation of a nutraceutical. *Vet Ther*. 2003;4(4):376–86.
- Hercok C, Pinchbeck G, Giejda A, Clegg PD, Innes JF. Validation of a client-based clinical metrology instrument for the evaluation of canine elbow osteoarthritis. *J Small Anim Pract*. 2009;50(6):266–71.
- Hielm-Björkman AK, Kuusela E, Liman A, Markkola A, Saarto E, Huttunen P, Leppä;uoto J, Tulamo RM, Raekallio M. Evaluation of methods for assessment of pain associated with chronic osteoarthritis in dogs. *J Am Vet Med Assoc*. 2003;222(11):1552–8.
- Hielm-Björkman AK, Rita H, Tulamo RM. Psychometric testing of the Helsinki chronic pain index by completion of a questionnaire in Finnish by owners of dogs with chronic signs of pain caused by osteoarthritis. *Am J Vet Res*. 2009;70(6):727–34.
- Lavan RP. Development and validation of a survey for quality of life assessment by owners of healthy dogs. *Vet J*. 2013;197(3):578–82.
- Lynch S, Savary-Bataille K, Leeuw B, Argyle DJ. Development of a questionnaire assessing health-related quality-of-life in dogs and cats with cancer. *Vet Comp Oncol*. 2011;9(3):172–82.
- Rialland P, Bichot S, Moreau M, Guillot M, Lussier B, Gauvin D, Martel-Pelletier J, Pelletier J-P, Troncy E. Clinical validity of outcome pain measures in naturally occurring canine osteoarthritis. *BMC Vet Res*. 2012;8:162.
- Walton MB, Cowderoy E, Lascelles D, Innes JF. Evaluation of construct and criterion validity for the ‘Liverpool Osteoarthritis in Dogs’ (LOAD) clinical metrology instrument and comparison to two other instruments. *PLoS ONE*. 2013;8(3):e58125.
- Yazbek K.V.B.; Fantoni D.T. Validity of a health-related quality-of-life scale for dogs with signes of pain secondary to cancer. *Journal of the American Veterinary Medical Association*. 2005; 226: 1354-8.