// Master in Computer Engineering

ICCBD — Compact Summary

Andrea Sabbioni, Antonio Corradi

by Matteo Fontolan

// 2025/2026

Disclaimer & Info

This document is a **personal** collection based on lectures and/or educational materials provided by professors and/or collected over the years by students.

> ❗ **Attention**
>
> The author assumes no responsibility for any errors, omissions, or inaccuracies. The material is provided “as is” for educational support purposes only.

If you want to **add** useful material or **report** errors, please do so here.

I hope this resource proves useful to you.
Good study and good luck! 👾

If you’d like to support me with a chocolate 🍫, you can do so here.

Bento Profile

Table of Contents

1. FOUNDATIONS

1.1. Cloud & Data Centers

📖 **Cloud**

A **coordinated network of geographically distributed data centers** providing unified, high-quality services. DCs are far apart enough to survive disasters independently and offer geographically replicated services.

DC Traffic:

- **East-West** — server↔server within DC (now dominant: replicas, microservices)
- **North-South** — DC ↔ external world (passes through core/border switches)

Big Data — 5 (6) Vs: Volume · Velocity · Variety · Veracity · Value *(· Variability)*

Topology	Key property
3-Tier	Core / Aggr / Access — simple, bottleneck at core
Leaf-Spine	Any leaf→spine in 1 hop — uniform latency
Fat-Tree / Clos	More links upward — bandwidth, redundancy, non-blocking

1.2. Distributed Systems Basics

📖 **Resource**

Any component (HW/SW) needed during execution to produce a visible result in a distributed system.

📖 **Service**

Abstraction of a business process with a **standard published API**, reusable, **black-box**.

📖 **Component**

Static entity with a defined **port-based interface**. Hosted inside a **Container** (server-side runtime environment).

Transparency vs Visibility:

- **Transparency** — user sees one unified system (replication, location, failure hidden)
- **Visibility** — system exposes internal state for observability and control (dual goal)

Monitoring vs Observability:

- **Monitoring**: collect current metrics (reactive, what is happening)
- **Observability**: analyze + understand **why** + adapt (proactive)

TINA-C: 3-view architecture: **User**, **Provider**, **Vendor** over a Distributed Processing Environment (DPE).

📖 **SOA — 3 Actors**

Provider publishes interface to **Registry**. **Consumer** discovers and binds. Contract = interface, not implementation. Granularity problem: too fine = chatty; too coarse = inflexible.

Microservice: fine-grained, independently deployable service implementing ONE business function. **Monolith** → single deployable unit, simple but hard to scale parts independently.

1.3. Resource Management & Scalability

📖 **SLA — Service Level Agreement**

Formal **non-ambiguous contract** between provider and consumer specifying QoS parameters (latency, availability, throughput) and penalties for violations.

Process Migration:

- **Sender initiative**: loaded node pushes tasks out
- **Receiver initiative**: idle node pulls tasks in
- **Internal problems**: open files, sockets, shared memory
- **External problems**: network topology, remote references

Farm Pattern (Master/Workers): 1 Master distributes tasks to N Workers in parallel. Classic for **embarrassingly parallel** workloads.

Amdahl's Law: $\text{Speedup}(N, p) = \frac{1}{1-p+\frac{p}{N}}$ where p = parallelizable fraction, N = processors. The serial fraction $(1-p)$ is the ultimate bottleneck.

IaC — Infrastructure as Code: manage and provision infrastructure using **version-controlled config files** (Terraform, Ansible). Reproducibility + automation.

CI/CD: Continuous Integration + Continuous Delivery — automated build, test, deploy pipeline enabling rapid iteration.

1.4. UNIX Files & Atomicity

📖 **UNIX Per-Primitive Atomicity**

A UNIX **primitive** is **atomic** — the kernel applies its effects as one uninterruptible action. **No multi-step operation is atomic** by default — concurrent interleavings are possible.

i-node: metadata structure tracking all disk blocks of a file. **Directory:** special file mapping names → i-nodes. Concurrent writes to the same file produce non-deterministic results; directory listing under concurrent modification may miss or duplicate entries (**eventual consistency at primitive level**).

2. MIDDLEWARE & ARCHITECTURE

2.1. Containers & Microservices

Linux Namespaces (isolation scope per-process):

- **MNT**: filesystem mounts
- **PID**: process ID space
- **NET**: network stack (interfaces, routes)
- **IPC**: shared memory / semaphores
- **UTS**: hostname / domain name
- **USR**: user and group IDs
- **CGRP**: cgroup root

Linux cgroups: resource **limiting, accounting, and isolation** for process groups — cpu, memory, blkio, net_cls, cpuset.

Container vs VM:

	Container	VM
Kernel	Shared	Own
Startup	ms	seconds
Overhead	Minimal	Full OS
Isolation	Namespace+cgroup	Hypervisor

Docker Image: read-only layered filesystem snapshot. Each Dockerfile instruction adds a layer (Copy-on-Write). Running container adds a **thin writable layer** on top.

📖 **Circuit Breaker**

Stability pattern preventing **cascading failures**. States: **CLOSED** (normal) → **OPEN** (fail-fast, no calls) → **HALF-OPEN** (probe). Thresholds: failure rate + call volume + slow call rate.

2.2. Middleware Taxonomy & Cloud Models

Type	Description	Example
RPC/RMI	Remote invocation as local call (stub/skeleton)	gRPC, Java RMI
MOM	Async message exchange, decoupled in time/space	Kafka, RabbitMQ
DOC/OO	Distributed object calls via ORB	CORBA
DTP Monitor	Distributed ACID transactions	JTA, CICS, Tuxedo
DB Middleware	Heterogeneous DB integration	ODBC, JDBC
Self-*	Autonomous adaptation (self-heal, self-configure)	Autonomic MW

Service Model	What the provider manages	User manages
SaaS	Everything (infra, platform, app)	Nothing — just uses the app
PaaS	Infra + OS + runtime	App code + data
IaaS	Physical HW + virtualization	OS, runtime, app, data
FaaS	Infra + OS + runtime + scaling	Function code only

2.3. Cloud Strategies: CAP, ACID, BASE

⚠ CAP Theorem

At most **2 of 3** can be simultaneously guaranteed:

- **C — Consistency**: all nodes see the same data at the same time
- **A — Availability**: every request receives a response (possibly stale)
- **P — Partition Tolerance**: works despite network partitions

In practice **P is mandatory** in any distributed system → trade-off is **CP vs AP**.

- **CP**: ZooKeeper, HBase, MongoDB (primary) — consistent, may be unavailable during partition
- **AP**: Cassandra, DynamoDB, CouchDB — always available, may serve stale data

ACID (maximum consistency):

- **Atomicity**: all-or-nothing
- **Consistency**: DB rules always preserved
- **Isolation**: concurrent = serial execution
- **Durability**: committed = permanent

Two-Phase Commit (2PC):

1. Coordinator → all: **Prepare** (vote yes/no)
2. If all yes → **Commit**; else → **Abort**

Blocking if coordinator fails after Prepare.

BASE ("opposite" of ACID for cloud):

- **Basically Available**: system responds (possibly stale)
- **Soft state**: data may be in flux across replicas
- **Eventual Consistency**: converges when writes stop

Eventual Consistency: if all writes stop to a key, all replicas will converge to the same value.

eBay 5 Commandments: Partition Everything · Async Everywhere · Automate Everything · Everything Fails · Embrace Inconsistency

2.4. CORBA, Pub/Sub & MOM

📖 CORBA

Common Object Request Broker Architecture. Objects identified by **IOR** (Interoperable Object Reference). Interface defined in **IDL** (language-neutral). **ORB** routes invocations. Supports both **static** (compiled stubs) and **dynamic** (DII) invocation.

📖 Publish-Subscribe

Producers **publish** to topics, consumers **subscribe** to topics. Fully **decoupled**: producer doesn't know consumers, consumer doesn't know producers, neither knows when the other is active.

Apache Kafka:

- **Topic**: append-only, totally-ordered log split into **Partitions** (unit of parallelism + ordering)
- Each partition has one **Leader** broker (handles reads/writes) + N **Followers** (replicas)
- **Consumer Group**: each partition assigned to exactly one consumer — enables parallel consumption
- **Offset**: consumer position in the log; consumers control their own offset (can replay)
- **Retention**: messages kept for configurable time regardless of consumption

MQTT: lightweight pub/sub for IoT/edge. 3 QoS levels: 0 (at-most-once), 1 (at-least-once), 2 (exactly-once). Tiny protocol header for constrained devices.

IP Multicast: IGMP manages local group membership (hosts ↔ local router). Multicast routing protocols (DVMRP, PIM Dense/Sparse, CBT) build distribution trees. **PIM Sparse**: explicit join via Rendezvous Point (RP) — scalable for sparse groups.

3. CLOUD INFRASTRUCTURE

3.1. Kubernetes

📖 Kubernetes (k8s)

Open-source **container orchestration system**. **Declarative model**: you describe the **desired state** (YAML manifest); controllers continuously reconcile actual state toward it.

Control Plane:

- `API Server` — single entry point; all components talk here
- `etcd` — only stateful component; distributed K-V store for all cluster state
- `Scheduler` — assigns pods to nodes based on resources/constraints
- `Controller Manager` — runs reconciliation control loops

Worker Node:

- `kubelet` — node agent; watches API server, executes PodSpecs
- `kube-proxy` — network proxy maintaining Service rules (iptables/IPVS)
- Container runtime (containerd / CRI-O)

Controller pattern: `observe desired state → compare to actual → take action to reconcile`.

Workload Resource	Purpose
Pod	Atomic unit: one or more containers sharing network namespace and storage
ReplicaSet	Ensures N pod replicas running at all times
Deployment	ReplicaSet + rolling updates + rollback capability
StatefulSet	Stable network identity + persistent storage per pod (databases)
DaemonSet	One pod per node (logging agents, monitoring, CNI plugins)
Job / CronJob	Run-to-completion / scheduled batch tasks

Networking: `Service` (stable ClusterIP/NodePort/LoadBalancer endpoint) · `Ingress` (HTTP/HTTPS routing from outside, with TLS termination) · `CNI` plugins (Flannel, Calico, Cilium) implement pod networking.

📖 RAFT Consensus (etcd)

Leader handles all writes; followers replicate. **Majority quorum** $\left(\frac{N}{2}+1\right)$ needed for any commit. Leader election on timeout. Guarantees linearizability for etcd reads (with `--consistency=linearizable`).

Autoscaling: `HPA` scales pod replicas based on CPU/memory/custom metrics. `KEDA` extends to event-driven sources (Kafka lag, SQS depth, cron) and enables **scale-to-zero**.

Service Mesh (Istio): sidecar proxy (Envoy) injected beside each pod. Provides: **Traffic management** (canary, circuit breaking, retries), **Observability** (traces, metrics, logs), **Security** (mTLS, authorization policies). Control plane: Istiod (Pilot + Citadel + Galley).

3.2. OpenStack

Service	Function	Project
Nova	Compute: provision and manage VM instances via hypervisors	compute
Neutron	Networking: virtual networks, subnets, routers, security groups	network
Cinder	Block storage: persistent volumes attached to VMs	volume
Swift	Object storage: distributed REST-accessible, replicated	object-store
Glance	Image service: disk images for VM boot	image
Keystone	Identity: authentication, token-based authZ, service catalog	identity
Horizon	Web dashboard for all services	dashboard
Ceilometer	Telemetry: metrics collection and alarms	telemetry
Heat	Orchestration: IaC using HOT templates	orchestration

VM Provisioning: User → Keystone (auth + token) → Nova API → Nova Scheduler (node selection) → Nova Compute → Neutron (attach network) → Cinder (attach volume) → Glance (pull image) → Hypervisor (boot).

Keystone 4 sub-services: Identity (users/groups) · Resource (projects/domains) · Assignment (role bindings) · Catalog (service endpoints).

3.3. Serverless & FaaS

📖 **FaaS — Function as a Service**

Event-centric: stateless functions triggered by events, dynamically instantiated, billed per invocation. Provider manages everything below the function code. No persistent server process.

📖 **Cold Start**

When a function is scaled to zero, the next request must provision a new container: pull image → start runtime → init function. Adds latency. **Mitigations:** slim images, pre-warmed pools, HTTP-mode watchdogs, provisioned concurrency.

Function Composition Patterns:

- **Continuous passing**: A → B → C → … (pipeline)
- **Merging**: parallel branches → one function
- **Reflective**: function invokes next function
- **Façade**: single entry → fan-out to multiple
- **Map-Reduce**: split → parallel map → aggregate

BaaS — Backend as a Service: plug-and-play managed backend APIs (DB, auth, storage, CDN, AI) — no backend code written.

Platform	Architecture
OpenFaaS	k8s + Docker; Watchdog bridges HTTP→function
OpenWhisk	Kafka (triggers) + CouchDB (state)
Knative	k8s-native; Serving + Eventing
AWS Lambda	Fully managed, Firecracker micro-VMs

Knative Serving: Route → Configuration → **Revision** (immutable snapshot of code+config).

Autoscaler scales on RPS; Activator buffers when at zero.

Knative Eventing: **Broker+Trigger** for content-based routing; **Channel+Subscription** for fan-out. **CloudEvents** standard envelope.

3.4. Stream Processing

Spark Streaming (micro-batch):

- **DStream** = sequence of RDDs over time windows
- Processes one mini-batch at a time (1–5 s)
- Fault tolerance: RDD lineage + Write-Ahead Log
- Unified API with batch Spark
- Simpler model, slightly higher latency

Apache Flink (true streaming):

- Processes records one-by-one continuously
- Stateful operators; **distributed snapshots** (Chandy-Lamport barriers) for exactly-once
- Sub-second latency; native backpressure
- **JobManager** (coordination) + **TaskManagers** (execution, task slots)
- Pipelining: operators push data forward immediately

Processing guarantees: At-most-once (drop on failure) → At-least-once (replay, duplicates possible) → **Exactly-once** (requires idempotent state or 2PC — most expensive).

4. DISTRIBUTED COORDINATION

4.1. Replication for Dependability

📖 Fault / Error / Failure

Fault: event that can cause problems. **Error**: incorrect internal state resulting from a fault. **Failure**: visible incorrect behavior observed externally. Goal: break the fault → failure chain.

- **Availability**: fraction of time the system is operational $= \frac{\text{MTBF}}{\text{MTBF} + \text{MTTR}}$
- **Reliability**: delivers only **correct** results (no wrong outputs — no errors leak out)
- **Recoverability**: can restore correct service state after a failure

RAID: RAID-0 = striping (perf only) · RAID-1 = mirroring (full copy) · RAID-5 = striping + distributed parity (1 disk fault) · RAID-6 = 2-disk fault tolerance.

TANDEM: special-purpose fault-tolerant system for continuous operation. Dual processors + dual paths; hardware-level fault isolation.

📖 Passive Replication (Master-Slave)

Only the master executes. Slaves are stand-bys updated via **checkpoints**. On master failure, a slave takes over (failover). Checkpoint timing is critical: too frequent = overhead; too rare = lost work.

Lazy (async): fast writes, eventual consistency.
Eager (sync): consistent but higher latency.

📖 Active Replication

All copies execute all operations in the same total order (requires atomic multicast). No standby promotion needed. Higher coordination cost.

5 Phases of Replication: ①Client Request → ②Copy Coordination → ③Copy Execution → ④Copy Agreement → ⑤Result Delivery

Update policy	Eager (sync)	Lazy (async)
Optimistic	Low inconsistency; possible rollback needed	High inconsistency; BASE / Eventual Consistency
Pessimistic	Strong consistency; high latency (2PC locks)	Inconsistency window; simpler recovery

ZooKeeper: Distributed coordination service. Stores small data (config, locks, leader info) in hierarchical **znodes**. Writes go through elected leader (majority ack). Reads served locally (may be stale). Sequential writes guarantee total ordering. Used by Kafka (pre-KRaft), HBase.

Docker Swarm: native k8s-lite orchestration in Docker. Manager nodes (RAFT consensus) + worker nodes. Services = desired state; tasks = running containers.

4.2. Group Communication & Multicast Ordering

Ordering	Guarantee	Cost
None	Members may see messages in any order	Minimum
FIFO	Same sender's messages arrive in send order at all receivers. Multi-sender interleaving is free.	Low
Causal	If m_1 causally precedes m_2 (Lamport $\Rightarrow$), then all members deliver m_1 before m_2.	Medium
Atomic (Total)	All members deliver **all** messages in the **same total order** — regardless of sender.	High

Reliable Multicast: hold-back + NAK (negative-ack only on loss). **CATOCS / ISIS:** ABCast (atomic, cost $3(N-1)$) · CBCast (causal, partial order) · GBCast (group membership changes).

4.3. Synchronization & Logical Clocks

📖 NTP — Network Time Protocol

Stratum hierarchy: 0=atomic clocks/GPS · 1=direct servers · N=cascaded (accuracy degrades). Corrects for network delay with 4 timestamps: T_1 (client sends), T_2 (server receives), T_3 (server sends), T_4 (client receives). $\text{Offset} = \frac{(T_2-T_1)+(T_3-T_4)}{2}$. Applies corrections by **slewing** (gradual rate adjust, no jumps).

📖 Happened-Before (↛so)

Partial order: ① a before b in same process $\rightarrow$ $a \Rightarrow b$. ② send event $\Rightarrow$ receive event. ③ Transitivity. Events with no $\Rightarrow$ relation are **concurrent** ($\|$).

📖 Lamport Logical Clock LC

Clock Condition: $a \Rightarrow b \rightarrow \text{LC}(a) < \text{LC}(b)$. **Not** bidirectional: $\text{LC}(a) < \text{LC}(b)$ does NOT imply $a \Rightarrow b$.

Rules: C1: $a \Rightarrow b$ same process $\rightarrow \text{LC}_{i(a)} < \text{LC}_{i(b)}$. **C2:** send $\Rightarrow$ recv $\rightarrow \text{LC}_{i(\text{send})} < \text{LC}_{j(\text{recv})}$.

Implementation: I1: increment LC_i on every event. **I2:** attach $\text{TS} = \text{LC}_{i(a)}$ to every sent message. **I3:** on receive: $\text{LC}_j = \max(\text{TS}_{\text{rcv}}, \text{LC}_j) + 1$.

Total order (break ties by pid): $a \Rightarrow b$ iff $\text{LC}_{i(a)} < \text{LC}_{j(b)}$, or $\text{LC}_{i(a)} = \text{LC}_{j(b)}$ and $P_i < P_j$.

📖 Vector Clock V[k]

Each P_i maintains vector $V_i[k]$ for all processes. **Send:** $V_i[i] = V_i[i] + 1$, attach full vector. **Receive:** $V_j[k] = \max(V_j[k], V_i[k])$ for all k, then $V_j[j] = V_j[j] + 1$.

Bidirectional: $V_a < V_b$ iff $a \Rightarrow b$. Concurrent events $\|$ iff neither $V_a < V_b$ nor $V_b < V_a$. **This is what Lamport clocks cannot detect.**

4.4. Mutual Exclusion Algorithms

Algorithm	Messages/CS	Notes
Centralized Coordinator	3 (request + reply + release)	Simple; single point of failure; coordinator can be unfair
Lamport	$3(N-1)$ or $N-1+2$ bcasts	Decentralized; FIFO channels; no faults; static group; queue per process sorted by (ts, pid)
Ricart-Agrawala	$2(N-1)$	Optimized Lamport: delay reply instead of queuing; no release message needed
Token Ring	N per round	Proactive (circulates even idle); simple single-fault recovery; token loss requires regeneration

Lamport Protocol: P_i sends REQUEST(T_m, P_i) to all (including itself) → all reply → P_i enters CS when: (1) its request is first in local queue AND (2) reply received from every other process → sends RELEASE to all.

Ricart-Agrawala: on REQUEST from P_j, P_i **immediately replies** if not using CS or if P_j has higher priority (lower timestamp or lower pid); else **delays reply**. P_i enters when it has $N-1$ replies.

4.5. Election Protocols

Bully Algorithm:

1. P_i sends **Election** to all processes with higher ID
2. If no reply within timeout → P_i wins, broadcasts **IAmCoordinator**
3. Higher-ID process answers → stops P_i, starts its own election

→ Highest alive process always wins

Ring Election:

1. On timeout, P_i creates Election Token (ET) with its ID
2. ET passed around ring; each node appends its ID
3. Originator receives back its own ET → selects node with minimum index from the list
4. That node generates the new coordination token

4.6. Global State & Distributed Snapshot

📖 **Consistent Cut**

A cut (partition of events into "before" and "after") is **consistent** if: whenever event e is in the cut, every event e' with $e' \Rightarrow e$ is also in the cut. Equivalently: no message is received without being sent. Prevents ghost messages and duplications.

📖 Chandy-Lamport Snapshot Algorithm

Requires FIFO channels. **Marker** messages propagate the snapshot wave:

1. Initiator saves local state; sends **marker** on all OUT channels
2. First marker on IN channel C: save local state (if not done); start recording all subsequent messages arriving on all other IN channels; forward marker on all OUT channels
3. Subsequent markers on C: **close** recording on C — save buffered in-transit messages as channel state
4. All IN channels received marker → local snapshot complete

Global snapshot = union of all local process states + all channel states. Consistent by construction (FIFO + markers precede any post-snapshot message).

5. NETWORK QUALITY OF SERVICE

5.1. QoS Indicators & Management

Key QoS Indicators:

- **Bandwidth**: sustained data rate (bit/s)
- **Latency (RTT)**: round-trip time $= 2 \times \frac{d}{v} + 2 \times \text{proc}$
- **Jitter**: variance of latency in a stream
- **Skew**: offset between multiple related flows
- **Loss rate**: % of packets dropped
- **QoE**: user-perceived quality (subjective)

Application types:

- **Elastic**: adapts to available BW (HTTP, FTP, email) — best-effort sufficient
- **Non-elastic / Real-time**: strict latency/jitter constraints (VoIP, live video, gaming) — need explicit QoS guarantees

SLA lifecycle: Negotiation (agree on parameters) → Monitoring (verify adherence) → Enforcement (penalties or renegotiation on violation).

5.2. IntServ vs DiffServ

⚠ IntServ (per-flow)

RSVP two-phase signaling:

- **PATH**: sender → receiver (maps data path)
- **RESV**: receiver → sender (reserves resources)
- **Soft state**: reservations refresh periodically (no refresh = release)
- Per-flow state in **every** router → **does not scale** to Internet core
- **RTP**: in-band flow management messages
- **RTCP**: bidirectional control companion to RTP

⚠ DiffServ (per-class)

DS byte (DSCP) marks each packet at the edge:

- **EF (Expedited Forwarding)**: strict priority queue — low delay, low jitter (VoIP)
- **AF (Assured Forwarding)**: multiple classes with drop precedence (1/2/3)
- **BE (Best Effort)**: no guarantee

Traffic Conditioning at edge: Meter → Marker → Dropper/Shaper.

Scales: core routers only inspect DSCP, no per-flow state.

IntServ+DiffServ together: RSVP at edge for per-flow admission; DiffServ in core for class-based forwarding. Best of both.

5.3. Traffic Shaping & Scheduling

Leaky Bucket: output at **constant rate** r. Bursty input is buffered and smoothed. Excess dropped. Enforces strict average rate.

Token Bucket: tokens accumulate at rate r, bucket size b. Burst allowed up to b tokens. Short bursts at line rate; sustained rate $= r$. More flexible than leaky bucket.

Scheduling Policies:

- **FIFO**: simple, no fairness
- **Priority Queuing**: high-priority always first — starvation risk
- **Round Robin (WRR)**: weighted service per queue — fair
- **Max-Min Fairness**: satisfy smallest requests first; distribute surplus

- **Fair Queuing (GPS)**: bit-by-bit fairness per flow, per-packet approximation

RED (Random Early Detection): probabilistic drop as queue fills — prevents synchronization, proactive congestion control.

SIP — Session Initiation Protocol: defines and manages multimedia sessions. Entities: UA (client), UAS (server), Proxy, Redirect, Registrar. Setup: INVITE → 100 Trying → 180 Ringing → 200 OK → ACK. Teardown: BYE.

SNMP: one manager + agents on managed devices. **MIB** defines object hierarchy. Versions: v1 (community string), v2c, v3 (auth + encryption). **RMON**: remote monitoring probes for traffic statistics.

6. BIG DATA INFRASTRUCTURE

6.1. Overlay Networks & Distributed File Systems

📖 **Chord DHT**

Keys and nodes mapped to a **ring** modulo 2^m via SHA-1. Key k stored at **successor(k)**. **Finger table**: $\text{finger}[j] = \text{successor}(n + 2^{j-1})$ — achieves $O(\log N)$ lookup hops. **Consistent hashing**: node join/leave affects only immediate neighbors. Replication across r successors for fault tolerance.

Pastry: prefix-based routing. Node IDs and keys share common prefix — each hop shares one more prefix digit. $O(\log N)$ hops. Leaf set for local key ownership. Used in FreePastry, PAST.

GFS — Google File System:

- **Single master** (+ shadow replicas): holds only metadata; clients get chunk locations then bypass master for data
- **Large chunks** (64 MB): reduces master metadata load; favors streaming
- **Atomic record append**: GFS picks the offset; guarantees at-least-once per-record (not at-user-specified offset)
- **Mutations via leases**: primary chunkserver serializes concurrent writes within a lease period
- **Consistency**: after mutation — defined+consistent (serial), defined but inconsistent (concurrent success), undefined (failed mutations)
- **Replication**: 3 replicas (data flow pipelined through chain: client → R1 → R2 → R3)

HDFS — Hadoop Distributed File System: inspired by GFS. **NameNode** (single master, metadata in RAM) + **DataNodes** (chunk servers, 128 MB blocks). Replication pipeline; rack-aware placement (2 replicas same rack + 1 remote).

6.2. NoSQL: Cassandra & MongoDB

⚠️ **CAP Position of Key Systems**

- **AP** (available + partition-tolerant): Cassandra, DynamoDB, CouchDB — eventual consistency
- **CP** (consistent + partition-tolerant): HBase, MongoDB (primary reads), ZooKeeper
- **CA** is impossible in a truly distributed system with network partitions

Apache Cassandra (AP, wide-column key-value store):

Architecture: Peer-to-peer ring; consistent hashing maps keys to nodes. No single master. **Snitch** determines topology (DC/rack). **Gossip** protocol for failure detection and membership.

Write path: Commit Log (WAL, durability) → Memtable (in-memory write) → SSTable (immutable

Bloom Filter: compact bit array. On insert, set bits at k hash positions. On query, check all k positions — **no false negatives**, small false positive rate. Avoids unnecessary SSTable disk reads.

on-disk flush). **Compaction** merges SSTables + removes tombstones.

Read path: check Memtable → Bloom filter (SSTable presence) → SSTable row cache / disk.

Quorum: $W + R > N$ → strong consistency. $W = R = \text{QUORUM}$ (majority) is common.

Consistency levels: ONE · TWO · QUORUM · LOCAL_QUORUM · EACH_QUORUM · ALL.

Tunable: user picks R and W per operation — explicit consistency vs. availability trade-off.

MongoDB (CP, document store): BSON documents in collections. **Replica Set**: 1 primary + N secondaries; automatic failover via election (needs odd N). **Sharding**: shard key → mongos router → config server → shard. **Write concern**: 0/1/majority. **Read preference**: primary / secondary / nearest.

6.3. MapReduce, Hadoop YARN & Apache Spark

📖 MapReduce

Programming model: **Map** function applied to each key-value pair → intermediate (k, v) pairs sorted and shuffled by key → **Reduce** aggregates values per key. Master assigns map and reduce tasks to workers. **Data locality**: prefer worker with local data replica.

Fault tolerance: re-execute failed map tasks (output on local disk, lost on failure). Reduce tasks re-execute on another node. **Backup tasks** (speculative execution) eliminate **stragglers** (slow workers).

YARN (Hadoop 2+): decouples resource management from job scheduling.

- **Resource Manager**: cluster master; allocates container resources
- **Node Manager**: per-node agent; manages containers
- **Application Master**: per-job coordinator; negotiates resources with RM

📖 Spark RDD — Resilient Distributed Dataset

Distributed, immutable, in-memory collection partitioned across workers. **Transformations** (map, filter, join, groupBy) are **lazy** — build a **lineage graph** (DAG). **Actions** (collect, count, save) trigger execution. **Fault tolerance**: recompute lost partitions from lineage. **Persistence**: `cache()` / `persist()` to keep RDDs in memory across iterations.

Why Spark beats MapReduce on iterative workloads: RDDs stay in memory between iterations. MapReduce writes to HDFS after every map/reduce pair — 10–100× slower on iterative ML algorithms.

Spark Architecture: Driver (SparkContext, DAG scheduler) → Cluster Manager (YARN / k8s / Standalone) → Executors (task threads + block manager / cache on worker nodes).

Dimension	Spark Streaming	Apache Flink
Model	Micro-batching (DStreams = RDD windows)	True streaming (record-at-a-time)
Latency	~1–5 seconds	Sub-second (milliseconds)

Dimension	Spark Streaming	Apache Flink
State management	Via RDD lineage + WAL checkpoints	Managed stateful operators + key groups
Exactly-once	Yes, with WAL + idempotent sinks	Yes, via distributed snapshot barriers
Backpressure	Limited (rate control)	Native (credit-based)
Unified batch+stream	Yes (same Spark API)	Yes (DataStream ≈ DataSet API)
Windowing	Time-based DStream windows	Tumbling / Sliding / Session / Global