

# MySQL InnoDB Cluster – Error Resolution Guide

---

## Error Message

When checking the status of the InnoDB Cluster, you may encounter the following error:

```
"transactionSetConsistencyStatus": "INCONSISTENT",  
"transactionSetConsistencyStatusText": "There are 3 transactions  
that were executed in this instance that did not originate from the  
PRIMARY."
```

---

This indicates that the replica instance has executed transactions that were not originated from the primary, causing inconsistency in the transaction set.

## Resolution Steps

To resolve this issue, you must recreate the replica site using a clone of the primary site.

### 1. Set Variable for the Cluster Set

```
# var clusterSet=dba.getClusterSet()
```

### 2. Remove the Inconsistent Replica Cluster

```
# clusterSet.removeCluster('DR-site')  
# clusterSet.status()
```

### 3. Recreate the Replica Cluster Using the Primary Instance

```
# clusterSet.createReplicaCluster('clusteradmin@mysql4','DR-site')  
# clusterSet.status()
```

Replace 'mysql4' with the name of your primary instance, and 'DR-site' with your replica cluster name.

### 4. Set Variable for the DR-site Cluster

```
# var cluster2=dba.getCluster('DR-site')
```

### 5. Add Additional Instances to the Replica Cluster

```
# cluster2.addInstance(' clusteradmin@mysql5')  
# cluster2.addInstance(' clusteradmin@mysql6')
```

Replace 'mysql5 & mysql6' with the name of your secondary instance of 'DR-site'.