PHASE 7 • PROJECT DOCUMENTATION

✓ VERIFIED SPECIFICATION

Project Executable Files

AI-Powered Travel Planner • Smart Situational Itinerary Engine

Live URL: travel-planner-iota-plum.vercel.app **Repo:** github.com/itskian2007/travel-planner **Tech:** React + FastAPI + PostgreSQL **Team:** itskian2007

1. Zero-Install Live Cloud Deployment

The Travel Planner application is fully deployed and accessible 24/7 over secure HTTPS with global edge distribution. **End users do not need to install any executable, Python runtime, or local database**.

🌐 LIVE PRODUCTION URL

https://travel-planner-iota-plum.vercel.app/

Hosted on Vercel Global Edge Network • SSL/TLS Secured • 99.99% Availability

OPERATIONAL 24/7

2. Local Developer Quickstart Guide

TERMINAL SETUP (WINDOWS / MACOS / LINUX) BASH / POWERSHELL

```
# 1. Clone repository from GitHub
git clone https://github.com/itskian2007/travel-planner.git
cd travel-planner

# 2. Setup and run FastAPI Backend
cd backend
python -m venv venv
.\venv\Scripts\activate            # macOS/Linux: source venv/bin/activate
pip install -r requirements.txt
uvicorn main:app --reload --host 127.0.0.1 --port 8000

# 3. Setup and run React Frontend (in a separate terminal)
cd ../frontend
npm install
npm start                           # Launches UI at http://localhost:3000
```

PHASE 7 • PROJECT DOCUMENTATION

✓ VERIFIED SPECIFICATION

Project Executable Files

AI-Powered Travel Planner • Smart Situational Itinerary Engine

Live URL: travel-planner-iota-plum.vercel.app **Repo:** github.com/itskian2007/travel-planner **Tech:** React + FastAPI + PostgreSQL **Team:** itskian2007

3. Technology Runtime Prerequisites & Binaries

COMPONENT	REQUIRED VERSION	ROLE & ARCHITECTURAL FUNCTION	VERIFICATION COMMAND
Python	3.11+	FastAPI asynchronous ASGI runtime engine	`python --version`
Node.js	18.0.0+	React frontend toolchain & npm package manager	`node -v`
PostgreSQL	15+	Relational database & JSONB itinerary storage	`psql --version`
Git	2.40+	Version control & GitHub remote repository sync	`git --version`

4. Environment Configuration Specification

Backend (.env) Configuration

```
DATABASE_URL=postgresql://user:pass@host:5432/traveldb
SECRET_KEY=production_cryptographic_secret_key
ALGORITHM=HS256
ACCESS_TOKEN_EXPIRE_MINUTES=1440
```

Frontend (.env) Configuration

```
REACT_APP_API_URL=https://api.travelplanner.com
REACT_APP_ENVIRONMENT=production
REACT_APP_DEFAULT_LOCALE=en-US
```