

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-01

1. Use Case Title	Start Screening (Session)
2. Abbreviated Title	Start Screening
3. Use Case ID	UC-01
4. Actors	Presenter / User
5. Description	This use case allows the presenter/user to start a BlurGuard screening session for a selected screen, window, or application. The system loads the configured detection settings, begins monitoring, and prepares the protection workflow.
5.1 Pre-Conditions	1. Presenter/User is using BlurGuard. 2. A screen, window, or application is available for selection. 3. Required detection settings are available.
5.2 Task Sequence	1. Presenter/User selects Start Screening (Session). 2. System loads the configured detection settings. 3. System requests or confirms the screen/window/application to monitor. 4. Operating System provides access to the selected source. 5. System begins capturing and monitoring the selected content. 6. System continuously performs sensitive-data detection and risk assessment. 7. Screening session becomes active.
5.3 Post-Conditions	1. Screening session is active. 2. Selected content is being monitored. 3. Sensitive-data protection workflow is ready.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-02

1. Use Case Title	Pre-Share Scan
2. Abbreviated Title	Pre-Share Scan
3. Use Case ID	UC-02
4. Actors	Presenter / User
5. Description	This use case allows the presenter/user to scan the content that is about to be shared before a live screening session begins. The system checks the available content for sensitive information and reports the detected risks.
5.1 Pre-Conditions	1. Presenter/User has content available for scanning. 2. BlurGuard can access the selected screen, window, or application.
5.2 Task Sequence	1. Presenter/User selects Pre-Share Scan. 2. System captures the current content. 3. System detects sensitive data in the captured content. 4. System assesses risk and confidence. 5. System displays the scan result. 6. Presenter/User reviews the result and may adjust masking before sharing.
5.3 Post-Conditions	1. Pre-share scan is completed. 2. Detected sensitive regions and risk information are available for review. 3. Presenter/User can proceed with protected screening.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-03

1. Use Case Title	Pause / Resume Screening
2. Abbreviated Title	Pause / Resume
3. Use Case ID	UC-03
4. Actors	Presenter / User
5. Description	This use case allows the presenter/user to temporarily pause the active screening process and resume it when required.
5.1 Pre-Conditions	1. A screening session is currently active.
5.2 Task Sequence	1. Presenter/User selects Pause Screening. 2. System suspends active monitoring. 3. System retains the current session state. 4. Presenter/User selects Resume Screening. 5. System resumes monitoring and protection processing.
5.3 Post-Conditions	1. Screening is paused or resumed according to the user action. 2. Session state remains available for continued use.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-04

1. Use Case Title	Stop Screening (Session)
2. Abbreviated Title	Stop Screening
3. Use Case ID	UC-04
4. Actors	Presenter / User
5. Description	This use case allows the presenter/user to stop the active BlurGuard screening session and end continuous monitoring.
5.1 Pre-Conditions	1. A screening session is active.
5.2 Task Sequence	1. Presenter/User selects Stop Screening (Session). 2. System stops continuous frame monitoring. 3. System releases or closes the active capture session. 4. System records the session completion state.
5.3 Post-Conditions	1. Screening session is stopped. 2. Continuous monitoring is no longer active. 3. Session state can be retained for history or reporting.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-05

1. Use Case Title	Manual Review / Adjust Mask
2. Abbreviated Title	Manual Mask Review
3. Use Case ID	UC-05
4. Actors	Presenter / User
5. Description	This use case allows the presenter/user to manually review detected sensitive regions and adjust the protection mask when the automatic result needs correction.
5.1 Pre-Conditions	1. Sensitive regions or detections are available for review. 2. A screening or scan result is available.
5.2 Task Sequence	1. Presenter/User opens Manual Review / Adjust Mask. 2. System displays the detected region and current mask. 3. Presenter/User reviews the detected region. 4. Presenter/User moves, resizes, adds, or removes the mask as required. 5. System updates the protection region. 6. Presenter/User confirms the revised mask.
5.3 Post-Conditions	1. The protection mask reflects the user's final adjustments. 2. Updated masking can be used for protected output.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-06

1. Use Case Title	Panic Protection
2. Abbreviated Title	Panic Protection
3. Use Case ID	UC-06
4. Actors	Presenter / User
5. Description	This use case allows the presenter/user to immediately trigger protection when sensitive information must be hidden without waiting for the normal detection cycle.
5.1 Pre-Conditions	1. BlurGuard is active or capable of producing protected output. 2. Presenter/User can access the Panic Protection control.
5.2 Task Sequence	1. Presenter/User activates Panic Protection. 2. System immediately applies the configured emergency protection behaviour. 3. System prepares protected output. 4. System continues or restores normal monitoring according to the session state.
5.3 Post-Conditions	1. Emergency protection is applied. 2. Sensitive content is protected from the screen-sharing output as supported by the current session.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-07

1. Use Case Title	Manage Personal Policies
2. Abbreviated Title	Personal Policies
3. Use Case ID	UC-07
4. Actors	Presenter / User
5. Description	This use case allows the presenter/user to manage personal privacy policies that define the types of sensitive information and protection behaviour used during screening.
5.1 Pre-Conditions	1. Presenter/User can access BlurGuard settings.
5.2 Task Sequence	1. Presenter/User opens Manage Personal Policies. 2. System displays current policy settings. 3. Presenter/User modifies the desired privacy rules. 4. System validates the settings. 5. Presenter/User saves the changes. 6. System stores the updated personal policy.
5.3 Post-Conditions	1. Personal privacy policies are updated. 2. Updated rules are available for future or active screening sessions.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-08

1. Use Case Title	Manage Application Protection
2. Abbreviated Title	Application Protection
3. Use Case ID	UC-08
4. Actors	Presenter / User
5. Description	This use case allows the presenter/user to control protection behaviour for applications that may contain sensitive information.
5.1 Pre-Conditions	1. Presenter/User can access application protection settings. 2. Applications are available for configuration.
5.2 Task Sequence	1. Presenter/User opens Manage Application Protection. 2. System displays configured applications. 3. Presenter/User selects an application. 4. Presenter/User enables, disables, or modifies its protection settings. 5. System validates and stores the application-specific configuration.
5.3 Post-Conditions	1. Application protection settings are updated. 2. Configured rules are available when the related application is monitored.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-09

1. Use Case Title	View Detection History
2. Abbreviated Title	Detection History
3. Use Case ID	UC-09
4. Actors	Presenter / User
5. Description	This use case allows the presenter/user to view previously recorded sensitive-data detection events and their associated protection information.
5.1 Pre-Conditions	1. Detection records are available. 2. Presenter/User can access history.
5.2 Task Sequence	1. Presenter/User selects View Detection History. 2. System retrieves recorded detection events. 3. System displays detection category, time, risk/confidence, and protection information where available. 4. Presenter/User reviews the history.
5.3 Post-Conditions	1. Detection history is displayed. 2. No detection record is modified.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-10

1. Use Case Title	View Reports & Statistics
2. Abbreviated Title	Reports & Statistics
3. Use Case ID	UC-10
4. Actors	Presenter / User, Administrator
5. Description	This use case allows authorized users to view reports and statistical summaries related to BlurGuard screening, detections, risks, and protection activity.
5.1 Pre-Conditions	1. Report or statistical data is available. 2. User has permission to view reports.
5.2 Task Sequence	1. User selects View Reports & Statistics. 2. System retrieves relevant summary data. 3. System prepares available statistics. 4. System displays reports and statistics. 5. User reviews the information.
5.3 Post-Conditions	1. Requested reports and statistics are displayed. 2. No underlying screening data is changed.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-11

1. Use Case Title	Manage Sensitive Data Patterns
2. Abbreviated Title	Sensitive Data Patterns
3. Use Case ID	UC-11
4. Actors	Administrator
5. Description	This use case allows the administrator to manage the sensitive-data patterns used by BlurGuard to identify information that should be protected.
5.1 Pre-Conditions	1. Administrator is authorized and can access system configuration.
5.2 Task Sequence	1. Administrator opens Manage Sensitive Data Patterns. 2. System displays existing patterns. 3. Administrator adds, edits, or removes a pattern. 4. System validates the pattern. 5. Administrator saves the changes. 6. System updates the active pattern set.
5.3 Post-Conditions	1. Sensitive-data patterns are updated. 2. Updated patterns are available to the detection process.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-12

1. Use Case Title	Manage Users & Permissions
2. Abbreviated Title	Users & Permissions
3. Use Case ID	UC-12
4. Actors	Administrator
5. Description	This use case allows the administrator to manage BlurGuard users and their permissions.
5.1 Pre-Conditions	1. Administrator is authenticated. 2. Administrator has permission to manage users.
5.2 Task Sequence	1. Administrator opens Manage Users & Permissions. 2. System displays existing users and permission settings. 3. Administrator creates, updates, disables, or changes a user's permissions. 4. System validates the changes. 5. System stores the updated user and permission information.
5.3 Post-Conditions	1. User and permission information is updated. 2. New permissions apply according to system rules.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-13

1. Use Case Title	System Settings & Configuration
2. Abbreviated Title	System Configuration
3. Use Case ID	UC-13
4. Actors	Administrator
5. Description	This use case allows the administrator to manage system-level settings and configuration used by BlurGuard.
5.1 Pre-Conditions	1. Administrator is authenticated. 2. Administrator has configuration privileges.
5.2 Task Sequence	1. Administrator opens System Settings & Configuration. 2. System displays available configuration options. 3. Administrator modifies required settings. 4. System validates the configuration. 5. Administrator saves the changes. 6. System applies and stores the updated configuration.
5.3 Post-Conditions	1. System configuration is updated. 2. Revised settings are available to relevant BlurGuard functions.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-14

1. Use Case Title	Manage Application Rules
2. Abbreviated Title	Application Rules
3. Use Case ID	UC-14
4. Actors	Administrator, Screen-Sharing Application
5. Description	This use case allows application-related protection rules to be managed so that BlurGuard can apply appropriate behaviour when protected output is used with a screen-sharing application.
5.1 Pre-Conditions	1. Administrator can access application-rule configuration. 2. The relevant screen-sharing application is supported or registered.
5.2 Task Sequence	1. Administrator opens Manage Application Rules. 2. System displays configured application rules. 3. Administrator adds or modifies a rule. 4. System validates the rule. 5. System stores the updated application rule. 6. The screen-sharing application can use the applicable rule during protected output.
5.3 Post-Conditions	1. Application rules are updated. 2. Applicable rules are available during screen-sharing integration.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-15

1. Use Case Title	View Real-Time Protected Preview
2. Abbreviated Title	Protected Preview
3. Use Case ID	UC-15
4. Actors	Presenter / User, Screen-Sharing Application
5. Description	This use case allows the presenter/user to view the protected version of the current screen content before or during screen sharing.
5.1 Pre-Conditions	1. A screen, window, or application is being monitored. 2. Protected output can be generated.
5.2 Task Sequence	1. Presenter/User opens View Real-Time Protected Preview. 2. System obtains the current processed frame. 3. System displays the protected regions and remaining visible content. 4. Presenter/User reviews the preview. 5. Screen-Sharing Application can receive the protected view for sharing.
5.3 Post-Conditions	1. The current protected preview is displayed. 2. The user can verify the visible protected state.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-16

1. Use Case Title	Configure Detection Settings
2. Abbreviated Title	Detection Settings
3. Use Case ID	UC-16
4. Actors	Presenter / User
5. Description	This use case allows the presenter/user to configure the detection behaviour used during screening, including detection categories and confidence-related settings.
5.1 Pre-Conditions	1. Presenter/User can access detection settings.
5.2 Task Sequence	1. Presenter/User opens Configure Detection Settings. 2. System displays available detection options. 3. Presenter/User selects or modifies detection categories and thresholds. 4. System validates the settings. 5. Presenter/User saves the configuration. 6. System stores the updated detection settings.
5.3 Post-Conditions	1. Detection settings are updated. 2. Configured settings are used during applicable screening operations.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-17

1. Use Case Title	Manage Detection Models
2. Abbreviated Title	Detection Models
3. Use Case ID	UC-17
4. Actors	Administrator
5. Description	This use case allows the administrator to manage the detection models available to the BlurGuard detection process.
5.1 Pre-Conditions	1. Administrator is authenticated. 2. Administrator has model-management permission.
5.2 Task Sequence	1. Administrator opens Manage Detection Models. 2. System displays available detection models. 3. Administrator selects, updates, enables, disables, or manages a model. 4. System validates the model configuration. 5. System stores the selected model settings.
5.3 Post-Conditions	1. Detection model configuration is updated. 2. Selected model configuration is available to the detection process.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-18

1. Use Case Title	Select Screen / Window / Application
2. Abbreviated Title	Select Source
3. Use Case ID	UC-18
4. Actors	Presenter / User, Operating System
5. Description	This use case allows the presenter/user to select the screen, window, or application that BlurGuard should monitor. The Operating System provides the available display and application sources.
5.1 Pre-Conditions	1. Operating System is running. 2. At least one screen, window, or application is available. 3. Presenter/User has permission to access the selected source.
5.2 Task Sequence	1. Presenter/User selects the source-selection option. 2. System requests available screens, windows, or applications from the Operating System. 3. Operating System returns the available sources. 4. System displays the available sources. 5. Presenter/User selects the required source. 6. System confirms and stores the selected source.
5.3 Post-Conditions	1. A monitoring source is selected. 2. The selected source is available for scanning and screening.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-19

1. Use Case Title	Detect Sensitive Data
2. Abbreviated Title	Sensitive Data Detection
3. Use Case ID	UC-19
4. Actors	Presenter / User, Operating System
5. Description	This use case detects sensitive information in the screen content being monitored. The system identifies sensitive regions and passes the findings for risk assessment and protection.
5.1 Pre-Conditions	1. A screen, window, or application has been selected. 2. Monitoring or scanning is active. 3. Detection settings and patterns are available.
5.2 Task Sequence	1. System captures the current frame from the monitored source. 2. System preprocesses the frame for detection. 3. System analyzes text or visual content for sensitive information. 4. System identifies candidate sensitive regions. 5. System passes findings for risk and confidence assessment. 6. System returns the detection result to the screening workflow.
5.3 Post-Conditions	1. Sensitive regions detected by the configured process are identified. 2. Detection results are available for masking or review.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-20

1. Use Case Title	Assess Risk & Confidence
2. Abbreviated Title	Risk Assessment
3. Use Case ID	UC-20
4. Actors	Presenter / User
5. Description	This use case assesses the risk and confidence associated with detected content so that BlurGuard can determine the appropriate protection action.
5.1 Pre-Conditions	1. Sensitive-data detection results are available. 2. Detection and configuration information is available.
5.2 Task Sequence	1. System receives the detected sensitive region. 2. System evaluates confidence and relevant risk factors. 3. System determines whether the detection meets the configured protection threshold. 4. System produces a risk and confidence result. 5. Result is passed to the protection decision.
5.3 Post-Conditions	1. Risk and confidence values are available. 2. The result supports protection, review, or continued processing.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-21

1. Use Case Title	Apply Blur / Redaction
2. Abbreviated Title	Apply Protection
3. Use Case ID	UC-21
4. Actors	Presenter / User, Screen-Sharing Application
5. Description	This use case applies a configured protection method to detected sensitive regions before the content is sent to the screen-sharing output.
5.1 Pre-Conditions	1. Sensitive content has been detected. 2. A protection decision and masking region are available. 3. The selected protection method is configured.
5.2 Task Sequence	1. System receives the sensitive region and protection decision. 2. System determines the configured protection method. 3. System applies blur or redaction to the sensitive region. 4. System verifies the processed frame. 5. System forwards the protected frame for output generation.
5.3 Post-Conditions	1. Sensitive regions are protected in the processed frame. 2. The protected frame is ready for output.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-22

1. Use Case Title	Generate Protected Output
2. Abbreviated Title	Protected Output
3. Use Case ID	UC-22
4. Actors	Presenter / User, Screen-Sharing Application
5. Description	This use case generates the final protected screen content that can be delivered to the screen-sharing application.
5.1 Pre-Conditions	1. Sensitive content has been assessed, where applicable. 2. Protection has been applied or the frame has been confirmed safe for output.
5.2 Task Sequence	1. System receives the processed frame. 2. System composes the final protected output. 3. System maintains the required screen or frame format. 4. System provides the protected output to the screen-sharing application. 5. Screen-Sharing Application displays or transmits the protected content.
5.3 Post-Conditions	1. Protected output is generated. 2. The screen-sharing application can use protected content instead of the unprotected frame.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita

BLURGUARD -- REAL-TIME SCREEN-SHARE SENSITIVE DATA CENSOR

USE CASE SPECIFICATION — UC-23

1. Use Case Title	View Logs & Reports
2. Abbreviated Title	Logs & Reports
3. Use Case ID	UC-23
4. Actors	Administrator
5. Description	This use case allows the administrator to review system logs and generated reports related to screening, detection, protection, and configuration activity.
5.1 Pre-Conditions	1. Administrator is authenticated. 2. Logs or report records are available.
5.2 Task Sequence	1. Administrator selects View Logs & Reports. 2. System retrieves relevant records. 3. System filters or organizes available entries. 4. System displays logs and report information. 5. Administrator reviews the information.
5.3 Post-Conditions	1. Requested logs and reports are displayed. 2. No log or report record is modified.
6. Modification History	18 September 2026 – Initial version
7. Author	Lakshita